

794991-1 ✓ ACTIVE

MATE-N-LOK | Universal MATE-N-LOK

TE Internal #: 794991-1

Rectangular Connector Seals, Interface Seal, -55 – 105 °C [-67 – 221 °F], Black, Silicone Foam, Universal MATE-N-LOK

[View on TE.com >](#)



Connectors > Rectangular Connectors > Rectangular Connector Accessories > Rectangular Connector Seals



Connector Seal & Plug Type: **Interface Seal**

Operating Temperature Range: -55 – 105 °C [-67 – 221 °F]

Primary Product Color: **Black**

Operating Temperature (Max): 105 °C [221 °F]

Seal Material: **Silicone Foam**

Features

Product Type Features

Connector Seal & Plug Type	Interface Seal
----------------------------	----------------

Body Features

Primary Product Color	Black
Seal Material	Silicone Foam

Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
Operating Temperature (Max)	105 °C[221 °F]

Packaging Features

Packaging Quantity	1000
Packaging Method	Reel

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------



EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 <p>TE Part # 350787-3 02P UMNL PIN HDR ASSY 94VO LF</p>	 <p>TE Part # 3-350942-0 02P UMNL HDR ASSY R/A 94VO LF</p>	 <p>TE Part # 350787-1 02P UMNL PIN HDR ASSY 94VO</p>	 <p>TE Part # 350428-4 02P UMNL PIN HDR ASSY NATL AU</p>
 <p>TE Part # 350759-5 02P UMNL HDR ASSY PC V2 LF</p>	 <p>TE Part # 1-350942-0 02P UMNL HDR ASSY R/A 94VO</p>	 <p>TE Part # 350786-3 02P UMNL HDR ASSY AU 94VO</p>	 <p>TE Part # 350824-1 02P UMNL HDR ASSY PC 94VO</p>




TE Part # 643226-1
02P UMNL HDR ASSY R/A 94VO



TE Part # 641964-1
02P UMNL PIN HDR ASSY POL 94VO



TE Part # 350824-4
02P UMNL HDR ASSY PC LF



TE Part # 350777-1
02P UMNL PLUG HSG



TE Part # 350428-1
02P UMNL PIN HDR ASSY NATL



TE Part # 350759-4
02P UMNL HDR ASSY PC V2 NATL



TE Part # 641963-1
02P UMNL PIN HDR ASSY POL NATL



TE Part # 641964-3
02P UMNL PIN HDR ASSY POL LF



TE Part # 350786-1
02P UMNL HDR ASSY 94VO



TE Part # 350778-1
02P UMNL CAP HSG




TE Part # 1-480699-0
02P UMNL CAP HSG NATL




TE Part # 1-480698-0
02P UMNL PLUG HSG NATL


Also in the Series | **Universal MATE-N-LOK**




Circular Power Connectors(2)




Connector Contacts(7)




Connector Strain Relief(34)



Insertion & Extraction Tools(4)




Power Contacts(201)



Rectangular Connector Adapters(7)




Rectangular Connector Hardware(1)



Rectangular Connector Housings(1)



Rectangular Connector Keying Plugs(3)




Rectangular Connector Seals(26)



Rectangular Power Connectors(662)

Customers Also Bought

TE Part #1586849-1
03P UMNL CAP HSG NATL, GWTE Part #42617-1
187 FASTON REC 20-16 AWG BRTE Part #1586847-1
03P UMNL PLUG HSG, GWTE Part #1586851-1
02P UMNL PLUG HSG, GWTE Part #350699-1
UMNL SPLIT PIN PTPBRTE Part #1586856-1
02P UMNL CAP HSG, GWTE Part #350851-1
UMNL SOK 24-18 PTPBRTE Part #42510-1
250 FASTON REC 22-18 AWG BRTE Part #40509
SPLICE 3300 TO 9000 CMA BRTE Part #1-2232265-2
PTL HWI PLUG HOUSING 1X3 KEY A
BLACK

Documents

Product Drawings

[02P UMNL BLACK INTERFACE SEAL](#)

English

CAD Files

[3D PDF](#)

3D

[Customer View Model](#)

[ENG_CVM_CVM_794991-1_C.2d_dxf.zip](#)



English

Customer View Model

[ENG_CVM_CVM_794991-1_C.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_794991-1_C.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_794991-1_E.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_794991-1_E.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_794991-1_E.2d_dxf.zip](#)

English

3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[SOFT_SHELL_PIN_AND_SOCKET_CONNECTORS_CATALOG](#)

English

Product Specifications

[Application Specification](#)

English

Product Environmental Compliance

[MD_794991-1_030620182027_dmtec](#)

English

[MD_794991-1_030620182027_dmtec](#)

English