Effective August 2015 Supersedes July 2015

Bussmann series DEO Offset bolted tags fuse links



Product description

Eaton's Bussmann series range of British Standard fuse links is specifically designed for the protection of general industrial applications e.g. power distribution, cable protection, motor protection.

BUSSMANN SERIES

Standard features

- Good peak let-through current limitation
- 1:1:6 Selective coordination ratio between "minor" and "major" fuse
- Suitable for motor protection if gM type selected
- Power loss values well within the limits of IEC 60269



Catalogue symbol:

• DEO (Amps)

Technical data:

- Rated voltage: 415 V a.c.
- Rated current: 125 to 200 A
- Breaking capacity: 80kA
- Class of operation: gG and gM

Standards/approvals:

- BS88
- IEC 60269
- Suitable for use in RoHS compliant applications


Packaging:

• MOQ 5

Table 1. Technical data

		Rated	Energy i I²t (A²S)	ntegrals	Watts loss	
Part number	Rated voltage	current (Amps)	Pre- arcing	Total at 415V	w	Weight
DE0125	415 V a.c.	125	29,500	71,000	11	138g
DE0160	415 V a.c.	160	57,000	135,000	13	138g
DE0200	415 V a.c.	200	120,000	290,000	14	138g
DE0200M315	415 V a.c.	200M315	265,000	635,000	9	145g


Dimensions - mm



Catalogue numbers	Α	В	C	D	Е	F	G	Н
DE0125-200 and DE0200M315	110	94	47	19	10	9	29.5	31


Bussmann series DEO Offset bolted tags fuse links

Time current curve - DEO125 to DEO200



Technical Data **4117** Effective August 2015

Time current curve - DEO200M315



Changes to the products, to the information contained in this document, and to prices are reserved; so are errors and omissions. Only order confirmations and technical documentation by Eaton is binding. Photos and pictures also do not warrant a specific layout or functionality. Their use in whatever form is subject to prior approval by Eaton. The same applies to Trademarks (especially Eaton, Moeller, and Cutler-Hammer). The Terms and Conditions of Eaton apply, as referenced on Eaton Internet pages and Eaton order confirmations.

Eaton EMEA Headquarters Route de la Longeraie 7 1110 Morges, Switzerland Eaton.eu

© 2015 Eaton All Rights Reserved Publication No. 4117 August 2015

F ^T • N

Powering Business Worldwide

Eaton is a registered trademark.

All other trademarks are property of their respective owners.