

Description:

5320 GPS/GALILEO&GLONASS Chip Antenna

PART NUMBER: ANT5320LL14R1516A

Features:

- Size: 5.3x2.0x1.1 mm
- High radiation efficiency
- · Reflow process compatible
- RoHS compliant



Applications:

- Tablet
- Navigation device
- Telematics box
- Fleet management

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and Yede all laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:



Description:

5320 GPS/GALILEO&GLONASS Chip Antenna

PART NUMBER: ANT5320LL14R1516A

ELECTRICAL SPECIFICATIONS

Working Frequency 1.575 G / 1.602GHz

Bandwidth 80 MHz(Typ.) 10 dB Min **Return Loss Polarization** Linear

Azimuth Beamwidth Omni-directional

GPS / Galileo: 1.45 dBi(Typ.)

Peak Gain Glonass: 1.46 dBi(Typ.)

Impedance 50 Ω **Operating Temperature** - 40~105 °C

Maximum Power 1 W

Ag (Environmentally-Friendly Leadless) **Termination** 260°C , 10sec.


Resistance to Soldering Heats

1. The specification is defined on Pulse evaluation board

MECHANICAL DRAWING

	Dimension	Top View
L (mm)	5.30 ±0.20	
W (mm)	2.00 ± 0.20	T
T (mm)	1.10 ±0.20	w
A(mm)	0.80 ±0.15	
B(mm)	2.20 ±0.15	
C(mm)	0.70 ± 0.15	Bottom View
		- B→ -

Terminal name	Function
S1	GND
S2	Feeding Point
S3	GND



Side View

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION




Description:

5320 GPS/GALILEO&GLONASS Chip Antenna


PART NUMBER: ANT5320LL14R1516A

REFERENCE DESIGN OF EVALUATION BOARD

(Size=8.25*7.1mm)~



Outlook and dimension of evaluation board



■ Soldering Pads of Chip Antenna↓ ■ Footprint for Feeding ↔

Details of soldering Pad




Description:

5320 GPS/GALILEO&GLONASS Chip Antenna

PART NUMBER: ANT5320LL14R1516A


ELECTRICAL PERFORMANCES





Marker data

1. 1.5461114GHz, -10.000dB 2. 1.5750000GHz, -14.806dB 3. 1.5910000GHz, -15.905dB 4. 1.6020000GHz, -14.712dB 5. 1.6261948GHz, -10.000dB

Return loss







(Frequency= 1602 MHz)

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



Description:

5320 GPS/GALILEO&GLONASS Chip Antenna

PART NUMBER: ANT5320LL14R1516A

		_	 		
пг	1/10			7	
\mathbf{H}	V =		_	•	\mathbf{H}
	VIS			,,,,	

Revision	Date	Description	
Version 1	Oct 30 2020	- New issue	