

Insulated cross-connector, No. of poles: 99, Mounting type: Plug in, Width: 500 mm, Rated cross-section: 2.5 mm², Colour: Yellow

RAL: 1026

Business data

Article number	<u>3719.8</u>
Article name	ZQI 2,5/0,5 m/99 Pole YE
GTIN (EAN)	4044211060374
Packaging unit	2
Quantity unit	PC
Weight per piece (not including packaging)	56.47 g
Weight per piece (including packaging)	99.47 g
Unit of weight	G
Customs number	85389099
Country of origin	DE
Prio-Article	3719.8
Product description	Insulated cross-connector



Technical data

Dimensions	
Length	4.5 mm
Width	500 mm
Pitch size	5 mm
Ratings	
Voltage with partition, max.	800 V
Voltage without partition, max.	800 V
Rated current	24 A
Rated cross-section	2.5 mm ²
Contamination degree	3
Connection data	
No. of poles	99
Materials	
Material	Copper alloy
Surface	Tin-plated
Insulation housing	Polyamide 6.6
Flammability class UL 94	V-2
Working temperature, min.	-40 °C
Working temperature, max.	105 °C
Further technical data	
Mounting type	Plug in
Insulation available	\checkmark
Touch protection is available	\checkmark
Number of bridged terminals	99
Environmental Product Compliance	
REACH Conform	Yes
REACH Candidate Substance Note	No
RoHS Conform	Yes



Media



Accessories

##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3568.2	ZRKD 2,5/LED1(RD)/24V DC BG	4044211059125	100 ST



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3569.2	ZRKD 2,5/LED2(RD)/24V DC BG	4044211059132	100 ST



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3572.2	ZRKD 2,5/D3 BG	4044211059163	100

Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige





Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3574.2	ZRKD 2,5/D5 BG	4044211059187	100 ST



##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour:Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3645.2	ZRKD 2,5/LED(RD)/230V AC BG	4044211146733	100 ST



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3570.2	ZRKD 2,5/D1 BG	4044211059149	100

Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3571.2	ZRKD 2,5/D2 BG	4044211059156	100



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated crosssection: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17481.2	ZST 2,5/1/1A/Q BG	4044211205201	50 ST



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated crosssection: 2.5 mm², Width: 66.3 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17493.2	ZST 2,5/13/1A/Q BG	4044211205324	10 ST

 Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated cross-section: 2.5 mm², Width: 71.4 mm, Colour: Beige

 Article number
 Article name

 GTIN (EAN)
 Packaging unit

R	Article number	Article name	GTIN (EAN)	Packaging unit
	17494.2	ZST 2,5/14/1A/Q BG	4044211205331	10 ST



				Dookoning
- Caract	Article number	Article name	GTIN (EAN)	Packaging unit
	3653.2	ZRKS 2,5/2A/2S BG	4044211177683	100
	0	terminal, Tension-spring connector construction: 2.5 mm², Width:	0,11	ing rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3652.2	ZRKS 2,5/2A/1S BG	4044211177676	100
	0	terminal, Plug-in connection, N ı, Colour: Beige	/lounting type: Mounting rail ⊺	rs 35/7.5,
	Article number	Article name	GTIN (EAN)	Packaging unit
	3655.2	ZRKS 2,5/2S BG	4044211177706	100
IZ EMA	•	terminal, Tension-spring conne m², Width: 25.5 mm, Colour: B	••••••	n, Rated cross
<u>Neur</u>	Article number	Article name	GTIN (EAN)	Packaging unit
<u>Neur</u>	Article number 17485.2	Article name ZST 2,5/5/1A/Q BG	GTIN (EAN) 4044211205249	
	<u>17485.2</u> Feed-through		4044211205249 ection, Mounting type: Plug ir	unit 50 ST
<u>(</u>	<u>17485.2</u> Feed-through	ZST 2,5/5/1A/Q BG terminal, Tension-spring conne	4044211205249 ection, Mounting type: Plug ir	unit 50 ST
	17485.2 Feed-through section: 2.5 m	ZST 2,5/5/1A/Q BG terminal, Tension-spring conne m², Width: 56.1 mm, Colour: B	4044211205249 ection, Mounting type: Plug in eige	unit 50 ST n, Rated cross Packaging
	17485.2 Feed-through section: 2.5 m Article number 17491.2 Feed-through	ZST 2,5/5/1A/Q BG terminal, Tension-spring conne m², Width: 56.1 mm, Colour: B Article name	4044211205249 ection, Mounting type: Plug in eige GTIN (EAN) 4044211205300 ection, Mounting type: Plug in	unit 50 ST n, Rated cross Packaging unit 10 ST
)	17485.2 Feed-through section: 2.5 m Article number 17491.2 Feed-through	ZST 2,5/5/1A/Q BG terminal, Tension-spring conne m ² , Width: 56.1 mm, Colour: B Article name ZST 2,5/11/1A/Q BG terminal, Tension-spring conne	4044211205249 ection, Mounting type: Plug in eige GTIN (EAN) 4044211205300 ection, Mounting type: Plug in	unit 50 ST n, Rated cross Packaging unit 10 ST
<u>[] ĒÜR</u>]	17485.2Feed-through section: 2.5 mArticle number17491.2Feed-through section: 2.5 m	ZST 2,5/5/1A/Q BG terminal, Tension-spring conne m², Width: 56.1 mm, Colour: B Article name ZST 2,5/11/1A/Q BG terminal, Tension-spring conne m², Width: 76.5 mm, Colour: B	4044211205249 ection, Mounting type: Plug in eige GTIN (EAN) 4044211205300 ection, Mounting type: Plug in eige	unit 50 ST a, Rated cross Packaging unit 10 ST a, Rated cross Packaging
[<u> \ Ē Ü R</u>])())() ()	17485.2Feed-through section: 2.5 mArticle number17491.2Feed-through section: 2.5 mArticle number17495.2Feed-through	ZST 2,5/5/1A/Q BG terminal, Tension-spring conne m ² , Width: 56.1 mm, Colour: B Article name ZST 2,5/11/1A/Q BG terminal, Tension-spring conne m ² , Width: 76.5 mm, Colour: B Article name	4044211205249 ection, Mounting type: Plug in eige GTIN (EAN) 4044211205300 ection, Mounting type: Plug in eige GTIN (EAN) 4044211205348 ection, Mounting type: Plug in	unit 50 ST a, Rated cross Packaging unit 10 ST a, Rated cross Packaging unit 10 ST
	17485.2Feed-through section: 2.5 mArticle number17491.2Feed-through section: 2.5 mArticle number17495.2Feed-through	ZST 2,5/5/1A/Q BG terminal, Tension-spring conne m ² , Width: 56.1 mm, Colour: B Article name ZST 2,5/11/1A/Q BG terminal, Tension-spring conne m ² , Width: 76.5 mm, Colour: B Article name ZST 2,5/15/1A/Q BG terminal, Tension-spring conne	4044211205249 ection, Mounting type: Plug in eige GTIN (EAN) 4044211205300 ection, Mounting type: Plug in eige GTIN (EAN) 4044211205348 ection, Mounting type: Plug in	unit 50 ST A, Rated cross Packaging unit 10 ST A, Rated cross Packaging unit 10 ST



##INVERSE##CONTA-CONNECT



Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige


Article number	Article name	GTIN (EAN)	Packaging unit
3650.2	ZRKS 2,5/1A/1S BG	4044211177652	100

Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3651.2	ZRKS 2,5/1A/2S BG	4044211177669	100

Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated crosssection: 2.5 mm², Width: 45.9 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17489.2	ZST 2,5/9/1A/Q BG	4044211205287	25 ST



Article number	Article name	GTIN (EAN)	Packaging unit
17490.2	ZST 2,5/10/1A/Q BG	4044211205294	25 ST



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated crosssection: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3673.2	ZST 2,5/1A/Q/Z BG	4044211177843	100



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated crosssection: 2.5 mm², Width: 20.4 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17484.2	ZST 2,5/4/1A/Q BG	4044211205232	50 ST



Feed-through terminal, Tension-spring connection, Mounting type: Plug in, Rated crosssection: 2.5 mm², Width: 35.7 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17487.2	ZST 2,5/7/1A/Q BG	4044211205263	25 ST



##INVERSE##CONTA-CONNECT

Feed-through terminal, Plug-in connection, Mo	unting type: Mounting rail TS 35/7.5,
Width: 5.1 mm, Colour: Beige	

	Width: 5.1 mm	a, Colour: Beige		
	Article number	Article name	GTIN (EAN)	Packaging unit
	3654.2	ZRKS 2,5/4S BG	4044211177690	100
R	•	terminal, Tension-spring connection, m², Width: 10.2 mm, Colour: Beige	, Mounting type: Plug ir	n, Rated cross-
	Article number	Article name	GTIN (EAN)	Packaging unit
00	17482.2	ZST 2,5/2/1A/Q BG	4044211205218	50 ST
rnr	•	terminal, Tension-spring connection, m², Width: 15.3 mm, Colour: Beige	, Mounting type: Plug ir	n, Rated cross-
EHC	Article number	Article name	GTIN (EAN)	Packaging unit
	17483.2	ZST 2,5/3/1A/Q BG	4044211205225	50 ST
K EMA	•	terminal, Tension-spring connection, m², Width: 40.8 mm, Colour: Beige	, Mounting type: Plug ir	n, Rated cross
I\EUR	Article number	Article name	GTIN (EAN)	Packaging unit
	17488.2	ZST 2,5/8/1A/Q BG	4044211205270	25 ST
I∕ EMA	0	terminal, Tension-spring connection, m², Width: 61.2 mm, Colour: Beige	, Mounting type: Plug ir	n, Rated cross-
I\EUR	Article number	Article name	GTIN (EAN)	Packaging unit
	17492.2	ZST 2,5/12/1A/Q BG	4044211205317	10 ST
	-	terminal, Tension-spring connection, m², Width: 5.1 mm, Colour: Beige	, Mounting type: Plug ir	n, Rated cross∙
	Article number	Article name	GTIN (EAN)	Packaging unit
	3672.2	ZST 2,5/1A/Q BG	4044211177836	100
I/ EMA	•	terminal, Tension-spring connection, m², Width: 30.6 mm, Colour: Beige	, Mounting type: Plug ir	n, Rated cross-
Í\ E U R	Article number	Article name	GTIN (EAN)	Packaging unit
	17486.2	ZST 2,5/6/1A/Q BG	4044211205256	25 ST



	al / actuator terminal, Tension-sprin Rated cross-section: 1.5 mm², Wid	•	•••
Article number	Article name	GTIN (EAN)	Packaging unit
3528.2	ZIZA 1,5/3 BG	4044211058722	100 ST
	al / actuator terminal / block variant rail TS 35/7.5, Rated cross-sectior		•
Article number	Article name	GTIN (EAN)	Packaging unit
3529.2	ZIZA 1,5/3/B BG	4044211058739	50
	al / actuator terminal, Tension-sprin Rated cross-section: 1.5 mm², Wid	•	•••
Article number	Article name	GTIN (EAN)	Packaging unit
0500.0		4044211058746	50 ST
 3530.2	ZIZA 1,5/3/LED(RD)/24V BG	4044211030740	50 51
Initiator termina	al / actuator terminal, Tension-sprin Rated cross-section: 1.5 mm ² , Widt	ng connection, Mounting	type: Mounting
Initiator termina	al / actuator terminal, Tension-sprin	ng connection, Mounting	type: Mounting
Initiator terminaria rail TS 35/7.5,	al / actuator terminal, Tension-sprin Rated cross-section: 1.5 mm², Wid	ng connection, Mounting th: 5.1 mm, Colour: Beig	type: Mounting ge Packaging
Initiator termina rail TS 35/7.5, Article number <u>3533.2</u> Initiator termina	al / actuator terminal, Tension-sprin Rated cross-section: 1.5 mm², Wid Article name	ng connection, Mounting th: 5.1 mm, Colour: Beig GTIN (EAN) 4044211058784	type: Mounting ge Packaging unit 100 ST
Initiator termina rail TS 35/7.5, Article number <u>3533.2</u> Initiator termina type: Mounting	al / actuator terminal, Tension-sprin Rated cross-section: 1.5 mm ² , Wid Article name ZIZA 1,5/4 BG al / actuator terminal / block variant	ng connection, Mounting th: 5.1 mm, Colour: Beig GTIN (EAN) 4044211058784	type: Mounting ge Packaging unit 100 ST
Initiator termina rail TS 35/7.5, Article number 3533.2 Initiator termina type: Mounting Beige	al / actuator terminal, Tension-sprin Rated cross-section: 1.5 mm², Widt Article name ZIZA 1,5/4 BG al / actuator terminal / block variant rail TS 35/7.5, Rated cross-section	ng connection, Mounting th: 5.1 mm, Colour: Beig GTIN (EAN) 4044211058784 c, Tension-spring connect n: 1.5 mm², Width: 5.1 m	type: Mounting ge Packaging unit 100 ST Stion, Mounting m, Colour: Packaging
Initiator termina rail TS 35/7.5, Article number 3533.2 Initiator termina type: Mounting Beige Article number 3535.2 Initiator termina	al / actuator terminal, Tension-sprin Rated cross-section: 1.5 mm², Widt Article name ZIZA 1,5/4 BG al / actuator terminal / block variant rail TS 35/7.5, Rated cross-section Article name	ng connection, Mounting th: 5.1 mm, Colour: Beig GTIN (EAN) 4044211058784 c, Tension-spring connect h: 1.5 mm², Width: 5.1 m GTIN (EAN) 4044211058807	type: Mounting Packaging unit 100 ST tion, Mounting m, Colour: Packaging unit 50 ST type: Mounting
Initiator termina rail TS 35/7.5, Article number 3533.2 Initiator termina type: Mounting Beige Article number 3535.2 Initiator termina	al / actuator terminal, Tension-sprin Rated cross-section: 1.5 mm², Widt Article name ZIZA 1,5/4 BG al / actuator terminal / block variant rail TS 35/7.5, Rated cross-section Article name ZIZA 1,5/4/B/LED(RD)/24V BG al / actuator terminal, Tension-sprin	ng connection, Mounting th: 5.1 mm, Colour: Beig GTIN (EAN) 4044211058784 c, Tension-spring connect h: 1.5 mm², Width: 5.1 m GTIN (EAN) 4044211058807	type: Mounting Packaging unit 100 ST tion, Mounting m, Colour: Packaging unit 50 ST type: Mounting



##INVERSE##CONTA-CONNECT

*******		al / actuator terminal, Tension-sprir Rated cross-section: 1.5 mm², Wid	•	•••
	Article number	Article name	GTIN (EAN)	Packaging unit
	3644.2	ZIZA 1,5/3/17 POL/LED(RD)/24V	4044211108403	1 ST
		al / actuator terminal / block variant rail TS 35/7.5, Rated cross-section		
			GTIN (EAN)	Packaging
	Article number	Article name		unit
	<u>3531.2</u> Initiator termina	ZIZA 1,5/3/B/LED(RD)/24V BG al / actuator terminal, Tension-sprir	4044211058760	50 ST
	<u>3531.2</u> Initiator termina	ZIZA 1,5/3/B/LED(RD)/24V BG	4044211058760	50 ST type: Mountir ge
	3531.2 Initiator termina rail TS 35/7.5,	ZIZA 1,5/3/B/LED(RD)/24V BG al / actuator terminal, Tension-sprir Rated cross-section: 1.5 mm ² , Wid	4044211058760 ng connection, Mounting Ith: 5.1 mm, Colour: Beig	50 ST type: Mountir ge Packaging
	3531.2 Initiator termina rail TS 35/7.5, Article number 3536.2 Initiator termina	ZIZA 1,5/3/B/LED(RD)/24V BG al / actuator terminal, Tension-sprir Rated cross-section: 1.5 mm ² , Wid Article name	4044211058760 ng connection, Mounting Ith: 5.1 mm, Colour: Beig GTIN (EAN) 4044211058814	50 ST type: Mountinge Packaging unit 100 ST
	3531.2 Initiator termina rail TS 35/7.5, Article number 3536.2 Initiator termina	ZIZA 1,5/3/B/LED(RD)/24V BG al / actuator terminal, Tension-sprin Rated cross-section: 1.5 mm ² , Wid Article name ZIZA 1,5/4/LED(RD)/24V BG al / actuator terminal, Tension-sprin	4044211058760 ng connection, Mounting Ith: 5.1 mm, Colour: Beig GTIN (EAN) 4044211058814	50 ST type: Mountinge Packaging unit 100 ST

Article number	Article name	GTIN (EAN)	Packaging unit
3547.2	ZIZA 1,5/3/10 POL/LED(RD)/24V	4044211058883	5 ST



.........

Initiator terminal / actuator terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 61.2 mm, Colour: Multi-coloured

Article number	Article name	GTIN (EAN)	Packaging unit
3553.2	ZIZA 1,5/3/10 POL/LED(RD)/24V/PE	4044211058944	5 ST



		al / actuator terminal, Tension-spring Rated cross-section: 1.5 mm ² , Width	•	•••••
	Article number	Article name	GTIN (EAN)	Packaging unit
	<u>3555.2</u>	ZIZA 1,5/3/16 POL/LED(RD)/24V/PE	4044211058968	1 ST
		al / actuator terminal, Tension-spring Rated cross-section: 1.5 mm², Width	•	••••••
	Article number	Article name	GTIN (EAN)	Packaging unit
	3556.2	ZIZA 1,5/4/8 POL/PE	4044211058975	5 ST
		al / actuator terminal, Tension-spring Rated cross-section: 1.5 mm², Width		••••••
	Article number	Article name	GTIN (EAN)	Packaging unit
	3559.2	ZIZA 1,5/4/10 POL/LED(RD)/24V/PE	4044211059002	5 ST
		al / actuator terminal, Tension-spring Rated cross-section: 1.5 mm², Width	•	•••••
	Article number	Article name	GTIN (EAN)	Packaging unit
- Nanaganan	3560.2	ZIZA 1,5/4/16 POL/PE	4044211059019	1 ST
		al / actuator terminal, Tension-spring Rated cross-section: 1.5 mm², Width	•	••••••
	Article number	Article name	GTIN (EAN)	Packaging unit
	3642.2	ZIZA 1,5/3/9 POL/LED(RD)/24V	4044211108410	1 ST
		al / actuator terminal / block variant, ⁻ g rail TS 35/7.5, Rated cross-section:		
	Article number			Packaging

Article number	Article name	GTIN (EAN)	Packaging unit
3534.2	ZIZA 1,5/4/B BG	4044211058791	50 ST



##INVERSE##CONTA-CONNECT

Initiator terminal / actuator terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm ² , Width: 45.9 mm, Colour: Multi-coloured			
Article number	Article name	GTIN (EAN)	Packaging unit
3545.2	ZIZA 1,5/3/8 POL/LED(RD)/24V	4044211058869	5 ST
	al / actuator terminal, Tension-sprin Rated cross-section: 1.5 mm², Widt		••••
Article number	Article name	GTIN (EAN)	Packaging unit
3548.2	ZIZA 1,5/3/16 POL	4044211058890	1 ST
	al / actuator terminal, Tension-sprin Rated cross-section: 1.5 mm², Widt	•	•••
Article number	Article name	GTIN (EAN)	Packaging unit
 3550.2	ZIZA 1,5/3/8 POL/PE	4044211058913	5 ST
Initiator terminal / actuator terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm ² , Width: 61.2 mm, Colour: Multi-coloured			
Article number	Article name	GTIN (EAN)	Packaging unit
Article number 3552.2	Article name ZIZA 1,5/3/10 POL/PE	GTIN (EAN) 4044211058937	
<u>3552.2</u> Initiator termina		4044211058937 g connection, Mounting	unit 5 ST I type: Mounting
<u>3552.2</u> Initiator termina	ZIZA 1,5/3/10 POL/PE al / actuator terminal, Tension-sprin	4044211058937 g connection, Mounting	unit 5 ST I type: Mounting
3552.2 Initiator termina rail TS 35/7.5,	ZIZA 1,5/3/10 POL/PE al / actuator terminal, Tension-sprin Rated cross-section: 1.5 mm ² , Widt	4044211058937 g connection, Mounting th: 51 mm, Colour: Mult	unit 5 ST I type: Mounting i-coloured Packaging
3552.2 Initiator termina rail TS 35/7.5, Article number 3557.2 Initiator termina	ZIZA 1,5/3/10 POL/PE al / actuator terminal, Tension-sprin Rated cross-section: 1.5 mm ² , Widt Article name	4044211058937 g connection, Mounting th: 51 mm, Colour: Mult GTIN (EAN) 4044211058982 g connection, Mounting	unit 5 ST 1 type: Mounting i-coloured Packaging unit 5 ST
3552.2 Initiator termina rail TS 35/7.5, Article number 3557.2 Initiator termina	ZIZA 1,5/3/10 POL/PE al / actuator terminal, Tension-sprin Rated cross-section: 1.5 mm ² , Widt Article name ZIZA 1,5/4/8 POL/LED(RD)/24V/PE al / actuator terminal, Tension-sprin	4044211058937 g connection, Mounting th: 51 mm, Colour: Mult GTIN (EAN) 4044211058982 g connection, Mounting	unit 5 ST 1 type: Mounting i-coloured Packaging unit 5 ST
3552.2 Initiator termina rail TS 35/7.5, Article number 3557.2 Initiator termina rail TS 35/7.5,	ZIZA 1,5/3/10 POL/PE al / actuator terminal, Tension-sprin Rated cross-section: 1.5 mm ² , Widt Article name ZIZA 1,5/4/8 POL/LED(RD)/24V/PE al / actuator terminal, Tension-sprin Rated cross-section: 1.5 mm ² , Widt	4044211058937 g connection, Mounting th: 51 mm, Colour: Mult GTIN (EAN) 4044211058982 g connection, Mounting th: 91.8 mm, Colour: Mu	unit 5 ST 1 type: Mounting i-coloured Packaging unit 5 ST 1 type: Mounting ulti-coloured Packaging
3552.2 Initiator termina rail TS 35/7.5, Article number 3557.2 Initiator termina rail TS 35/7.5, Article number 3561.2 Initiator termina	ZIZA 1,5/3/10 POL/PE al / actuator terminal, Tension-sprin Rated cross-section: 1.5 mm ² , Widt Article name ZIZA 1,5/4/8 POL/LED(RD)/24V/PE al / actuator terminal, Tension-sprin Rated cross-section: 1.5 mm ² , Widt Article name	4044211058937 g connection, Mounting th: 51 mm, Colour: Mult GTIN (EAN) 4044211058982 g connection, Mounting th: 91.8 mm, Colour: Mu GTIN (EAN) 4044211059026 g connection, Mounting	unit 5 ST 1 type: Mounting i-coloured Packaging unit 5 ST 1 type: Mounting ulti-coloured Packaging unit 1 ST 1 type: Mounting
3552.2 Initiator termina rail TS 35/7.5, Article number 3557.2 Initiator termina rail TS 35/7.5, Article number 3561.2 Initiator termina	ZIZA 1,5/3/10 POL/PE al / actuator terminal, Tension-sprin Rated cross-section: 1.5 mm ² , Widt Article name ZIZA 1,5/4/8 POL/LED(RD)/24V/PE al / actuator terminal, Tension-sprin Rated cross-section: 1.5 mm ² , Widt Article name ZIZA 1,5/4/16 POL/LED(RD)/24V/PE al / actuator terminal, Tension-sprin	4044211058937 g connection, Mounting th: 51 mm, Colour: Mult GTIN (EAN) 4044211058982 g connection, Mounting th: 91.8 mm, Colour: Mu GTIN (EAN) 4044211059026 g connection, Mounting	unit 5 ST 1 type: Mounting i-coloured Packaging unit 5 ST 1 type: Mounting ulti-coloured Packaging unit 1 ST 1 type: Mounting



##INVERSE##CONTA-CONNECT

	Initiator terminal / actuator terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm ² , Width: 91.8 mm, Colour: Multi-coloured			
	Article number	Article name	GTIN (EAN)	Packaging unit
	3643.2	ZIZA 1,5/3/17 POL	4044211108397	1 ST



Ex feed-through terminal for direct mount, ATEX-certified, Tension-spring connection, Mounting type: Mounting surface, Rated cross-section: 25 mm², Width: 51 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1729.2	ZSRK 2,5/2A-D Ex BG	4044211129699	100 ST

Initiator terminal / actuator terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 56.1 mm, Colour: Multi-coloured

Article number	Article name	GTIN (EAN)	Packaging unit
3546.2	ZIZA 1,5/3/10 POL	4044211058876	5 ST



Initiator terminal / actuator terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 86.7 mm, Colour: Multi-coloured

Article number	Article name	GTIN (EAN)	Packaging unit
3549.2	ZIZA 1,5/3/16 POL/LED(RD)/24V	4044211058906	1 ST



Initiator terminal / actuator terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 51 mm, Colour: Multi-coloured

Article number	Article name	GTIN (EAN)	Packaging unit
3551.2	ZIZA 1,5/3/8 POL/LED(RD)/24V/PE	4044211058920	5 ST



Initiator terminal / actuator terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 61.2 mm, Colour: Multi-coloured

Article number	Article name	GTIN (EAN)	Packaging unit
3558.2	ZIZA 1,5/4/10 POL/PE	4044211058999	5 ST



	•	terminal for direct mount, Tension ace, Rated cross-section: 2.5 mm		• • •
	Article number	Article name	GTIN (EAN)	Packaging unit
	3588.2	ZSRK 2,5/2A-D BG	4044211151966	100
Station of the second	•	terminal for direct mount, Tension ace, Rated cross-section: 2.5 mm		• • •
	Article number	Article name	GTIN (EAN)	Packaging unit
	3638.2	ZSLN 2,5/2A-D BKYE	4044211080570	100 ST
	•	terminal for direct mount, Tension ace, Rated cross-section: 2.5 mm Article name		•••
	3639.2	ZSLN 2,5/2A-RC BKYE	4044211080556	100 ST
	•	terminal for direct mount, Tension ace, Rated cross-section: 2.5 mm Article name		•••
	<u>3640.2</u>	ZSLN 2,5/2A-D/F BKYE	4044211080563	50 ST
	•	terminal for direct mount, Tension ace, Rated cross-section: 2.5 mm		
	Article number	Article name	GTIN (EAN)	Packaging unit
	3587.2	ZSRK 2,5/2A-RC BG	4044211151942	100
	0	terminal for direct mount, Tension ace, Rated cross-section: 2.5 mm		0 71
10-02	Article number	Article name	GTIN (EAN)	Packaging unit
	3595.2	ZSRK 2,5/2A/D/F BG	4044211059545	50
	Fuse-disconne	ZSRK 2,5/2A/D/F BG ect terminal, Tension-spring conn cross-section: 2.5 mm², Width: 5.	ection, Mounting type: Mo	
	Fuse-disconne	ect terminal, Tension-spring conn	ection, Mounting type: Mo	



##INVERSE##CONTA-CONNECT



Fuse-disconnect terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

•	Article number	Article name	GTIN (EAN)	Packaging unit
	3621.2	ZTRK 2,5/3A/ZS BG	4044211059859	100

Fuse-disconnect terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

27/20	Article number	Article name	GTIN (EAN)	Packaging unit
	<u>3626.2</u>	ZTRK 2,5/4A/ZS BG	4044211059903	100

Disconnect-blade terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

2	Article number	Article name	GTIN (EAN)	Packaging unit
	3605.2	ZTRK 2,5/4A/MT BG	4044211059699	100

Basic terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

 Article number	Article name	GTIN (EAN)	Packaging unit
<u>3611.2</u>	ZTRK 2,5/4A/OT BG	4044211059750	100



Three-level initiator terminal | Multi-wire terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3590.2	ZIKD 2,5 BG	4044211059460	50



Three-level initiator terminal | Multi-wire terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3592.2	ZIKD 2,5/PE/L/L BG	4044211059507	50







10-0-4				
	Article number	Article name	GTIN (EAN)	Packaging unit
	3564.2	ZRKD 2,5/N/DU	4044211059088	100 ST
		erminal, Tension-spring connector cross-section: 2.5 mm², Width	ection, Mounting type: Mountir n: 5.1 mm, Colour: Beige	ng rail TS
Nates D	Article number	Article name	GTIN (EAN)	Packaging unit
	3566.2	ZRKD 2,5/N/PE	4044211059101	100 ST
A CON	35/7.5, Rated	cross-section: 2.5 mm ² , Width		ng rail TS Packaging
	Article number	Article name	GTIN (EAN)	unit
	<u>3575.2</u>	ZRKD 2,5/ZBA BG	4044211059194	100
	Three-level ini	tiator terminal Multi-wire terr	4044211059194 ninal, Tension-spring connecti section: 2.5 mm², Width: 5.1 m GTIN (EAN)	ion, Mounting nm, Colour: Packaging
	Three-level ini type: Mounting Beige	tiator terminal Multi-wire terr g rail TS 35/7.5, Rated cross-s	ninal, Tension-spring connect section: 2.5 mm², Width: 5.1 m	ion, Mounting nm, Colour:
	Three-level init type: Mounting Beige Article number 3591.2 Ex double-leve	tiator terminal Multi-wire terr rail TS 35/7.5, Rated cross-s Article name ZIKD 2,5/SV BG	ninal, Tension-spring connecti section: 2.5 mm², Width: 5.1 m GTIN (EAN)	ion, Mounting nm, Colour: Packaging unit 50
	Three-level inititype: Mounting Beige Article number 3591.2 Ex double-leve Mounting rail T	tiator terminal Multi-wire term rail TS 35/7.5, Rated cross-s Article name ZIKD 2,5/SV BG el terminal ATEX-certified, Ter TS 35/7.5, Rated cross-sectio	ninal, Tension-spring connection: 2.5 mm², Width: 5.1 m GTIN (EAN) 4044211059484 nsion-spring connection, Moun n: 2.5 mm², Width: 5.1 mm, Co	ion, Mounting nm, Colour: Packaging unit 50 nting type: olour: Beige Packaging
	Three-level init type: Mounting Beige Article number 3591.2 Ex double-leve Mounting rail T Article number 1707.2 Double-level te	tiator terminal Multi-wire term rail TS 35/7.5, Rated cross-s Article name ZIKD 2,5/SV BG el terminal ATEX-certified, Ter S 35/7.5, Rated cross-sectio Article name ZRKD 2,5 Ex BG	ninal, Tension-spring connection: 2.5 mm², Width: 5.1 m GTIN (EAN) 4044211059484 nsion-spring connection, Moun n: 2.5 mm², Width: 5.1 mm, Co GTIN (EAN) 4044211110949 ection, Mounting type: Mountin	ion, Mounting nm, Colour: Packaging unit 50 nting type: olour: Beige Packaging unit 100
	Three-level init type: Mounting Beige Article number 3591.2 Ex double-leve Mounting rail T Article number 1707.2 Double-level te	tiator terminal Multi-wire terr rail TS 35/7.5, Rated cross-s Article name ZIKD 2,5/SV BG el terminal ATEX-certified, Ter S 35/7.5, Rated cross-sectio Article name ZRKD 2,5 Ex BG	ninal, Tension-spring connection: 2.5 mm², Width: 5.1 m GTIN (EAN) 4044211059484 nsion-spring connection, Moun n: 2.5 mm², Width: 5.1 mm, Co GTIN (EAN) 4044211110949 ection, Mounting type: Mountin	ion, Mounting nm, Colour: Packaging unit 50 nting type: olour: Beige Packaging unit 100



##INVERSE##CONTA-CONNECT



Double-level terminal, Tension-spring connection, Mounting type: Mounting rail TS35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige


Article number	Article name	GTIN (EAN)	Packaging unit
3563.2	ZRKD 2,5/SV BG	4044211059064	100

Double-level terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3565.2	ZRKD 2,5/DU/PE	4044211059095	100 ST

Double-level terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3576.2	ZRKD 2,5/SV/ZBA BG	4044211059217	100



and the second se	Article number	Article name	GTIN (EAN)	Packaging unit
	<u>3577.2</u>	ZRKD 2,5/N/DU/ZBA	4044211059231	100 ST



Double-level terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3578.2	ZRKD 2,5/DU/PE/ZBA	4044211059248	100 ST



Double-level terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3579.2	ZRKD 2,5/N/PE/ZBA	4044211059255	100 ST




Ex feed-through terminal ATEX-certified, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1704.2	ZRK 2,5/2A Ex BG	4044211058401	100



	Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm ² , Width: 5.1 mm, Colour: Beige			
	Article number	Article name	GTIN (EAN)	Packaging unit
	3501.2	ZRK 2,5/3A BG	4044211151690	100
rnr	•	terminal, Tension-spring connect cross-section: 2.5 mm², Width: 5	0,11	ing rail TS
EHE	Article number	Article name	GTIN (EAN)	Packaging unit
	1169.2	ZSRK 2,5/2A/SAS BG	4044211128647	100
		h terminal ATEX-certified, Tensi S 15/5.5, Rated cross-section: 2		••••
	Article number	Article name	GTIN (EAN)	Packaging unit
				anne
	1700.2	ZSRK 2,5/2A/15 Ex BG	4044211059354	100
	Ex feed-throug	ZSRK 2,5/2A/15 Ex BG terminal ATEX-certified, Tensi S 35/7.5, Rated cross-section: 2	on-spring connection, Mou	100 Inting type:
	Ex feed-throug	h terminal ATEX-certified, Tensi	on-spring connection, Mou	100 Inting type:
	Ex feed-throug Mounting rail 1	h terminal ATEX-certified, Tensi S 35/7.5, Rated cross-section: 2	on-spring connection, Mou .5 mm², Width: 5.1 mm, Co	100 Inting type: olour: Beige Packaging
	Ex feed-throug Mounting rail T Article number <u>1702.2</u> Ex feed-throug	h terminal ATEX-certified, Tensi S 35/7.5, Rated cross-section: 2 Article name	on-spring connection, Mou 5.5 mm², Width: 5.1 mm, Co GTIN (EAN) 4044211059316 on-spring connection, Mou	100 Inting type: olour: Beige Packaging unit 100
	Ex feed-throug Mounting rail T Article number <u>1702.2</u> Ex feed-throug	h terminal ATEX-certified, Tensi S 35/7.5, Rated cross-section: 2 Article name ZSRK 2,5/2A Ex BG h terminal ATEX-certified, Tensi	on-spring connection, Mou 5.5 mm², Width: 5.1 mm, Co GTIN (EAN) 4044211059316 on-spring connection, Mou	100 Inting type: olour: Beige Packaging unit 100
	Ex feed-throug Mounting rail T Article number <u>1702.2</u> Ex feed-throug Mounting rail T	terminal ATEX-certified, Tensi S 35/7.5, Rated cross-section: 2 Article name ZSRK 2,5/2A Ex BG terminal ATEX-certified, Tensi S 35/7.5, Rated cross-section: 2	on-spring connection, Mou 3.5 mm², Width: 5.1 mm, Co GTIN (EAN) 4044211059316 on-spring connection, Mou 3.5 mm², Width: 5.1 mm, Co	100 Inting type: olour: Beige Packaging unit 100 Inting type: olour: Beige Packaging
	Ex feed-throug Mounting rail 1 Article number 1702.2 Ex feed-throug Mounting rail 1 Article number 1705.2 Feed-through	h terminal ATEX-certified, Tensi S 35/7.5, Rated cross-section: 2 Article name ZSRK 2,5/2A Ex BG h terminal ATEX-certified, Tensi S 35/7.5, Rated cross-section: 2 Article name	on-spring connection, Mou 3.5 mm², Width: 5.1 mm, Co GTIN (EAN) 4044211059316 on-spring connection, Mou 3.5 mm², Width: 5.1 mm, Co GTIN (EAN) 4044211110925 ion, Mounting type: Mount	100 Inting type: olour: Beige Packaging unit 100 Inting type: olour: Beige Packaging unit 100
	Ex feed-throug Mounting rail 1 Article number 1702.2 Ex feed-throug Mounting rail 1 Article number 1705.2 Feed-through	h terminal ATEX-certified, Tensi S 35/7.5, Rated cross-section: 2 Article name ZSRK 2,5/2A Ex BG h terminal ATEX-certified, Tensi S 35/7.5, Rated cross-section: 2 Article name ZRK 2,5/3A Ex BG	on-spring connection, Mou 3.5 mm², Width: 5.1 mm, Co GTIN (EAN) 4044211059316 on-spring connection, Mou 3.5 mm², Width: 5.1 mm, Co GTIN (EAN) 4044211110925 ion, Mounting type: Mount	100 Inting type: olour: Beige Packaging unit 100 Inting type: olour: Beige Packaging unit 100



,	Article number	Article name	GTIN (EAN)	Packaging unit
	3583.2	ZSRK 2,5/2A BG	4044211151874	100



##INVERSE##CONTA-CONNECT



Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3585.2	ZSRK 2,5/2A/15 BG	4044211151904	100

Ex feed-through terminal ATEX-certified, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1703.2	ZSRK 2,5/3A Ex BG	4044211059620	100

Ex feed-through terminal ATEX-certified, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1706.2	ZRK 2,5/4A Ex BG	4044211058463	100



Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3599.2</u>	ZSRK 2,5/3A/15 BG	4044211152024	100



Ex feed-through terminal ATEX-certified, Tension-spring connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1701.2	ZSRK 2,5/3A/15 Ex BG	4044211059590	100

Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3502.2	ZRK 2,5/4A BG	4044211151713	100



##INVERSE##CONTA-CONNECT



Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3600.2	ZSRK 2,5/3A BG	4044211152031	100

##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3568.2	ZRKD 2,5/LED1(RD)/24V DC BG	4044211059125	100 ST


##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3645.2	ZRKD 2,5/LED(RD)/230V AC BG	4044211146733	100 ST

##INVERSE##CONTA-CONNECT



type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour:

Article number	Article name	GTIN (EAN)	Packaging unit
3570.2	ZRKD 2,5/D1 BG	4044211059149	100





Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3571.2</u>	ZRKD 2,5/D2 BG	4044211059156	100

##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3572.2	ZRKD 2,5/D3 BG	4044211059163	100