


NOTES:

1. MATERIAL AND FINISH:
  - A. RJ45 PLUG : CLEAR POLYCARBONATE (PC).
  - B. BOOT : CLEAR POLYCARBONATE (PC),
  - C. CONTACTS: COPPER ALLOY, FINISH: SELECTIVE GOLD PLATING.
  - D. CABLE JACKET: LSOH OR PVC
2. PACKAGING:
 

PATCH CORD IS INDIVIDUALLY COILED, SECURED WITH A CABLE TIE AND IS PACKED IN A SEALED BAG.

THE QUANTITY OF PATCH CORDS IN THE CARTON BOX WILL DEPEND UPON THE LENGTH OF THE CORDS.
3. IMPERIAL LENGTH PATCH CORDS MPN NUMBERS SHOULD BE GENERATED FROM THE LENGTH OF 2FT TO 65FT, 0.5FT INCREMENT FOR ANY OF THESE LENGTHS (FOR EXAMPLE: 2.5FT, 3.5FT ETC) ARE NOT AVAILABLE TO ORDER.
4. REFER SHEET 2 AND 3 FOR STANDARD PATCH CORD LENGTHS IN METER AND COLORS REFER SHEET 4 FOR THE IMPERIAL LENGTH PART NUMBER MATRIX.
5. CONTACT MOLEX FOR LENGTHS OR COLORS NOT SPECIFIED ON SHEET 2 TO 4.



(L-DISTANCE BETWEEN BACK FACE OF THE PLUG)  
 (TOLARANCE FOR L - 0/+150.0mm FOR 0.5M TO 20M PCD)  
 (TOLERANCE FOR L - 0/+5.5 INCHES (140mm) FOR 1FT TO 65FT)




(ALL IMAGES ARE FOR REPRESENTATION PURPOSE ONLY, ACTUAL PRODUCT SIZES AVAILABLE MAY DIFFER FROM THOSE SHOWN)

WIRE COLOR	
PIN NO.	WIRING SEQUENCE:
1	WHITE/ORANGE
2	ORANGE
3	WHITE/GREEN
4	BLUE
5	WHITE/BLUE
6	GREEN
7	WHITE/BROWN
8	BROWN

FUNCTIONAL SYMBOLS $\frac{F}{A} = 0$ $\frac{F}{C} = 0$ $\frac{F}{P} = 0$ DIVISIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	DIMENSION UNITS: <b>mm</b> SCALE: <b>NTS</b>	CURRENT REV DESC: EC NO: 723603 DRWN: NKUMAR02 CHK'D: RCG APPR: RCG			
	GENERAL TOLERANCES (UNLESS SPECIFIED) ANGULAR TOL ± °	4 PLACES ± 3 PLACES ± 2 PLACES ± 1 PLACE ± 0.5 0 PLACES ±	2022/10/13 2022/10/20 2022/10/20			
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION	DRAWING: <b>A1-SIZE</b>	SERIES: <b>18186</b>	PRODUCT CUSTOMER DRAWING	
	INITIAL REVISION: DRWN: RKM APPR: RCG		2012/02/21 2013/06/05	DOCUMENT NUMBER: <b>SD-18186-001</b>	DOC TYPE: <b>PSD</b>	DOC PART: <b>001</b>
DOCUMENT STATUS: <b>P1</b>	RELEASE DATE: <b>2022/10/20 13:46:25</b>	MATERIAL NUMBER: <b>SEE TABLE</b>	CUSTOMER: <b>GENERAL MARKET</b>	SHEET NUMBER: <b>1 OF 4</b>		


SL NO.	MPN NO.	SAP NO.	DESCRIPTION	LENGTH IN M (L)
1	PCD-04000-0C	181860024	PCORD CAT6 SHIELDED LS0H RED 0.5M	0.5
2	PCD-04000-0E	181860025	PCORD CAT6 SHIELDED LS0H GRAY 0.5M	
3	PCD-04000-0H	181860026	PCORD CAT6 SHIELDED LS0H BLUE 0.5M	
4	PCD-04000-0J	181860027	PCORD CAT6 SHIELDED LS0H GREEN 0.5M	
5	PCD-04000-0K	181860028	PCORD CAT6 SHIELDED LS0H YELLOW 0.5M	
6	PCD-04000-BK	181860032	PCORD CAT6 SHIELDED LS0H BLACK 0.5M	1.0
7	PCD-04001-0C	181860033	PCORD CAT6 SHIELDED LS0H RED 1.0M	
8	PCD-04001-0E	181860034	PCORD CAT6 SHIELDED LS0H GRAY 1.0M	
9	PCD-04001-0H	181860035	PCORD CAT6 SHIELDED LS0H BLUE 1.0M	
10	PCD-04001-0J	181860036	PCORD CAT6 SHIELDED LS0H GREEN 1.0M	
11	PCD-04001-0K	181860037	PCORD CAT6 SHIELDED LS0H YELLOW 1.0M	1.5
12	PCD-04001-BK	181860041	PCORD CAT6 SHIELDED LS0H BLACK 1.0M	
13	PCD-04002-0C	181860042	PCORD CAT6 SHIELDED LS0H RED 1.5.0M	
14	PCD-04002-0E	181860043	PCORD CAT6 SHIELDED LS0H GRAY 1.5.0M	
15	PCD-04002-0H	181860044	PCORD CAT6 SHIELDED LS0H BLUE 1.5.0M	
16	PCD-04002-0J	181860045	PCORD CAT6 SHIELDED LS0H GREEN 1.5.0M	2.0
17	PCD-04002-0K	181860046	PCORD CAT6 SHIELDED LS0H YELLOW 1.5.0M	
18	PCD-04002-BK	181860050	PCORD CAT6 SHIELDED LS0H BLACK 1.5.0M	
19	PCD-04003-0C	181860051	PCORD CAT6 SHIELDED LS0H RED 2.0M	
20	PCD-04003-0E	181860052	PCORD CAT6 SHIELDED LS0H GRAY 2.0M	
21	PCD-04003-0H	181860053	PCORD CAT6 SHIELDED LS0H BLUE 2.0M	2.0
22	PCD-04003-0J	181860054	PCORD CAT6 SHIELDED LS0H GREEN 2.0M	
23	PCD-04003-0K	181860055	PCORD CAT6 SHIELDED LS0H YELLOW 2.0M	
24	PCD-04003-BK	181860059	PCORD CAT6 SHIELDED LS0H BLACK 2.0M	
25	PCD-04005-0C	181860069	PCORD CAT6 SHIELDED LS0H RED 3.0M	
26	PCD-04005-0E	181860070	PCORD CAT6 SHIELDED LS0H GRAY 3.0M	
27	PCD-04005-0H	181860071	PCORD CAT6 SHIELDED LS0H BLUE 3.0M	
28	PCD-04005-0J	181860072	PCORD CAT6 SHIELDED LS0H GREEN 3.0M	
29	PCD-04005-0K	181860073	PCORD CAT6 SHIELDED LS0H YELLOW 3.0M	
30	PCD-04005-BK	181860077	PCORD CAT6 SHIELDED LS0H BLACK 3.0M	5.0
31	PCD-04009-0C	181860105	PCORD CAT6 SHIELDED LS0H RED 5.0M	
32	PCD-04009-0E	181860106	PCORD CAT6 SHIELDED LS0H GRAY 5.0M	
33	PCD-04009-0H	181860107	PCORD CAT6 SHIELDED LS0H BLUE 5.0M	
34	PCD-04009-0J	181860108	PCORD CAT6 SHIELDED LS0H GREEN 5.0M	
35	PCD-04009-0K	181860109	PCORD CAT6 SHIELDED LS0H YELLOW 5.0M	7.0
36	PCD-04009-BK	181860113	PCORD CAT6 SHIELDED LS0H BLACK 5.0M	
37	PCD-04013-0C	181860141	PCORD CAT6 SHIELDED LS0H RED 7.0M	
38	PCD-04013-0E	181860142	PCORD CAT6 SHIELDED LS0H GRAY 7.0M	
39	PCD-04013-0H	181860143	PCORD CAT6 SHIELDED LS0H BLUE 7.0M	
40	PCD-04013-0J	181860144	PCORD CAT6 SHIELDED LS0H GREEN 7.0M	10.0
41	PCD-04013-0K	181860145	PCORD CAT6 SHIELDED LS0H YELLOW 7.0M	
42	PCD-04013-BK	181860149	PCORD CAT6 SHIELDED LS0H BLACK 7.0M	
43	PCD-04019-0C	181860195	PCORD CAT6 SHIELDED LS0H RED 10.0M	
44	PCD-04019-0E	181860196	PCORD CAT6 SHIELDED LS0H GRAY 10.0M	
45	PCD-04019-0H	181860197	PCORD CAT6 SHIELDED LS0H BLUE 10.0M	10.0
46	PCD-04019-0J	181860198	PCORD CAT6 SHIELDED LS0H GREEN 10.0M	
47	PCD-04019-0K	181860199	PCORD CAT6 SHIELDED LS0H YELLOW 10.0M	
48	PCD-04019-BK	181860203	PCORD CAT6 SHIELDED LS0H BLACK 10.0M	

SL NO.	MPN NO.	SAP NO.	DESCRIPTION	LENGTH IN M (L)
1	PCD-04040-0C	181860384	PCORD CAT6 SHIELDED PVC RED 0.5M	0.5
2	PCD-04040-0E	181860385	PCORD CAT6 SHIELDED PVC GRAY 0.5M	
3	PCD-04040-0H	181860386	PCORD CAT6 SHIELDED PVC BLUE 0.5M	
4	PCD-04040-0J	181860387	PCORD CAT6 SHIELDED PVC GREEN 0.5M	
5	PCD-04040-0K	181860388	PCORD CAT6 SHIELDED PVC YELLOW 0.5M	
6	PCD-04040-BK	181860392	PCORD CAT6 SHIELDED PVC BLACK 0.5M	1.0
7	PCD-04041-0C	181860393	PCORD CAT6 SHIELDED PVC RED 1.0M	
8	PCD-04041-0E	181860394	PCORD CAT6 SHIELDED PVC GRAY 1.0M	
9	PCD-04041-0H	181860395	PCORD CAT6 SHIELDED PVC BLUE 1.0M	
10	PCD-04041-0J	181860396	PCORD CAT6 SHIELDED PVC GREEN 1.0M	
11	PCD-04041-0K	181860397	PCORD CAT6 SHIELDED PVC YELLOW 1.0M	1.5
12	PCD-04041-BK	181860401	PCORD CAT6 SHIELDED PVC BLACK 1.0M	
13	PCD-04042-0C	181860402	PCORD CAT6 SHIELDED PVC RED 1.5M	
14	PCD-04042-0E	181860403	PCORD CAT6 SHIELDED PVC GRAY 1.5M	
15	PCD-04042-0H	181860404	PCORD CAT6 SHIELDED PVC BLUE 1.5M	
16	PCD-04042-0J	181860405	PCORD CAT6 SHIELDED PVC GREEN 1.5M	2.0
17	PCD-04042-0K	181860406	PCORD CAT6 SHIELDED PVC YELLOW 1.5M	
18	PCD-04042-BK	181860410	PCORD CAT6 SHIELDED PVC BLACK 1.5M	
19	PCD-04043-0C	181860411	PCORD CAT6 SHIELDED PVC RED 2.0M	
20	PCD-04043-0E	181860412	PCORD CAT6 SHIELDED PVC GRAY 2.0M	
21	PCD-04043-0H	181860413	PCORD CAT6 SHIELDED PVC BLUE 2.0M	2.0
22	PCD-04043-0J	181860414	PCORD CAT6 SHIELDED PVC GREEN 2.0M	
23	PCD-04043-0K	181860415	PCORD CAT6 SHIELDED PVC YELLOW 2.0M	
24	PCD-04043-BK	181860419	PCORD CAT6 SHIELDED PVC BLACK 2.0M	
25	PCD-04045-0C	181860429	PCORD CAT6 SHIELDED PVC RED 3.0M	
26	PCD-04045-0E	181860430	PCORD CAT6 SHIELDED PVC GRAY 3.0M	
27	PCD-04045-0H	181860431	PCORD CAT6 SHIELDED PVC BLUE 3.0M	
28	PCD-04045-0J	181860432	PCORD CAT6 SHIELDED PVC GREEN 3.0M	
29	PCD-04045-0K	181860433	PCORD CAT6 SHIELDED PVC YELLOW 3.0M	
30	PCD-04045-BK	181860437	PCORD CAT6 SHIELDED PVC BLACK 3.0M	5.0
31	PCD-04049-0C	181860465	PCORD CAT6 SHIELDED PVC RED 5.0M	
32	PCD-04049-0E	181860466	PCORD CAT6 SHIELDED PVC GRAY 5.0M	
33	PCD-04049-0H	181860467	PCORD CAT6 SHIELDED PVC BLUE 5.0M	
34	PCD-04049-0J	181860468	PCORD CAT6 SHIELDED PVC GREEN 5.0M	
35	PCD-04049-0K	181860469	PCORD CAT6 SHIELDED PVC YELLOW 5.0M	7.0
36	PCD-04049-BK	181860473	PCORD CAT6 SHIELDED PVC BLACK 5.0M	
37	PCD-04053-0C	181860501	PCORD CAT6 SHIELDED PVC RED 7.0M	
38	PCD-04053-0E	181860502	PCORD CAT6 SHIELDED PVC GRAY 7.0M	
39	PCD-04053-0H	181860503	PCORD CAT6 SHIELDED PVC BLUE 7.0M	
40	PCD-04053-0J	181860504	PCORD CAT6 SHIELDED PVC GREEN 7.0M	10.0
41	PCD-04053-0K	181860505	PCORD CAT6 SHIELDED PVC YELLOW 7.0M	
42	PCD-04053-BK	181860509	PCORD CAT6 SHIELDED PVC BLACK 7.0M	
43	PCD-04059-0C	181860555	PCORD CAT6 SHIELDED PVC RED 10.0M	
44	PCD-04059-0E	181860556	PCORD CAT6 SHIELDED PVC GRAY 10.0M	
45	PCD-04059-0H	181860557	PCORD CAT6 SHIELDED PVC BLUE 10.0M	10.0
46	PCD-04059-0J	181860558	PCORD CAT6 SHIELDED PVC GREEN 10.0M	
47	PCD-04059-0K	181860559	PCORD CAT6 SHIELDED PVC YELLOW 10.0M	
48	PCD-04059-BK	181860563	PCORD CAT6 SHIELDED PVC BLACK 10.0M	

FUNCTIONAL SYMBOLS										THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC:						 PATCH CORD CAT6 SHIELDED LS0H AND PVC									
mm		NTS		EC NO: 723603 DRWN: NKUMAR02 2022/10/13 CHK'D: RCG 2022/10/20 APPR: RCG 2022/10/20															
GENERAL TOLERANCES (UNLESS SPECIFIED)		ANGULAR TOL ± °																	
4 PLACES ±		3 PLACES ±																	
DIVISIONAL SYMBOLS		1 PLACE ± 0.5		INITIAL REVISION:		2012/02/21		DOCUMENT NUMBER		DOC TYPE		DOC PART		REVISION					
0 PLACES ±		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER					
				A2-SIZE		18186		SEE TABLE		GENERAL MARKET		2 OF 4							


SL NO.	MPN NO.	SAP NO.	DESCRIPTION	LENGTH IN M (L)
1	PCD-04000-0C-I	181860744	PCORD CAT6 SHIELDED LS0H RED 0.5M-I	0.5
2	PCD-04000-0E-I	181860745	PCORD CAT6 SHIELDED LS0H GRAY 0.5M-I	
3	PCD-04000-0H-I	181860746	PCORD CAT6 SHIELDED LS0H BLUE 0.5M-I	
4	PCD-04000-0J-I	181860747	PCORD CAT6 SHIELDED LS0H GREEN 0.5M-I	
5	PCD-04000-0K-I	181860748	PCORD CAT6 SHIELDED LS0H YELLOW 0.5M-I	
6	PCD-04000-BK-I	181860752	PCORD CAT6 SHIELDED LS0H BLACK 0.5M-I	1.0
7	PCD-04001-0C-I	181860753	PCORD CAT6 SHIELDED LS0H RED 1.0M-I	
8	PCD-04001-0E-I	181860754	PCORD CAT6 SHIELDED LS0H GRAY 1.0M-I	
9	PCD-04001-0H-I	181860755	PCORD CAT6 SHIELDED LS0H BLUE 1.0M-I	
10	PCD-04001-0J-I	181860756	PCORD CAT6 SHIELDED LS0H GREEN 1.0M-I	
11	PCD-04001-0N-I	181860760	PCORD CAT6 SHIELDED LS0H ORANGE 1.0M-I	1.5
12	PCD-04001-BK-I	181860761	PCORD CAT6 SHIELDED LS0H BLACK 1.0M-I	
13	PCD-04002-0C-I	181860762	PCORD CAT6 SHIELDED LS0H RED 1.5M-I	
14	PCD-04002-0E-I	181860763	PCORD CAT6 SHIELDED LS0H GRAY 1.5M-I	
15	PCD-04002-0H-I	181860764	PCORD CAT6 SHIELDED LS0H BLUE 1.5M-I	
16	PCD-04002-0J-I	181860765	PCORD CAT6 SHIELDED LS0H GREEN 1.5M-I	2.0
17	PCD-04002-0K-I	181860766	PCORD CAT6 SHIELDED LS0H YELLOW 1.5M-I	
18	PCD-04002-BK-I	181860770	PCORD CAT6 SHIELDED LS0H BLACK 1.5M-I	
19	PCD-04003-0C-I	181860771	PCORD CAT6 SHIELDED LS0H RED 2.0M-I	
20	PCD-04003-0E-I	181860772	PCORD CAT6 SHIELDED LS0H GRAY 2.0M-I	
21	PCD-04003-0H-I	181860773	PCORD CAT6 SHIELDED LS0H BLUE 2.0M-I	3.0
22	PCD-04003-0J-I	181860774	PCORD CAT6 SHIELDED LS0H GREEN 2.0M-I	
23	PCD-04003-0K-I	181860775	PCORD CAT6 SHIELDED LS0H YELLOW 2.0M-I	
24	PCD-04003-BK-I	181860779	PCORD CAT6 SHIELDED LS0H BLACK 2.0M-I	
25	PCD-04005-0C-I	181860789	PCORD CAT6 SHIELDED LS0H RED 3.0M-I	
26	PCD-04005-0E-I	181860790	PCORD CAT6 SHIELDED LS0H GRAY 3.0M-I	5.0
27	PCD-04005-0H-I	181860791	PCORD CAT6 SHIELDED LS0H BLUE 3.0M-I	
28	PCD-04005-0J-I	181860792	PCORD CAT6 SHIELDED LS0H GREEN 3.0M-I	
29	PCD-04005-0K-I	181860793	PCORD CAT6 SHIELDED LS0H YELLOW 3.0M-I	
30	PCD-04005-BK-I	181860797	PCORD CAT6 SHIELDED LS0H BLACK 3.0M-I	
31	PCD-04009-0C-I	181860825	PCORD CAT6 SHIELDED LS0H RED 5.0M-I	7.0
32	PCD-04009-0E-I	181860826	PCORD CAT6 SHIELDED LS0H GRAY 5.0M-I	
33	PCD-04009-0H-I	181860827	PCORD CAT6 SHIELDED LS0H BLUE 5.0M-I	
34	PCD-04009-0J-I	181860828	PCORD CAT6 SHIELDED LS0H GREEN 5.0M-I	
35	PCD-04009-0K-I	181860829	PCORD CAT6 SHIELDED LS0H YELLOW 5.0M-I	
36	PCD-04009-BK-I	181860833	PCORD CAT6 SHIELDED LS0H BLACK 5.0M-I	10.0
37	PCD-04013-0C-I	181860861	PCORD CAT6 SHIELDED LS0H RED 7.0M-I	
38	PCD-04013-0E-I	181860862	PCORD CAT6 SHIELDED LS0H GRAY 7.0M-I	
39	PCD-04013-0H-I	181860863	PCORD CAT6 SHIELDED LS0H BLUE 7.0M-I	
40	PCD-04013-0J-I	181860864	PCORD CAT6 SHIELDED LS0H GREEN 7.0M-I	
41	PCD-04013-0K-I	181860865	PCORD CAT6 SHIELDED LS0H YELLOW 7.0M-I	10.0
42	PCD-04013-BK-I	181860869	PCORD CAT6 SHIELDED LS0H BLACK 7.0M-I	
43	PCD-04019-0C-I	181860915	PCORD CAT6 SHIELDED LS0H RED 10.0M-I	
44	PCD-04019-0E-I	181860916	PCORD CAT6 SHIELDED LS0H GRAY 10.0M-I	
45	PCD-04019-0H-I	181860917	PCORD CAT6 SHIELDED LS0H BLUE 10.0M-I	
46	PCD-04019-0J-I	181860918	PCORD CAT6 SHIELDED LS0H GREEN 10.0M-I	10.0
47	PCD-04019-0K-I	181860919	PCORD CAT6 SHIELDED LS0H YELLOW 10.0M-I	
48	PCD-04019-BK-I	181860923	PCORD CAT6 SHIELDED LS0H BLACK 10.0M-I	

SL NO.	MPN NO.	SAP NO.	DESCRIPTION	LENGTH IN M (L)
1	PCD-04040-0C-I	181861104	PCORD CAT6 SHIELDED PVC RED 0.5M-I	0.5
2	PCD-04040-0E-I	181861105	PCORD CAT6 SHIELDED PVC GRAY 0.5M-I	
3	PCD-04040-0H-I	181861106	PCORD CAT6 SHIELDED PVC BLUE 0.5M-I	
4	PCD-04040-0J-I	181861107	PCORD CAT6 SHIELDED PVC GREEN 0.5M-I	
5	PCD-04040-0K-I	181861108	PCORD CAT6 SHIELDED PVC YELLOW 0.5M-I	
6	PCD-04040-BK-I	181861112	PCORD CAT6 SHIELDED PVC BLACK 0.5M-I	1.0
7	PCD-04041-0C-I	181861113	PCORD CAT6 SHIELDED PVC RED 1.0M-I	
8	PCD-04041-0E-I	181861114	PCORD CAT6 SHIELDED PVC GRAY 1.0M-I	
9	PCD-04041-0H-I	181861115	PCORD CAT6 SHIELDED PVC BLUE 1.0M-I	
10	PCD-04041-0J-I	181861116	PCORD CAT6 SHIELDED PVC GREEN 1.0M-I	
11	PCD-04041-0K-I	181861117	PCORD CAT6 SHIELDED PVC YELLOW 1.0M-I	1.5
12	PCD-04041-BK-I	181861121	PCORD CAT6 SHIELDED PVC BLACK 1.0M-I	
13	PCD-04042-0C-I	181861122	PCORD CAT6 SHIELDED PVC RED 1.5M-I	
14	PCD-04042-0E-I	181861123	PCORD CAT6 SHIELDED PVC GRAY 1.5M-I	
15	PCD-04042-0H-I	181861124	PCORD CAT6 SHIELDED PVC BLUE 1.5M-I	
16	PCD-04042-0J-I	181861125	PCORD CAT6 SHIELDED PVC GREEN 1.5M-I	2.0
17	PCD-04042-0K-I	181861126	PCORD CAT6 SHIELDED PVC YELLOW 1.5M-I	
18	PCD-04042-BK-I	181861130	PCORD CAT6 SHIELDED PVC BLACK 1.5M-I	
19	PCD-04043-0C-I	181861131	PCORD CAT6 SHIELDED PVC RED 2.0M-I	
20	PCD-04043-0E-I	181861132	PCORD CAT6 SHIELDED PVC GRAY 2.0M-I	
21	PCD-04043-0H-I	181861133	PCORD CAT6 SHIELDED PVC BLUE 2.0M-I	3.0
22	PCD-04043-0J-I	181861134	PCORD CAT6 SHIELDED PVC GREEN 2.0M-I	
23	PCD-04043-0K-I	181861135	PCORD CAT6 SHIELDED PVC YELLOW 2.0M-I	
24	PCD-04043-BK-I	181861139	PCORD CAT6 SHIELDED PVC BLACK 2.0M-I	
25	PCD-04045-0C-I	181861149	PCORD CAT6 SHIELDED PVC RED 3.0M-I	
26	PCD-04045-0E-I	181861150	PCORD CAT6 SHIELDED PVC GRAY 3.0M-I	5.0
27	PCD-04045-0H-I	181861151	PCORD CAT6 SHIELDED PVC BLUE 3.0M-I	
28	PCD-04045-0J-I	181861152	PCORD CAT6 SHIELDED PVC GREEN 3.0M-I	
29	PCD-04045-0K-I	181861153	PCORD CAT6 SHIELDED PVC YELLOW 3.0M-I	
30	PCD-04045-BK-I	181861157	PCORD CAT6 SHIELDED PVC BLACK 3.0M-I	
31	PCD-04049-0C-I	181861185	PCORD CAT6 SHIELDED PVC RED 5.0M-I	7.0
32	PCD-04049-0E-I	181861186	PCORD CAT6 SHIELDED PVC GRAY 5.0M-I	
33	PCD-04049-0H-I	181861187	PCORD CAT6 SHIELDED PVC BLUE 5.0M-I	
34	PCD-04049-0J-I	181861188	PCORD CAT6 SHIELDED PVC GREEN 5.0M-I	
35	PCD-04049-0K-I	181861189	PCORD CAT6 SHIELDED PVC YELLOW 5.0M-I	
36	PCD-04049-BK-I	181861193	PCORD CAT6 SHIELDED PVC BLACK 5.0M-I	10.0
37	PCD-04053-0C-I	181861221	PCORD CAT6 SHIELDED PVC RED 7.0M-I	
38	PCD-04053-0E-I	181861222	PCORD CAT6 SHIELDED PVC GRAY 7.0M-I	
39	PCD-04053-0H-I	181861223	PCORD CAT6 SHIELDED PVC BLUE 7.0M-I	
40	PCD-04053-0J-I	181861224	PCORD CAT6 SHIELDED PVC GREEN 7.0M-I	
41	PCD-04053-0K-I	181861225	PCORD CAT6 SHIELDED PVC YELLOW 7.0M-I	10.0
42	PCD-04053-BK-I	181861229	PCORD CAT6 SHIELDED PVC BLACK 7.0M-I	
43	PCD-04059-0C-I	181861275	PCORD CAT6 SHIELDED PVC RED 10.0M-I	
44	PCD-04059-0E-I	181861276	PCORD CAT6 SHIELDED PVC GRAY 10.0M-I	
45	PCD-04059-0H-I	181861277	PCORD CAT6 SHIELDED PVC BLUE 10.0M-I	
46	PCD-04059-0J-I	181861278	PCORD CAT6 SHIELDED PVC GREEN 10.0M-I	10.0
47	PCD-04059-0K-I	181861279	PCORD CAT6 SHIELDED PVC YELLOW 10.0M-I	
48	PCD-04059-BK-I	181861283	PCORD CAT6 SHIELDED PVC BLACK 10.0M-I	

FUNCTIONAL SYMBOLS										THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC:						 PATCH CORD CAT6 SHIELDED LS0H AND PVC															
mm		NTS		EC NO: 723603																					
GENERAL TOLERANCES (UNLESS SPECIFIED)										DRWN: NKUMAR02 2022/10/13															
ANGULAR TOL ± °										CHK'D: RCG 2022/10/20															
4 PLACES ±										APPR: RCG 2022/10/20															
3 PLACES ±										INITIAL REVISION:						DOCUMENT NUMBER				DOC TYPE		DOC PART		REVISION	
2 PLACES ±										DRWN: RKM 2012/02/21						SD-18186-001				PSD		001		C	
1 PLACE ± 0.5										APPR: RCG 2013/06/05						MATERIAL NUMBER				CUSTOMER				SHEET NUMBER	
0 PLACES ±										DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES		SEE TABLE		GENERAL MARKET				3 OF 4	

NOTE:  
IMPERIAL LENGTH PART NUMBER CAN BE GENERATED BASED  
ON THE BELOW PROVIDED PART MATRIX.

MPN NO.	SAP NO.	DESCRIPTION	REMARKS
PCD-214XX-XX	18186XXXX	PCORD CAT 6 SHIELDED XXX XXX "XX"FT	REFER NOTE 3 & 4 IN SHEET 1



FUNCTIONAL SYMBOLS $\frac{F}{A} = 0$ $\frac{F}{C} = 0$ $\frac{F}{P} = 0$ DIVISIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	CURRENT REV DESC:					
	DIMENSION UNITS	SCALE	EC NO: 723603 DRWN: NKUMAR02 2022/10/13 CHK'D: RCG 2022/10/20 APPR: RCG 2022/10/20				
	mm	NTS					
	GENERAL TOLERANCES (UNLESS SPECIFIED)						
ANGULAR TOL	± °	INITIAL REVISION:					
4 PLACES	±	DRWN: RKM 2012/02/21	2013/06/05	DOCUMENT NUMBER	DOC TYPE	DOC PART	REVISION
3 PLACES	±	DRWN: RCG 2022/10/20		SD-18186-001	PSD	001	C
2 PLACES	±	APPR: RCG 2022/10/20		MATERIAL NUMBER	CUSTOMER	SHEET NUMBER	
1 PLACE	± 0.5			SEE TABLE	GENERAL MARKET	4 OF 4	
0 PLACES	±						
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES			
			A1-SIZE	18186			