WMB marking card; as card; MARKED; 101 ... 150 (2x); stretchable 5 - 5.2 mm; Vertical marking; snap-on type; white



www.wago.com/793-5608

Picture differs from the item.	
	Color:

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/793-5608



Data

Technical data

Marking method	Thermal transfer
Marking	101 150
Marking (number)	2
Marking direction	Vertical marking
Marking color	black
Marking type	Numbers
Marking differentiation	Consecutive numbers per strip
Delivery form	Marker card
Delivery form configuration	10 strips with 10 markers per card
Flammability class per UL94	V2

Physical data

Marker/strip width	5 5.2 mm
Marker width	5 mm

Mechanical Data

Material Data

Color	white
UV resistance	EN 60068-2-5:2010 Procedure B
Halogen-free	Yes
Weight	8.4 g
Fire load	0.256 MJ

Commercial data

Product Group	2 (Terminal Block Accessories)
eCl@ss 10.0	27-14-11-37
eCl@ss 9.0	27-14-11-37
ETIM 8.0	EC000761
ETIM 7.0	EC000761
PU (SPU)	5 pcs
Packaging type	bag

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$

WAGO GmbH & Co. KG

Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/793-5608



Compliance Status Compliant, No Exemption Compliance Search Environmental Product Compliance 793-5608 URL Download WMB marking card; as card; MARKED; 101 150 (2x); stretchable 5 - 5.2 mm; Vertical marking; snap-on type; white Installation Notes Application Separating a strip from the WMB or WMB Stretching a WMB marker strip.			
GTIN 4055143704991 Customs tariff number 49119900000 Environmental Product Compliance ROHS Compliance Status Compliant, No Exemption Cownloads Environmental Product Compliance Compliance Search Environmental Product Compliance 793-5608 URL Download WMB marking card; as card; MARKED; 101 150 (2x); stretchable 5 - 5.2 mm; Vertical marking; snap-on type; white Installation Notes Application Separating a strip from the WMB or WMB Stretching a WMB marker strip.	Country of origin	DE	
Environmental Product Compliance RoHS Compliance Status Compliant, No Exemption Compliance Status Compliant Status Compliant Status Compliant Status Compliance Status Compliance Status Compliance Status Compliance Status Compliance Status URL Download MMB marking card; as card; MARKED; 101 150 (2x); stretchable 5 - 5.2 mm; Vertical marking; snap-on type; white Installation Notes Application Compliant, No Exemption URL Download Compliant Status Statu			
Compliance Status Compliant, No Exemption Compliance Search Environmental Product Compliance 793-5608 URL Download WMB marking card; as card; MARKED; 101 150 (2x); stretchable 5 - 5.2 mm; Vertical marking; snap-on type; white Installation Notes Application Separating a strip from the WMB or WMB Stretching a WMB marker strip.	Customs tariff number	49119900000	
Compliance Status Compliant, No Exemption Compliance Search Environmental Product Compliance 793-5608 URL Download WMB marking card; as card; MARKED; 101 150 (2x); stretchable 5 - 5.2 mm; Vertical marking; snap-on type; white Installation Notes Application Separating a strip from the WMB or WMB Stretching a WMB marker strip.			
Compliance Search Environmental Product Compliance 793-5608 URL Download WMB marking card; as card; MARKED; 101 150 (2x); stretchable 5 - 5.2 mm; Vertical marking; snap-on type; white Installation Notes Application Separating a strip from the WMB or WMB Stretching a WMB marker strip.	Environmental Product Compliance		
Environmental Product Compliance Environmental Product Compliance 793-5608 URL Download WMB marking card; as card; MARKED; 101 150 (2x); stretchable 5 - 5.2 mm; Vertical marking; snap-on type; white Installation Notes Application Separating a strip from the WMB or WMB Stretching a WMB marker strip.	RoHS Compliance Status	Compliant,No Exemption	
Environmental Product Compliance Environmental Product Compliance 793-5608 URL Download WMB marking card; as card; MARKED; 101 150 (2x); stretchable 5 - 5.2 mm; Vertical marking; snap-on type; white Installation Notes Application Separating a strip from the WMB or WMB Stretching a WMB marker strip.			
Environmental Product Compliance 793-5608 WMB marking card; as card; MARKED; 101 150 (2x); stretchable 5 - 5.2 mm; Vertical marking; snap-on type; white Installation Notes Application Separating a strip from the WMB or WMB Stretching a WMB marker strip.	Downloads		
Environmental Product Compliance 793-5608 WMB marking card; as card; MARKED; 101 150 (2x); stretchable 5 - 5.2 mm; Vertical marking; snap-on type; white Installation Notes Application Geparating a strip from the WMB or WMB Stretching a WMB marker strip.			
WMB marking card; as card; MARKED; 101 150 (2x); stretchable 5 - 5.2 mm; Vertical marking; snap-on type; white nstallation Notes Application Geparating a strip from the WMB or WMB Stretching a WMB marker strip.	Compliance Search		
nstallation Notes Application Geparating a strip from the WMB or WMB Stretching a WMB marker strip.	Environmental Product Compliance 793-5608		URL Download
Application Separating a strip from the WMB or WMB Stretching a WMB marker strip.	WMB marking card; as card; MARKED; 101 150 marking; snap-on type; white	2x); stretchable 5 - 5.2 mm; Vertical	
Application Separating a strip from the WMB or WMB Stretching a WMB marker strip.			
Application Separating a strip from the WMB or WMB Stretching a WMB marker strip.	to a Harris Maria		
Separating a strip from the WMB or WMB Stretching a WMB marker strip.			
	Application		
	0 11 11 6 11 111 12 111 12	. I. MAID I	
	Separating a strip from the WMB or WMB marker card.	retoning a WMB marker strip.	

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/793-5608



Separating an individual marker from the WMB marker strip – for larger terminal blocks.	Snapping a marking strip into the marker slot.	
Marking		
Snapping a WMB marker strip into the marker	Snapping a marking strip into the marker slot.	
slot of the double marker carrier.	onepping a manking strip into the marker slot.	
Product family		

Subject to changes. Please also observe the further product documentation!

WMB Multi marking system
Show all products from the family

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.