# 207516-5 - ACTIVE


### AMPLIMITE

TE Internal #: 207516-5 Crimp D-Sub Connectors, Receptacle, Cable-to-Cable, 25 Position, Contact Size Size 20, 3 Connector Shell Size, Mating Retention, Shielded

#### View on TE.com >

Connectors > D-Shaped Connectors > D-Sub Connectors > Crimp D-Sub Connectors >





Connector & Housing Type: Receptacle

Connector System: Cable-to-Cable

Number of Positions: 25

Contact Size: Size 20

Connector Shell Size: 3

All D-Sub Crimp Recpt Signal 25 Posn, Socket Size 20, Shell Size 3 (10)



### Features

### **Product Type Features**

Shell Material Configuration	Full Metal Shell
Connector & Housing Type	Receptacle
Connector System	Cable-to-Cable
Connector Shell Size	3
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Number of Positions	25
Body Features	
Insert Material	Glass-Filled Nylon
Shell Plating Material	Tin

Crimp D-Sub Connectors, Receptacle, Cable-to-Cable, 25 Position, Contact Size Size 20, 3 Connector Shell Size, Mating Retention, Shielded



Contact Size	Size 20
Mechanical Attachment	
Mating Retention	With
Mating Retention Type	Clinch Nut, 4-40 UNC
Housing Features	
Shell Material	Steel
Centerline (Pitch)	2.74 mm, 2.76 mm, 2.79 mm[.108 in][.109 [.11 in]
Usage Conditions	
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
Operation/Application	
Shielded	Yes
Circuit Application	Signal
Industry Standards	
UL Flammability Rating	UL 94V-0

Packaging MethodPackageOtherClinch Nut: 4-40 threads with self-locking feature, Receptacles accept size 20 DF socket contacts.Product Compliance For compliance documentation, visit the product page on TE.com>CompliantEU ROHS Directive 2011/65/EUCompliantEU ROHS Directive 2000/53/ECCompliantChina RoHS 2 Directive MIIT Order No 32, 2016No Restricted Materials Above ThresholdEU REACH Regulation (EC) No. 1907/2006Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC	Packaging Quantity	400
D-Shaped Connectors CommentClinch Nut: 4-40 threads with self-locking feature, Receptacles accept size 20 DF socket contacts.Product Compliance For compliance documentation, visit the product page on TE.com>CompliantEU ROHS Directive 2011/65/EUCompliantEU ELV Directive 2000/53/ECCompliantChina ROHS 2 Directive MIIT Order No 32, 2016No Restricted Materials Above ThresholdEU REACH Regulation (EC) No. 1907/2006Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235)	Packaging Method	Package
For compliance For compliance documentation, visit the product page on TE.com>CompliantEU RoHS Directive 2011/65/EUCompliantEU ELV Directive 2000/53/ECCompliantChina RoHS 2 Directive MIIT Order No 32, 2016No Restricted Materials Above ThresholdEU REACH Regulation (EC) No. 1907/2006Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235)	Other	
For compliance documentation, visit the product page on TE.com>EU RoHS Directive 2011/65/EUCompliantEU ELV Directive 2000/53/ECCompliantChina RoHS 2 Directive MIIT Order No 32, 2016No Restricted Materials Above ThresholdEU REACH Regulation (EC) No. 1907/2006Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235)	D-Shaped Connectors Comment	feature, Receptacles accept size 20 DF
EU ELV Directive 2000/53/EC Compliant   China RoHS 2 Directive MIIT Order No 32, 2016 No Restricted Materials Above Threshold   EU REACH Regulation (EC) No. 1907/2006 Current ECHA Candidate List: JUNE 2023 (235)   Candidate List Declared Against: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235)	For compliance documentation, visit the product page on TE.com>	
China RoHS 2 Directive MIIT Order No 32, 2016No Restricted Materials Above ThresholdEU REACH Regulation (EC) No. 1907/2006Current ECHA Candidate List: JUNE 2023 (235)Candidate List Declared Against: JUNE 2023 (235)	EU RoHS Directive 2011/65/EU	Compliant
EU REACH Regulation (EC) No. 1907/2006 (235) Candidate List Declared Against: JUNE 2023 (235)	EU ELV Directive 2000/53/EC	Compliant
(235) Candidate List Declared Against: JUNE 2023 (235)	China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
	EU REACH Regulation (EC) No. 1907/2006	(235) Candidate List Declared Against: JUNE 2023 (235)

Crimp D-Sub Connectors, Receptacle, Cable-to-Cable, 25 Position, Contact Size Size 20, 3 Connector Shell Size, Mating Retention, Shielded



Halogen Content

Not Low Halogen - contains Br or Cl > 900 ppm.

Solder Process Capability

Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**



## Customers Also Bought



Crimp D-Sub Connectors, Receptacle, Cable-to-Cable, 25 Position, Contact Size Size 20, 3 Connector Shell Size, Mating Retention, Shielded



TE Part #5207872-3 KIT SCREWLOCK FEMALE (METRIC)

### Documents

Product Drawings HDP-20,RCPT,SIZE 3, 25 POSN,CL

English

**CAD** Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_207516-5\_R.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_207516-5\_R.3d\_igs.zip

English

Customer View Model

### ENG\_CVM\_CVM\_207516-5\_R.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

### Datasheets & Catalog Pages AMPLIMITE Subminiature D Connectors - Cable Connectors

English

Product Specifications Application Specification

English

Product Environmental Compliance

Product Compliance Document

English

Product Compliance Document

English

Instruction Sheets Instruction Sheet (U.S.)

English

Agency Approvals

**S** For support call+1 800 522 6752

Crimp D-Sub Connectors, Receptacle, Cable-to-Cable, 25 Position, Contact Size Size 20, 3 Connector Shell Size, Mating Retention, Shielded



UL Report

English