







Quick Start Guide

Capacitive Touch Tower Plug-In Starter Kit (TWRPI-TOUCH-STR)






TOWER SYSTEM



Gel to know the TWRPI-TOUCH-STR



Features

- Compatible with the Freescale Tower System modules with touch sense and touch pad tower plug-In (TWRPI) sockets
- TWRPI-TSS: Touch sense TWRPI with pull-up resistors for use with MCUs running touch sense software (TSS) and interfacing to touch pad TWRPIs using GPIO signals
- TWRPI-MPR121: Touch sense TWRPI with Freescale MPR121 touch sense controller. Manages touch interfaces to touch pad TWRPIs and communicates back to the host MCU via I²C.
- TWRPI-ROTARY: Touch pad TWRPI with a discrete, non-multiplexed rotary touch pad interface
- TWRPI-KEYPAD: Touch pad TWRPI with a classic 12-button keypad interface



Step-by-Step Installation Instructions

In this Quick Start Guide, you will learn how to install the TWRPI touch module.

Install a TWRPI Touch Module

- Identify an open touch sense or touch pad TWRPI socket on a compatible Tower controller module. Touch sense sockets consist of two parallel shielded male connectors. Touch pad sockets consist of a single shielded male connector.
- Carefully insert the TWRPI module into the appropriate TWRPI socket. The TWRPI module and socket are keyed to only fit in the correct socket type in the proper orientation.

2 Install Development and Touch Sensing Software

 Check freescale.com/touchsensing and the appropriate page for the Tower controller module on freescale.com/Tower for the latest software for the TWRPI touch modules.

Follow Additional Web Resources

 Additional resources, such as lab software and guides, can be found at freescale.com/Tower.

To learn more about the TWRPI-TOUCH-STR and other modules within the Tower System, visit freescale.com/Tower

To become a member of the online Tower Geeks community, visit towergeeks.org

Freescale, the Freescale logo and the Energy Efficient Solutions logo are trademarks of Freescale Semiconductor, Inc., Reg. U.S. Pat. & Tm. Off. All other product or service names are the property of their respective owners. © 2011 Freescale Semiconductor, Inc.



Doc Number: TWRPISTRQSG REV 0
Agile Number: XXX-XXXXX REV A