


PANEL CUT OUT

A	\bigcup_{B}
---	---------------

	inches				
	Maxi	mini			
A	.509	.505			
В	.475	.471			

REVISIONS					
REV.	DESCRIPTION	DATE	APPROVED		
A	INITIAL RELEASE	05/09/18	D.N.		



NOTES:

MATERIALS:

- 1. INSULATORS = VIRGIN WHITE TEFLON PER ASTM D1710, GRADE 1, TYPE I, CLASS "B".
 2. CONTACT AND FERULE = BERYLLIUM COPPER PER ASTM B196, ALLOY C17300, TEMPER TD04.
 3. LOCKWASHER = PHOSPHOR BRONZE PER ASTM B139, COPPER ALLOY C53400, TEMPER H04.
 4. GASKET = SILICONE RUBBER 45 55 DUROMETER DOW CORNING SILASTIC 250.
 5. ALL OTHER METAL PARTS = BRASS PER ASTM B16, ALLOY C36000, TEMPER H02.

FINISHES:

- 1. CONTACT & WIRE ADAPTER = GOLD PLATE PER ASTM B488-11, TYPE II, 50µin MIN, GRADE C, OVER 100 TO 200µin STRESS FREE SULFAMATE NICKEL PER AMS-QQ-N-290.

 2. ALL OTHER METAL PARTS = NICKEL PLATE PER AMS-QQ-N-290, CLASS 1, GRADE G, EXCEPT 100 TO 200µin THICK OVER 50 TO 100µin THICK COPPER PER AMS 2418.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON		DWN: D.N. CHKD:	DATE 05/09/18 DATE		,	Property of his document cannot be communicated to a thin written permission of RA	e reprodu		
DECIMAL	DECIMAL ANGLE C.E. 05/09/18		TNC STRAIGHT JACK						
			DATE 05/09/18	BULKHEAD REAR MOU FOR RG—316DS & S					
REFERENCE: ORIGINATED: D.N. DATE: 05/09/18		MATERIALS & FINISHES: SEE NOTES		size A	FSCM NO. 19505	DWG NO. 6001-7	7051	-019	REV A
				SCALE	4:1	THIRD ANGLE PROJECTION	€	SHEET 1 O	F 1