


Data sheet | Item number: 790-114

Carrier with grounding foot; parallel to carrier rail; 45 mm long; Cu 10 mm x 3 mm; suitable for 790 Series shield clamping saddles and 791 Series shield clamps; gray



www.wago.com/790-114



Color:

Data

Technical data

Main product function

Shield termination

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Material Data

Color	gray
Fire load	0.113 MJ
Weight	25.5 g

Commercial data

Product Group	2 (Terminal Block Accessories)
eCl@ss 10.0	27-14-11-92
eCl@ss 9.0	27-14-11-92
ETIM 8.0	EC002848
ETIM 7.0	EC002848
PU (SPU)	25 pcs
Packaging type	box
Country of origin	DE
GTIN	4045454352912
Customs tariff number	85369095000

Environmental Product Compliance

CAS-No.	7439-92-1
REACH Candidate List Substance	Lead
RoHS Compliance Status	Compliant,With Exemption
RoHS Exemption	7(a) 7(c)-I 7(c)-II
SCIP notification number (Austria)	ea2f9a9e-95ad-43a9-a01b-1a0277b1b4a0
SCIP notification number (Belgium)	fddae5bc-fa0b-430a-8aed-98ceaba10843
SCIP notification number (Bulgaria)	9d67b5ef-b06b-44c9-8a6c-c6cfeae6fa81
SCIP notification number (Czech Republic)	e13a593f-6597-4d33-834a-4b09b9614a0d
SCIP notification number (Denmark)	4aaa64bb-ce5b-442f-bb23-3198c92999cd
SCIP notification number (Finland)	ceea37e4-1c20-420f-b26d-0177f68d089c
SCIP notification number (France)	0b423c4a-ccae-40cf-8bee-1145cc98bb8f
SCIP notification number (Germany)	20f8007a-820d-4bec-bcb6-d8d77ff0314e
SCIP notification number (Hungary)	bcac3004-4e41-4a67-8414-877144e69b74
SCIP notification number (Italy)	a4caf089-9c17-4c41-addb-3df06ffabae4
SCIP notification number (Netherlands)	cbb903a0-84dd-419d-a45c-887bd55f11a6
SCIP notification number (Poland)	7fc6d6b0-dac3-4a95-a932-3824e8ba3238
SCIP notification number (Romania)	eb0efac0-bb8d-4606-84bf-d603a1c323ad

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.

Optional accessories

Shield termination

Shield clamping saddles

Item no.: 790-116 Shield clamping saddle; 19 mm wide; diameter of compatible conductor; 7 ... 16 mm	www.wago.com/790-116
Item no.: 790-124 Shield clamping saddle; 27 mm wide; diameter of compatible conductor; 6 ... 24 mm	www.wago.com/790-124
Item no.: 790-108 Shield clamping saddle; 11 mm wide; diameter of compatible conductor; 3 ... 8 mm	www.wago.com/790-108
Item no.: 790-140 Shield clamping saddle; diameter of compatible conductor	www.wago.com/790-140

Downloads

Documentation

Bid Text

790-114 X81 - Datei	2019 年2月19 日	xml 2.8 kB	Download
790-114 doc - Datei	2018 年11月28 日	doc 24.1 kB	Download

CAD/CAE-Data

CAD data

2D/3D Models 790-114	URL	Download
----------------------	-----	----------

CAE data

WSCAD Universe 790-114	URL	Download
ZUKEN Portal 790-114	URL	Download
EPLAN Data Portal 790-114	URL	Download

Environmental Product Compliance

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.

Compliance Search

Environmental Product Compliance 790-114

[URL](#)

[Download](#)

Carrier with grounding foot; parallel to carrier rail; 45 mm long; Cu 10 mm x 3 mm; suitable for 790 Series shield clamping saddles and 791 Series shield clamps; gray

Installation Notes



Carrier with grounding foot* (790-114), 45 mm long, busbar parallel to the DIN-rail

*for all shield clamping saddle sizes

Subject to changes. Please also observe the further product documentation!