

Data sheet | Item number: 279-348

End and intermediate plate; 2 mm thick; light gray

www.wago.com/279-348



Data

Physical data

| | |
|--------|------------------------|
| Width | 2 mm / 0.079 inches |
| Height | 72.2 mm / 2.843 inches |

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



| | |
|-------|----------------------|
| Depth | 27 mm / 1.063 inches |
|-------|----------------------|

Material Data

Note (material data)

Information on material specifications can be found here

| | |
|-----------------------------|------------------|
| Color | light gray |
| Material group | I |
| Insulation material | Polyamide (PA66) |
| Flammability class per UL94 | V0 |
| Fire load | 0.078 MJ |
| Weight | 2.6 g |

Commercial data

| | |
|-----------------------|----------------------------------|
| Product Group | 1 (Rail Mounted Terminal Blocks) |
| eCl@ss 10.0 | 27-14-11-33 |
| eCl@ss 9.0 | 27-14-11-33 |
| ETIM 8.0 | EC000886 |
| ETIM 7.0 | EC000886 |
| PU (SPU) | 100 (25) pcs |
| Packaging type | box |
| Country of origin | CN |
| GTIN | 4017332293310 |
| Customs tariff number | 85389099990 |

Environmental Product Compliance

| | |
|------------------------|-------------------------|
| RoHS Compliance Status | Compliant, No Exemption |
|------------------------|-------------------------|

Required accessories

End plate

Through terminal block

Item no.: 279-994

4-conductor through terminal block; 1.5 mm²; suitable for Ex e II applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 1,50 mm²; light gray www.wago.com/279-994

Double potential terminal block

Item no.: 279-995

Double potential terminal block; 1.5 mm²; suitable for Ex e II applications; with double, center marker slot; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 1,50 mm²; light gray www.wago.com/279-995

Ground terminal block

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



Item no.: 279-837/999-950

4-conductor ground terminal block; 1.5 mm²; suitable for Ex e II applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 1,50 mm²; green-yellowwww.wago.com/279-837/999-950

Downloads

Documentation

Bid Text

| | | | |
|------------------------|--------------|----------------|----------|
| 279-348 X81 - Datei | 2019 年2月19 日 | xml 2.6 kB | Download |
| 279-348 doc - Datei | 2017 年4月27 日 | doc 24.1 kB | Download |

Additional Information

pdf
2.2 MB

Download

CAD/CAE-Data

CAE data

| | | |
|---------------------------|-----|----------|
| EPLAN Data Portal 279-348 | URL | Download |
| WSCAD Universe 279-348 | URL | Download |
| ZUKEN Portal 279-348 | URL | Download |

CAD data

| | | |
|----------------------|-----|----------|
| 2D/3D Models 279-348 | URL | Download |
|----------------------|-----|----------|

Environmental Product Compliance

Compliance Search

| | | |
|--|-----|----------|
| Environmental Product Compliance 279-348 End and intermediate plate; 2 mm thick; light gray | URL | Download |
|--|-----|----------|

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.