


- 1 HOUSING MATERIAL: GLASS-FILLED POLYMER.
- 2 POST MATERIAL: COPPER ALLOY.
- 3 POST FINISH: DIN 41612 CLASS 2 IN CONTACT AREA. TIN PLATE ON POSTS.
- 4 RECOMMENDED HOLE SIZE FOR MANUAL APPLICATION OF CONNECTOR ONTO PC BOARD.
- 5 PART NUMBER, DATE CODE MARKED THIS APPROXIMATE AREA.
- 6 MARKING ON THIS SIDE.
- 7 THE 5.69[.224] LONG MAKE FIRST POSTS EXCEED THE ALIGNMENT CAPABILITY OF THE HOUSING AND COULD POSSIBLY STUB DURING MATING. CUSTOMER MUST TAKE THIS INTO CONSIDERATION IN CARD CAGE DESIGN.



2,3	1,4-32	C	32	5148356-1
NONE	1-32	B	32	
2,3	1,4-32	A	32	
POSITIONS LOADED WITH 5.69[.224] CONTACTS	POSITIONS LOADED WITH 4.93[.194] CONTACTS	ROWS	NO. OF LOADED POSITIONS	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DSN J. POLIGNONE CDR A. SHARPE APVD A. SHARPE PRODUCT SPEC		Tyco Electronics Corporation Harrisburg, PA 17105-3608	
DIMENSIONS: mm [INCHES] TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± - 2 PLC ± 0.13[.005] 3 PLC ± - 4 PLC ± - ANGLES ± -		NAME ASSEMBLY, PIN, EUROCARD, TYPE C, 96 POSITION, 2.64[.104] SOLDER POST, WITH MFBL CONTACTS AND BOARD-LOCKS		SIZE CAGE CODE DRAWING NO WEIGHT - A1 00779 C=5148356	
MATERIAL 1/2 FINISH 3		CUSTOMER DRAWING		SCALE 5:1 SHEET 1 OF 1 REV 01	