


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20  
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
1		INITIAL RELEASE	23AUG2019	BM RH



1. ALL MATERIALS, COMPONENTS AND PROCESS SHALL COMPLY WITH TEC-138-702. (CONTAINS NO BANNED OR RESTRICTED SUBSTANCES).
2. NO REACH SvHC SHALL BE CONTAINED ABOVE THE THRESHOLD AS DEFINED IN REACH SvHC COMPLIANCE DEFINITION IN ANNEX A OF TEC-138-702.
3. ASSEMBLY TESTED FOR CONTINUITY, OPENS, SHORTS, AND SIGNAL INTEGRITY.
4. CABLE BEND RADIUS 5X BUNDLED CABLE OD.
5. SEE SHEET 2 AND 3 FOR WIRING SCHEMATIC.
6. CONNECTORS ARE GEN-Z COMPLIANT.

7 LABEL INFORMATION SHOWN BELOW:



8. CABLE CONNECTOR MATES WITH TE SLIVER RECEPTACLE P/N 2332141-X, OR 2332208-X.

500	1000 +10/-0	2361333-2
250	500 +10/-0	2361333-1
("M")	"L"	TE P/N

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN B. MATTHEWS 23AUG2019	TE Connectivity	
DIMENSIONS: mm		CHK R. HENRY 23AUG2019		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	NAME SLIVER 2.0 1C 30AWG STRAIGHT TO RIGHT ANGLE	
0 PLC ±		PRODUCT SPEC	-	
1 PLC ±0.5		APPLICATION SPEC	-	
2 PLC ±0.13		WEIGHT	-	
3 PLC ±0.013		CUSTOMER DRAWING	-	
4 PLC ±0.0001		SCALE 1:1	SHEET 1 OF 3	REV 1
ANGLES ±		SIZE CAGE CODE DRAWING NO RESTRICTED TO		
FINISH		A200779 C-2361333		

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20  
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

P1	WIRE TYPE	P2	
		DESIGNATION	PAIR #
PIN #	DESIGNATION	PAIR #	PIN #
A1	GROUND	DISCRETE	GROUND
A2	GROUND	DISCRETE	GROUND
A3	GROUND	DISCRETE	GROUND
A4	GROUND	DISCRETE	GROUND
A5	GROUND	DISCRETE	GROUND
A6	GROUND	DISCRETE	GROUND
A7	SIDE BAND	DISCRETE	SIDE BAND
A8	SIDE BAND	DISCRETE	SIDE BAND
A9	SIDE BAND	DISCRETE	SIDE BAND
A10	SIDE BAND	DISCRETE	SIDE BAND
A11	SIDE BAND	DISCRETE	SIDE BAND
A12	SIDE BAND	DISCRETE	SIDE BAND
A13	GND		GND
A14	CLK	DIFF PAIR	CLK
A15	CLK	DIFF PAIR	CLK
A16	GND		GND
A17	0	PCIeTX	DIFF PAIR
A18	0	PCIe TX	DIFF PAIR
A19		GND	
A20	1	PCIeTX	DIFF PAIR
A21	1	PCIe TX	DIFF PAIR
A22		GND	
A23	2	PCIeTX	DIFF PAIR
A24	2	PCIe TX	DIFF PAIR
A25		GND	
A26	3	PCIeTX	DIFF PAIR
A27	3	PCIe TX	DIFF PAIR
A28		GND	

COMMONED

COMMONED

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN: B. MATTHEWS 23AUG2019  
 CHK: R. HENRY 23AUG2019  
 APVD: -

**STE** TE Connectivity

NAME: SLIVER 2.0 1C 30AWG STRAIGHT TO RIGHT ANGLE

SIZE: A2 CAGE CODE: 00779 DRAWING NO: C-2361333 RESTRICTED TO: -

MATERIAL: - DIMENSIONS: mm TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- 1 PLC ±0.5 2 PLC ±0.13 3 PLC ±0.013 4 PLC ±0.0001 ANGLES ± FINISH -

PRODUCT SPEC: - APPLICATION SPEC: - WEIGHT: -

CUSTOMER DRAWING SCALE: 1:1 SHEET: 2 OF 3 REV: 1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20  
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-		SEE SHEET 1	-	-	-

PIN #	PAIR #	DESIGNATION	WIRE TYPE	P2		
				DESIGNATION	PAIR #	PIN #
B1		12V POWER	DISCRETE	12V POWER		B1
B2		12V POWER	DISCRETE	12V POWER		B2
B3		12V POWER	DISCRETE	12V POWER		B3
B4		12V POWER	DISCRETE	12V POWER		B4
B5		12V POWER	DISCRETE	12V POWER		B5
B6		12V POWER	DISCRETE	12V POWER		B6
B7		SIDE BAND	DISCRETE	SIDE BAND		B7
B8		SIDE BAND	DISCRETE	SIDE BAND		B8
B9		SIDE BAND	DISCRETE	SIDE BAND		B9
B10		SIDE BAND	DISCRETE	SIDE BAND		B10
B11		3.3 AUX POWER	DISCRETE	3.3 AUX POWER		B11
B12		SIDE BAND	DISCRETE	SIDE BAND		B12
B13		GND		GND		B13
B14		CLK	DIFF PAIR	CLK		B14
B15		CLK	DIFF PAIR	CLK		B15
B16		GND		GND		B16
B17	0	PCIeRX	DIFF PAIR	PCIeRX	0	B17
B18	0	PCIe RX	DIFF PAIR	PCIe RX	0	B18
B19		GND		GND		B19
B20	1	PCIeRX	DIFF PAIR	PCIeRX	1	B20
B21	1	PCIe RX	DIFF PAIR	PCIe RX	1	B21
B22		GND		GND		B22
B23	2	PCIeRX	DIFF PAIR	PCIeRX	2	B23
B24	2	PCIe RX	DIFF PAIR	PCIe RX	2	B24
B25		GND		GND		B25
B26	3	PCIeRX	DIFF PAIR	PCIeRX	3	B26
B27	3	PCIe RX	DIFF PAIR	PCIe RX	3	B27
B28		GND		GND		B28

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN: B. MATTHEWS 23AUG2019  
 CHK: R. HENRY 23AUG2019  
 APVD: -

**STE** TE Connectivity

NAME: SLIVER 2.0 1C 30AWG STRAIGHT TO RIGHT ANGLE

SIZE: A2 CAGE CODE: 00779 DRAWING NO: C-2361333 RESTRICTED TO: -

MATERIAL: - DIMENSIONS: mm TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- 1 PLC ±0.5 2 PLC ±0.13 3 PLC ±0.013 4 PLC ±0.0001 ANGLES ±- FINISH: -

PRODUCT SPEC: - APPLICATION SPEC: - WEIGHT: -

CUSTOMER DRAWING SCALE: 1:1 SHEET: 3 OF 3 REV: 1