

# KP HCS T-MIC K12 C3 P9 - Membrane keypad



2203567

<https://www.phoenixcontact.com/pc/products/2203567>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Membrane keypad, self-adhesive, silver conduction technology, 12 keys, embossed, 3 colors, connecting cable: 88.5 mm, with crimp female connector, pitch: 2.54 mm, operating temperature: -20°C ... 70°C

## Your advantages

- Easy integration into HCS series electronics housings
- Membrane keypads in various sizes and colors for customized device designs
- Customization of membrane keypad via configurator

## Commercial data

Item number	2203567
Packing unit	1 pc
Minimum order quantity	1 pc
Product key	ACFABF
GTIN	4055626474007
Weight per piece (including packing)	13.5 g
Weight per piece (excluding packing)	13.5 g
Customs tariff number	85365011
Country of origin	DE

# KP HCS T-MIC K12 C3 P9 - Membrane keypad



2203567

<https://www.phoenixcontact.com/pc/products/2203567>

## Technical data

### Product properties

Product type	Membrane keypad
Product family	HCS
Number of positions	9
Pitch	2.54 mm
Housing type	Handheld housing
Technology	Conductive silver/graphite (T6/4 Cu/Ag)
Embossing	Dome embossing 10 x 10 mm
Housing series	HCS
Number of socket pins	9
Number of keys	12 (2 x 6)

### Dimensions

Length	88.5 mm (Membrane cable)
Pitch	2.54 mm
Dimensions	38 mm x 140 mm

### Material specifications

Housing material	Polyester
------------------	-----------

### Environmental and real-life conditions

#### Ambient conditions

Ambient temperature (operation)	-20 °C ... 70 °C
Ambient temperature (storage/transport)	-40 °C ... 80 °C

### Mounting

Mounting type	adhesive
---------------	----------

# KP HCS T-MIC K12 C3 P9 - Membrane keypad



2203567

<https://www.phoenixcontact.com/pc/products/2203567>

## Classifications

### ECLASS

ECLASS-11.0	27182702
ECLASS-13.0	27190605

### ETIM

ETIM 8.0	EC001031
----------	----------

### UNSPSC

UNSPSC 21.0	31261500
-------------	----------

# KP HCS T-MIC K12 C3 P9 - Membrane keypad



2203567

<https://www.phoenixcontact.com/pc/products/2203567>

## Accessories

### HCS-T MICRO X C 1 1 7035 - Electronic housing

2203126

<https://www.phoenixcontact.com/pc/products/2203126>



Handheld housing, T-Micro, light gray, consisting of two half shells, two front plates with screws, front 1.1 mm recessed, closed with keypad slot

---

### HCS-T MICRO X 2AA C C 7035 - Electronic housing

2203127

<https://www.phoenixcontact.com/pc/products/2203127>



Handheld housing, T-Micro, light gray, consisting of two half shells, screws, front 1.1 mm recessed, closed with keypad slot, battery compartment cover and battery contacts, for 2 AA batteries

# KP HCS T-MIC K12 C3 P9 - Membrane keypad



2203567

<https://www.phoenixcontact.com/pc/products/2203567>

## HCS-T MICRO X 2AA 1 1 7035 - Electronic housing

2203128

<https://www.phoenixcontact.com/pc/products/2203128>



Handheld housing, T-Micro, light gray, consisting of two half shells, two front plates, screws. Front 1.1 mm recessed, closed with keypad slot, battery compartment cover and battery contacts for 2 AA batteries

---

Phoenix Contact 2023 © - all rights reserved

<https://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG

Flachsmarktstraße 8

D-32825 Blomberg

+49 (0) 5235-3 00

[info@phoenixcontact.com](mailto:info@phoenixcontact.com)