

**RECOMMENDED PCB LAYOUT
(WITH AND WITHOUT PEGS)
RECOMMENDED PCB THICKNESS: 1.00±0.10**

CIRCUIT SIZE	DIM.A	DIM.B	DIM.C	DIM.D
20	13.90	9.00	12.40	12.22
30	18.90	14.00	17.40	17.22
40	23.90	19.00	22.40	22.22
50	28.90	24.00	27.40	27.22
60	33.90	29.00	32.40	32.22
64	35.90	31.00	34.40	34.22
70	38.90	34.00	37.40	37.22
80	43.90	39.00	42.40	42.22
84	45.90	41.00	44.40	44.22
90	48.90	44.00	47.40	47.22
100	53.90	49.00	52.40	52.22
110	58.90	54.00	57.40	57.22
120	63.90	59.00	62.40	62.22

NOTES:

- HOUSING MATERIAL: G.F. THERMOPLASTIC; UL RATING: 94V-0; COLOR: WHITE
NOTE: HOUSING COLOR FOR - 1664 (ONLY) IS BLACK
TERMINAL MATERIAL: PHOSPHOR BRONZE; 0.205 THICK
VACCUM CAP MATERIAL: STAINLESS STEEL; 0.255 THICK
- PLATING ON CONTACTS IS AS FOLLOWS:
0.00076 MINIMUM GOLD PLATING IN CONTACT AREA,
0.0019 MINIMUM TIN PLATING IN TERMINAL AREA,
OVER NICKEL PLATING OVERALL.
- *THE PRIMARY SHIPPING CARTON WILL BE LABELED "COMPLAINT TO RoHS DIRECTIVE 2002/95/EC AND ELV ANNEX II OF DIRECTIVE 2000/53/EC". CARTONS WITHOUT THIS LABEL MAY CONTAIN PRODUCT WITH LEAD.
- THIS PART, WHEN MATED WITH MOLEX 1.0mm PLUG CONNECTOR SERIES 71436, CONFORMS TO MOLEX PRODUCT SPECIFICATION PS-71436-9999. REFER TO CHART ON SHEET 2 FOR MATED STACK HEIGHTS FOR THIS RECEPTACLE.
- PACKAGING SPECIFICATIONS: REFER TO CHART ON SHEET 2.
- PEGS ARE OPTIONAL. REFER TO CHART ON SHEET 2.
- VACCUM PICK & PLACE CAP IS OPTIONAL. REFER TO CHART ON SHEET 2.
- THIS PART CONFORMS TO EIA STANDARD 700 AAAB FOR 1.0mm TWO-PART CONNECTORS FOR USE WITH PARALLEL PRINTED BOARDS.
- COPLANARITY OF SMT TAILS: 0.10 MAX.
- 64-CIRCUIT RECEPTACLE ASSEMBLY WITH PEGS AND VACCUM CAP SHOWN FOR ILLUSTRATION PURPOSES ONLY.
- DATA CODE STAMP IS WEEK, YEAR LOCATED APPROXIMATELY WHERE SHOWN,


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS	SCALE	CURRENT REV DESC: OBSOLETE PART NUMBER							
mm	4:1								
GENERAL TOLERANCES (UNLESS SPECIFIED)					SALES ASSY, 1.0MM BOARD TO BOARD RECEPTACLE CONNECTOR 7.30 HIGH				
ANGULAR TOL	± 0.5°	EC NO: 638770			PRODUCT CUSTOMER DRAWING				
4 PLACES	±	DRWN: VLOKESHA 2020/03/09			DOCUMENT NUMBER				
3 PLACES	±	CHK'D: GGA 2020/07/21			714391000				
2 PLACES	± 0.13	APPR: GGA 2020/07/21			DOC TYPE DOC PART REVISION				
1 PLACE	± 0.25	INITIAL REVISION:			PSD 000 A2				
0 PLACES	±	DRWN: REED 1995/04/03			MATERIAL NUMBER CUSTOMER SHEET NUMBER				
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING	SERIES	SEE TABLE		GENERAL MARKET 1 OF 2	
				C-SIZE	71439				

STANDARD

CIRCUIT SIZE	RECEPTACLE ASSY. MATERIAL NUMBER	PEGS	PICK & PLACE CAP	PACKAGING SPEC. NUMBER	PACKAGING TYPE
64	71439-1164	YES	NO	PK-70873-0601	TUBE
64	71439-1364	YES	YES	PK-70873-0607	TUBE
64	71439-1464	YES	YES	PK-70873-063	TAPE & REEL
64	71439-1564	NO	NO	PK-70873-0606	TUBE
64	71439-1864	NO	YES	PK-70873-063	TAPE & REEL

RECOMMENDED PLUG/RECEPTACLE COMBINATION FOR MATED STACK HEIGHT PER EIA STANDARD 700 AAAB

MATED STACK HEIGHT	RECEPTACLE HEIGHT	RECEPTACLE SERIES NO.	PLUG HEIGHT	PLUG SERIES NO.
11.00	7.30	71439-1***	3.30	71436-1***
12.00	7.30	71439-1***	4.30	71436-2***



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												
DIMENSION UNITS		SCALE		CURRENT REV DESC: OBSOLETE PART NUMBER				molex				
mm		1:1										
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 638770 DRWN: VLOKESHA 2020/03/09 CHK'D: GGA 2020/07/21 APPR: GGA 2020/07/21				SALES ASSY, 1.0MM BOARD TO BOARD RECEPTACLE CONNECTOR 7.30 HIGH				
ANGULAR TOL		± 0.5°						PRODUCT CUSTOMER DRAWING				
4 PLACES		±		INITIAL REVISION: DRWN: REED 1995/04/03 APPR: BIXLER 1995/04/03				DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION
3 PLACES		±						714391000		PSD	000	A2
2 PLACES		± 0.13		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				MATERIAL NUMBER		CUSTOMER		SHEET NUMBER
1 PLACE		± 0.25						SEE TABLE		GENERAL MARKET		2 OF 2
0 PLACES		±		THIRD ANGLE PROJECTION		DRAWING		SERIES				
				C-SIZE		71439						