

Description: 5320 2.4G&5GHz Chip Antenna

PART NUMBER: ANT5320LL04R2455A

Features:

- Size: 5.3x2.0x1.4 mm
- Omni-directional Radiation
- · Dual-band design
- Tape & reel automatic mounting
- Reflow process compatible
- RoHS compliant



Applications:

- 2.4&5GHz WiFi device
- ISM band equipment

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and rederal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:



Description: 5320 2.4G&5GHz Chip Antenna

PART NUMBER: ANT5320LL04R2455A

ELECTRICAL SPECIFICATIONS

Working Frequency 2.45 G / 5.5GHz **Bandwidth** 150M / 900MHz(Typ.) **Return Loss** 6.5 dB Min **Polarization** Linear **Azimuth Beamwidth** Omni-directional **Peak Gain** 2.09 / 4.32 dBi(Typ.) **Impedance** 50 Ω **Operating Temperature** - 40~105 °C **Maximum Power** 1 W Ni / Sn (Environmentally-Friendly Leadless) **Termination**

1. The specification is defined on Pulse evaluation board

Resistance to Soldering Heats

MECHANICAL DRAWING

	Dimension	Top 16	Side View
		Top View	Side view
L (mm)	5.30 ± 0.20		→ T →
W (mm)	2.00 ± 0.20		
T (mm)	1.40 ± 0.30	† st 0	
A(mm)	0.40 ±0.20	W S1 O	
		Bottom View	
		→ I → A	
T	F att a		

ierminai name	Function		
S1	Feeding Point		
S2	Soldering Point		

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

VNHagen


260°C , 10sec.




Description: 5320 2.4G&5GHz Chip Antenna

PART NUMBER: ANT5320LL04R2455A

REFERENCE DESIGN OF EVALUATION BOARD



Outlook and dimension of evaluation board




Details of soldering Pad



Description: 5320 2.4G&5GHz Chip Antenna

PART NUMBER: ANT5320LL04R2455A

ELECTRICAL PERFORMANCES



Marker data

Max gain = 2.09 dBi, at (60, 150) MEG (mean effective gain)= -1.18 dBi


Efficiency = -1.49 dB, 71.01 %

Directivity (dB) = 3.58

1. 2.37GHz , -6.5dB 2. 2.45GHz , -7.6dB 3. 2.52GHz , -6.5dB 4. 5.05GHz , -6.5dB

5. 50GHz , -11.9dB

6. 95GHz, -6.5dB



In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION


Radiation pattern



Description: 5320 2.4G&5GHz Chip Antenna

PART NUMBER: ANT5320LL04R2455A

ELECTRICAL PERFORMANCES



Radiation pattern

Frequency= 5.5 GHz Max gain = 4.32 dBi, at (90, 60) MEG (mean effective gain)= -2.57 dBi Directivity (dB) = 6.36 Efficiency = -2.04 dB, 62.52 %



Description: 5320 2.4G&5GHz Chip Antenna

PART NUMBER: ANT5320LL04R2455A

	/10			-	
RE\		\sim	9	111	RV

RevisionDateDescriptionVersion 1Oct. 13, 2020- New issue