


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
F		Contact pin material change back to CuSn	04FEB2020	KJK	PS

POS. PER ROW	L +0.4 -0.7	PART NUMBER
-	-	-
2	5.08	-2
3	7.62	-3
4	10.16	-4
5	12.70	829759-5
6	15.24	-6
7	17.78	-7
8	20.32	-8
9	22.86	-9
10	25.40	1-829759-0
11	27.94	1- -1
12	30.48	1- -2
13	33.02	1- -3
14	35.56	1- -4
15	38.10	1- -5 $\triangle 2$
16	40.64	1- -6
17	43.18	1- -7
18	45.72	1- -8
19	48.26	1- -9
20	50.80	2- -0 $\triangle 2$
21	53.34	2- -1
22	55.88	2- -2
23	58.42	2- -3
24	60.96	2- -4
25	63.50	2- -5
26	66.04	2- -6
27	68.58	2- -7
28	71.12	2- -8
29	73.66	2- -9
30	76.20	3-829759-0 $\triangle 2$
31	78.74	3- -1
32	81.28	3- -2 $\triangle 2$
33	83.82	3- -3
34	86.36	3- -4
35	88.90	3- -5
36	91.44	3- -6 $\triangle 2$
37	93.98	3- -7
38	96.52	3- -8
39	99.06	3- -9
40	101.60	4- -0
41	104.14	4- -1
42	106.68	4- -2
43	109.22	4- -3
44	111.76	4- -4
45	114.30	4- -5
46	116.84	4- -6
47	119.38	4- -7
48	121.92	4- -8
49	124.46	4- -9
50	127.00	5-829759-0 $\triangle 2$

NOTES:

- $\triangle 1$  MIN 2.5 $\mu$ m TIN OVER 1.27 $\mu$ m NICKEL
- $\triangle 2$  OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI



1	CONTACT PIN	CuSn	$\triangle 1$
2	PIN HOUSING	PBT	GREEN
ITEM NUM	DESCRIPTION	MATERIAL	COLOR/FINISH

RELEASED FOR PUBLICATION

ALL RIGHTS RESERVED.

COPYRIGHT - By -


THIS DRAWING IS UNPUBLISHED.


DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:  
 $\pm 0.2$ mm

0 PLC	$\pm -$
1 PLC	$\pm -$
2 PLC	$\pm -$
3 PLC	$\pm -$
4 PLC	$\pm -$
ANGLES	$\pm -$



DWN A.HO 14.05.91	MATERIAL SEE TABLE	FINISH SEE NOTE 1
CHK M.SCHAARSCHMIDT 14.05.91	 TE Connectivity	
APVD -		
PRODUCT SPEC 108-18012	NAME AMPMODU II PIN HEADER 90 DEG, DUAL ROW	
APPLICATION SPEC -	SIZE A4	CAGE CODE 00779
WEIGHT -	DRAWING NO C-829759	RESTRICTED TO -
CUSTOMER DRAWING		SCALE 4:1
		SHEET 1 OF 1
		REV F