


## ST-RJ45-R-FT

#### **RJ45 Screw Terminal Breakout Board with Rubber Feet**





- Breaks out all 8 contacts and the shield
- Screw terminals for fast connections
- Prototyping area for in-circuit modifications
- Easy access for probing and debugging
- Rubber feet provide a stable base

Specifications	
Wire Range (stranded)	16-24 AWG
Wire Range (solid)	16-24 AWG
Connector	8P8C + Shield
PCB Surface Finish	LF HASL
Temperature Rating	-15°C to +70°C


This RJ45 breakout board provides a convenient method of accessing all the contacts of an 8P8C connector, including the shield. Each of the 9 connections are brought out to a screw terminal for fast and secure termination to wires. This board also features a prototyping area to enable in-circuit modifications as well as easy probing/diagnostics. The prototyping grid has a standard 0.1" pattern to enable compatibility with a variety of components. The rubber feet on this model provide clearance for the connections on the bottom making it perfect for a lab environment where it can be placed directly on a bench.



## ST-RJ45-R-FT

### **RJ45 Screw Terminal Breakout Board with Rubber Feet**

### **Mechanical Drawings**




#### **Electrical Connections**

Each pin of the RJ45 connector is electrically connected to a single row of the prototyping area and to one screw terminal.



# **ST-RJ45** - Ordering Information



#### **Ordering**

To order please visit www.schmalztech.io or one of our distributors to quickly place an online order.

Orders may also be placed by email or phone:

Email: sales@schmalztech.com Phone: +1 (844) 399-9213

#### **Expedited Shipping**

If overnight shipping is required please contact us directly so that we can expedite your order. Overnight shipping is provided through UPS and will incur an additional charge

#### **Custom Designs**

Can't find what you need? We can design and produce a custom board to fit your exact needs. Please reach out to us for additional information and pricing.