
Specification Control Drawing


Raychem

a) Part as supplied.

224W511



b) Part after unrestricted recovery.



DIMENSIONS in millimetres (in inches, for reference)

	H	+		J	Р	R	5	Т	U	JO	HW	JW
Part No.	Min a	Max b	Min a	Max b	±10% a	±10% b	±10% a	±10% b	±10% b	±10% b	±20% b	±20% b
224W511	24 {0.94}	9.2 {0.36}	16 {0.63}	2.8 {0.11}	25 {0.98}	25 {0.98}	19 {0.75}	3.0 {0.12}	1.0	10 {0.39}	1.6 {0.06}	0.9 {0.04}

Copyright (!)

Approval

Design

The copyright in this drawing is the property of Tyco Electronics UK Ltd. The drawing is issued on the condition that it is not copied, reproduced or disclosed to a third party, either in whole or in part without the prior written consent of Tyco Electronics UK Ltd.

Drawn A.LILLEY. Checked

MKTG.

Issue

Tech.

Date April 2008


Conforms to ISO Recommendations 3rd Angle Projection

Not to Scale



R	aychem	Specific Control	ation Drawing	Part Number	224W511	Issue 1
Iss.	Date	E.C.R. No.	Detail	s of Change		

(Ordering Information)



COMPATIBILITY CHART

Material Dash Number	Material Description	SPEC Number	Coating Slash Number
-3	POLYOLEFIN, SEMI-RIGID	RT-301	/42 ,/86, /180
-4	POLYOLEFIN, FLEXIBLE	RT-1304	/42 ,/86, /180
-25	ELASTOMER, FLUID RESISTANT	RW-2070	/42, /86, /225
-130	POLYOLEFIN, COMMERCIAL FLEXIBLE	RW-2008	/42

NOTES

1) As supplied dimensions are for uncoated parts, when coating is added entry diameters will reduce by 1.5mm Max.

Faraday Road, Swindon, Wiltshire, SN3 5HH England	Tyco Electronics Corporation 300, Constitution Drive, Menlo Park, CA 94025 USA Telephone (650) 361-3860 Fax: (650) 361-5579
Cage Code K1010	Cage Code 06090