






- 1 HOUSING MATERIAL: GLASS-FILLED POLYMER.
- 2 POST MATERIAL: COPPER ALLOY.
- 3 POST FINISH: DIN 41612 CLASS 2 IN CONTACT AREA. TIN PLATE ON POSTS.
- 4 MARKING ON THIS SIDE.
- 5 RECOMMENDED HOLE SIZE FOR MANUAL APPLICATION OF CONNECTOR ONTO PC BOARD.
- 6 PART NUMBER, DATE CODE MARKED THIS APPROXIMATE AREA.



PC BOARD LAYOUT  
 RECOMMENDED PC BOARD THICKNESS 1.57 [.062]



1-16		X	X	X	48	5536407-5
POSITIONS LOADED		C	B	A	NO. OF LOADED POSITION	ASSY PART NUMBER
		ROWS LOADED				

THIS DRAWING IS A CONTROLLED DOCUMENT.		DIN J. POLIGNONE		Tyco Electronics Corporation	
DIMENSIONS: mm [INCHES]		CIRK A. SHARPE		Harrisburg, PA 17105-3608	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD A. SHARPE		NAME	
0 PLC	± -	PRODUCT SPEC		ASSEMBLY, PIN, EUROCARD, TYPE 1/2C,	
1 PLC	± -	APPLICATION SPEC		48 POSITION, 3.30 [.130] SOLDER POST	
2 PLC	± -	MATERIAL		WITH BOARD LOCKS	
3 PLC	± 0.13 [.005]	FINISH		SIZE	
4 PLC	± -	MATERIAL		CAGE CODE	
ANGLES	± -	FINISH		DRAWING NO	
		WEIGHT		RESTRICTED TO	
		CUSTOMER DRAWING		SCALE	
		SCALE 5:1		SHEET 1 OF 1	
		REV 01		REV 01	