


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
A		REVISED PER ECR-19-012197	02AUG2019	NN DZ



1. ALL MATERIALS, COMPONENTS AND PROCESS SHALL COMPLY WITH TEC-138-702. (CONTAINS NO BANNED OR RESTRICTED SUBSTANCES).
2. NO REACH SVHC SHALL BE CONTAINED ABOVE THE THRESHOLD AS DEFINED IN REACH SVHC COMPLIANCE DEFINITION IN ANNEX A OF TEC-138-702.
3. ASSEMBLY TESTED FOR CONTINUITY, OPENS, SHORTS, AND SIGNAL INTEGRITY.
4. CABLE BEND RADIUS 5X BUNDLED CABLE OD.
5. SEE SHEET 2 AND 3 FOR WIRING SCHEMATIC.
6. CONNECTORS ARE GEN-Z COMPLIANT.

△ LABEL INFORMATION SHOWN BELOW:



8. CABLE CONNECTOR MATES WITH TE SLIVER RECEPTACLE P/N 2332141-X, OR 2332208-X.

500	1000 +10/-0	2340876-2
250	500 +10/-0	2340876-1
("M")	"L"	TE P/N

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN B. MATTHEWS 03AUG2018	TE Connectivity	
DIMENSIONS: mm		CHK G. GUTGOLD 03AUG2018		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD -	NAME SLIVER 2.0 1C 30AWG STRAIGHT TO STRAIGHT	
0 PLC ±		PRODUCT SPEC -	APPLICATION SPEC -	
1 PLC ±0.5		WEIGHT -	SIZE A2	CAGE CODE 00779
2 PLC ±0.13		CUSTOMER DRAWING	DRAWING NO C-2340876	RESTRICTED TO -
3 PLC ±0.013		SCALE 1:1	SHEET 1 OF 3	REV A
4 PLC ±0.0001				
ANGLES ±				
FINISH				



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
-	-	SEE SHEET 1	-	-

PIN #	P1		WIRE TYPE	P2		PIN #
	PAIR #	DESIGNATION		DESIGNATION	PAIR #	
A1		GROUND	DISCRETE	GROUND		A1
A2		GROUND	DISCRETE	GROUND		A2
A3		GROUND	DISCRETE	GROUND		A3
A4		GROUND	DISCRETE	GROUND		A4
A5		GROUND	DISCRETE	GROUND		A5
A6		GROUND	DISCRETE	GROUND		A6
A7		SIDE BAND	DISCRETE	SIDE BAND		A7
A8		SIDE BAND	DISCRETE	SIDE BAND		A8
A9		SIDE BAND	DISCRETE	SIDE BAND		A9
A10		SIDE BAND	DISCRETE	SIDE BAND		A10
A11		SIDE BAND	DISCRETE	SIDE BAND		A11
A12		SIDE BAND	DISCRETE	SIDE BAND		A12
A13		GND		GND		A13
A14		CLK	DIFF PAIR	CLK		A14
A15		CLK	DIFF PAIR	CLK		A15
A16		GND		GND		A16
A17	0	PCIeTX	DIFF PAIR	PCIeTX	0	A17
A18	0	PCIe TX	DIFF PAIR	PCIe TX	0	A18
A19		GND		GND		A19
A20	1	PCIeTX	DIFF PAIR	PCIeTX	1	A20
A21	1	PCIe TX	DIFF PAIR	PCIe TX	1	A21
A22		GND		GND		A22
A23	2	PCIeTX	DIFF PAIR	PCIeTX	2	A23
A24	2	PCIe TX	DIFF PAIR	PCIe TX	2	A24
A25		GND		GND		A25
A26	3	PCIeTX	DIFF PAIR	PCIeTX	3	A26
A27	3	PCIe TX	DIFF PAIR	PCIe TX	3	A27
A28		GND		GND		A28

COMMONED



COMMONED

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN B. MATTHEWS 03AUG2018	 TE Connectivity	
DIMENSIONS: mm 		CHK G. GUTGOLD 03AUG2018		
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- 1 PLC ±0.5 2 PLC ±0.13 3 PLC ±0.013 4 PLC ±0.0001 ANGLES ±- FINISH -		APVD -	NAME SLIVER 2.0 1C 30AWG STRAIGHT TO STRAIGHT	
MATERIAL -		PRODUCT SPEC -	SIZE A200779	DRAWING NO C-2340876
		APPLICATION SPEC -	RESTRICTED TO -	
		WEIGHT -	SCALE 1:2 SHEET 2 OF 3 REV A	
		CUSTOMER DRAWING		

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

	P1			WIRE TYPE	P2			
	PIN #	PAIR #	DESIGNATION		DESIGNATION	PAIR #	PIN #	
COMMONED	B1		12V POWER	DISCRETE	12V POWER		B1	COMMONED
	B2		12V POWER	DISCRETE	12V POWER		B2	
	B3		12V POWER	DISCRETE	12V POWER		B3	
	B4		12V POWER	DISCRETE	12V POWER		B4	
	B5		12V POWER	DISCRETE	12V POWER		B5	
	B6		12V POWER	DISCRETE	12V POWER		B6	
	B7		SIDE BAND	DISCRETE	SIDE BAND		B7	
	B8		SIDE BAND	DISCRETE	SIDE BAND		B8	
	B9		SIDE BAND	DISCRETE	SIDE BAND		B9	
	B10		SIDE BAND	DISCRETE	SIDE BAND		B10	
	B11		3.3 AUX POWER	DISCRETE	3.3 AUX POWER		B11	
	B12		SIDE BAND	DISCRETE	SIDE BAND		B12	
	B13		GND		GND		B13	
	B14		CLK	DIFF PAIR	CLK		B14	
	B15		CLK	DIFF PAIR	CLK		B15	
	B16		GND		GND		B16	
	B17	0	PCIeRX	DIFF PAIR	PCIeRX	0	B17	
	B18	0	PCIe RX	DIFF PAIR	PCIe RX	0	B18	
	B19		GND		GND		B19	
	B20	1	PCIeRX	DIFF PAIR	PCIeRX	1	B20	
	B21	1	PCIe RX	DIFF PAIR	PCIe RX	1	B21	
	B22		GND		GND		B22	
	B23	2	PCIeRX	DIFF PAIR	PCIeRX	2	B23	
	B24	2	PCIe RX	DIFF PAIR	PCIe RX	2	B24	
	B25		GND		GND		B25	
	B26	3	PCIeRX	DIFF PAIR	PCIeRX	3	B26	
	B27	3	PCIe RX	DIFF PAIR	PCIe RX	3	B27	
	B28		GND		GND		B28	

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN B. MATTHEWS 03AUG2018	 TE Connectivity	
DIMENSIONS: mm		CHK G. GUTGOLD 03AUG2018		
		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- 1 PLC ±0.5 2 PLC ±0.13 3 PLC ±0.013 4 PLC ±0.0001 ANGLES ±- FINISH -		NAME SLIVER 2.0 1C 30AWG STRAIGHT TO STRAIGHT
MATERIAL		APVD	PRODUCT SPEC	RESTRICTED TO
		APPLICATION SPEC	SCALE 1:2	SHEET 3 OF 3
		WEIGHT	DRAWING NO. A200779	REV A
		CUSTOMER DRAWING	DRAWING NO. C-2340876	