# 293671-3 - ACTIVE

### NECTOR | NECTOR M Series

TE Internal #: 293671-3 Standard Circular Connectors, Wire-to-Wire, 6 Position, Wire & Cable, Power, C Polarization Code, Polyamide GF, NECTOR M Series

#### View on TE.com >

Connectors > Circular Connectors > Standard Circular Connectors



Connector System: Wire-to-Wire

Number of Positions: 6

Connector & Contact Terminates To: Wire & Cable

Circuit Application: Power

Polarization Code: C

## Features

**TE** 

### **Product Type Features**

Connector System	Wire-to-Wire
Connector & Contact Terminates To	Wire & Cable
Circular Connector Type	Plug
Configuration Features	
Number of Positions	6
Body Features	
Circular Connector Insulation Material Type	Polyamide GF
Contact Features	
Contact Layout Arrangement	Circular
Circular Connector Contact Type	Pin
Mechanical Attachment	
Polarization Code	С
Mating Alignment Type	Keyed

**C** For support call+1 800 522 6752

## 293671-3

Standard Circular Connectors, Wire-to-Wire, 6 Position, Wire & Cable, Power, C Polarization Code, Polyamide GF, NECTOR M Series



Mating Retention	With
Usage Conditions	
Operating Temperature Range	-40 - 70 °C[-40 - 158 °F]
Operation/Application	
Circuit Application	Power
Shielded	No
EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	
,	Restricted Materials Above Threshold

#### Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**

## 293671-3

Standard Circular Connectors, Wire-to-Wire, 6 Position, Wire & Cable, Power, C Polarization Code, Polyamide GF, NECTOR M Series






## Also in the Series | NECTOR M Series





Standard Circular Connectors(124)

## Customers Also Bought



## 293671-3

Standard Circular Connectors, Wire-to-Wire, 6 Position, Wire & Cable, Power, C Polarization Code, Polyamide GF, NECTOR M Series





## Documents

**Product Drawings** NECTOR M PIN CONN PCB 6P CODE C

English

**CAD** Files

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_293671-3\_A\_c-293671-3-a.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_293671-3\_A\_c-293671-3-a.3d\_igs.zip

English

Customer View Model

### ENG\_CVM\_CVM\_293671-3\_A\_c-293671-3-a.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

**Product Specifications Application Specification** 

English

Agency Approvals Agency Approval Document

English