

Rail D-Sub Backshells TE Internal #: 2-2308350-8 Crimp Barrel, Shielded, Rail D-Sub Backshells View on TE.com >



Connectors > Connector Accessories > Connector Strain Relief > Crimp Barrel for D-Sub Connectors



Strain Relief Accessory Type: Crimp Barrel

Shielded: Yes

Thread Size: None

Operating Temperature Range: -40 – 90 °C [-40 – 194 °F]

All Crimp Barrel for D-Sub Connectors (22)

Features

Product Type Features

| Strain Relief Accessory Type | Crimp Barrel | | | | | |
|---------------------------------------------------------------------------------------|--------------------------------------|--|--|--|--|--|
| Mechanical Attachment | | | | | | |
| Thread Size | None | | | | | |
| Usage Conditions | | | | | | |
| Operating Temperature Range | -40 - 90 °C[-40 - 194 °F] | | | | | |
| Operation/Application | | | | | | |
| Shielded | Yes | | | | | |
| Product Compliance For compliance documentation, visit the product page on TE.com> | | | | | | |
| EU RoHS Directive 2011/65/EU | Compliant with Exemptions | | | | | |
| EU ELV Directive 2000/53/EC | Not Yet Reviewed | | | | | |
| China RoHS 2 Directive MIIT Order No 32, 2016 | Restricted Materials Above Threshold | | | | | |
| EU REACH Regulation (EC) No. 1907/2006 | | | | | | |

Crimp Barrel, Shielded, Rail D-Sub Backshells



| Current ECHA Candidate List: JUNE 2023 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| (235) |
| Candidate List Declared Against: JUNE |
| 2023 (235) |
| SVHC > Threshold: |
| Pb (3.5% in Component Part) |
| Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location. |
| Low Halogen - Br, Cl, F, I < 900 ppm per |
| homogenous material. Also BFR/CFR/PVC |
| Free |
| |

Halogen Content

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts




Also in the Series | Rail D-Sub Backshells



Crimp Barrel, Shielded, Rail D-Sub Backshells





Customers Also Bought



| /0H1-11-06-1-ZN-DB | PPC810-14S-1-ZN-C12B | 0024A0311-0CK0202 | 221A011-51/164-0-CS/133 |
|-----------------------------------------------|-------------------------------------------|-------------------|-------------------------|
| | | | |
| | | | |
| | | | |
| TE Part #797339M011 NTFR-1-1/2-0-SP-CS5445 | TE Part #603262M008 NTFR-2-0-SP-CS5445 | | |

Documents

Product Drawings CRIMP BARREL18

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2-2308350-8_A.2d_dxf.zip

2-2308350-8

Crimp Barrel, Shielded, Rail D-Sub Backshells



English

Customer View Model ENG_CVM_CVM_2-2308350-8_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2-2308350-8_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages Rail D-Sub Backshells Flyer

English