






10 9 8 7 6 5 4 3 2 1

THIS DESIGN IS BASED ON DESIGN OBJECTIVES AND IS STRICTLY TENTATIVE. IT MAY CHANGE BASED ON RESULTS OF ADDITIONAL DESIGN REVIEWS & VERIFICATIONS.




- NOTES:
- MATERIALS:
INSERT MOLD HOUSING: LCP, UL94V-0;
LEVER, SHAFT, EJECTOR, SHELL: STAINLESS STEEL;
DETECT SPRING: COPPER ALLOY;
 - FINISHES:
DETECT SPRING:
1.27um MIN. NICKEL UNDERPLATING OVERALL;
0.127um MIN. GOLD PLATING ON CONTACT AREA;
1.27 um MIN. TIN PLATING ON SOLDERING TAIL;
SHELL:
1.27um MIN NICKEL UNDERPLATING OVERALL;
0.025um MIN GOLD PLATING ON CONTACT AREA AND SOLDERING AREA;
SHAFT: 1.27um MIN TIN ON SOLDERING TAIL;
 - PRODUCT SPECIFICATION: PS-151031-001;
 - PACKAGING SPECIFICATION: PK-151031-001;PK-151032-001
 - SOLDER TAIL COPLANARITY: 0.10 MM MAX BEFORE REFLOW
 - THIS PART IS A FRAME ONLY, IT SHOULD BE USED TOGETHER WITH 0.35MM BLOCK SIM 151032 FOR AN ENTIRE SIM POP OUT SYSTEM;
 - 0.10 MINIMUM KEEP OUT ZONE FROM TOP SURFACE OF SHELL DURING INSERTION AND WITHDRAWAL OF TRAY (WITH SIM CARD)
 - DATE CODE PRINTED: XX XX X
DAY
WEEK
YEAR


CHANGE BLOCK SIM AND TRAY EC NO: S2014-0434 DRWN: JZENG 2013/11/04 CHKD: JTAN02 2014/01/02 APPR: KHLIM 2014/01/27	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
	$F_A=0$	mm	INCH	DRAWN BY	DATE	TITLE		
	$F_C=4$	4 PLACES ± --- ± ---	JZENG 2013/11/04	DUAL MICRO SIM FRAME			1.40 H	
	$F_B=0$	3 PLACES ± --- ± ---	CHECKED BY	DATE	molex			SHEET NO.
	2 PLACES ± 0.20 ± ---	JTAN02 2013/12/05	SD-151031-0001			1 OF 5		
	1 PLACE ± 0.20 ± ---	APPROVED BY	DATE	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				
	0 PLACE ± --- ± ---	KHLIM 2014/01/27						
	ANGULAR ± 3 °	MATERIAL NO.		DOCUMENT NO.				
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	1510310001		SD-151031-0001				
		SIZE						
		A3						

9 8 7 6 5 4 3 2 1

SIM CONNECTOR
(WITH 151032 BLOCK SIM CONNECTOR)




SIM CONNECTOR BOM




THIS DESIGN IS BASED ON DESIGN OBJECTIVES AND IS STRICTLY TENTATIVE. IT MAY CHANGE BASED ON RESULTS OF ADDITIONAL DESIGN REVIEWS & VERIFICATIONS.

SEE SHEET 1 EC NO: S2014-0434 DRWN: JZENG CHKD: JTAN02 APPR: KHL IM	2013/11/04 2014/01/02 2014/01/27	DESCRIPTION REV 7	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
			$F_A = 0$ $F_B = 0$ $F_C = 0$	mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.20 ± --- 1 PLACE ± 0.20 ± --- 0 PLACE ± --- ± ---	MM ONLY	NTS	METRIC	
			ANGULAR ± 3 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DRAWN BY: JZENG CHECKED BY: JTAN02 APPROVED BY: KHL IM MATERIAL NO. 1510310001	DATE: 2013/11/04 DATE: 2013/12/05 DATE: 2014/01/27	TITLE: DUAL MICRO SIM FRAME 1.40 H DOCUMENT NO. SD-151031-0001	SHEET NO. 2 OF 5	
			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					


SIM CONNECTOR FRAME AND TRAY




TRAY EJECTED POSITION




TRAY INSERTION POSITION




SIGNAL PIN



DETECT SWITCH PIN






ENTER DESCRIPTION EC NO: S2014-0434 DRWN: JZENG CHKD: JTAN02 APPR: KHL IM	DESCRIPTION 2013/11/04 2014/01/02 2014/01/27	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
		$F_A=0$ $F_G=0$ $F_P=0$	mm	INCH	MM ONLY		METRIC	
			4 PLACES	± ---	± ---	DRAWN BY	DATE	TITLE
			3 PLACES	± ---	± ---	JZENG	2013/11/04	DUAL MICRO SIM FRAME 1.40 H
	2 PLACES	± 0.20	± ---	CHECKED BY	DATE			
	1 PLACE	± 0.20	± ---	JTAN02	2013/12/05			
	0 PLACE	± ---	± ---	APPROVED BY	DATE			
				KHL IM	2014/01/27			
				MATERIAL NO.		DOCUMENT NO.	SHEET NO.	
				1510310001		SD-151031-0001	3 OF 5	
				ANGULAR ± 3 °	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				




THIS DESIGN IS BASED ON DESIGN OBJECTIVES AND IS STRICTLY TENTATIVE. IT MAY CHANGE BASED ON RESULTS OF ADDITIONAL DESIGN REVIEWS & VERIFICATIONS.

RECOMMENDED PCB LAYOUT: TOLERANCE ±0.05
 RECOMMENDED PCB THICKNESS: 0.80MM
 RECOMMENDED STENCIL THICKNESS: 0.10MM

SEE SHEET 1 EC NO: S2014-0434 DRWN: JZENG CHKD: JTAN02 APPR: KHL IM	2013/11/04 2014/01/02 2014/01/27	DESCRIPTION QUALITY SYMBOLS $F_A=0$ $F_C=0$ $F_P=0$	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			
				mm	INCH	DRAWN BY JZENG	DATE 2013/11/04	TITLE DUAL MICRO SIM FRAME 1.40 H				
			4 PLACES	± ---	± ---	CHECKED BY JTAN02	DATE 2013/12/05					
			3 PLACES	± ---	± ---	APPROVED BY KHL IM	DATE 2014/01/27					
2 PLACES	± 0.20	± ---	ANGULAR ± 3 °		MATERIAL NO. 1510310001	DOCUMENT NO. SD-151031-0001	SHEET NO. 4 OF 5					
1 PLACE	± 0.20	± ---	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						
0 PLACE	± ---	± ---										

151031 FRAME SOLDERING AREA: 
 151032 BLOCK SIM SOLDERING AREA: 
 KEEP OUT ZONE: 



THIS DESIGN IS BASED ON DESIGN OBJECTIVES AND IS STRICTLY TENTATIVE. IT MAY CHANGE BASED ON RESULTS OF ADDITIONAL DESIGN REVIEWS & VERIFICATIONS.


RECOMMENDED PCB LAYOUT: TOLERANCE ±0.05
 RECOMMENDED PCB THICKNESS: 0.80MM
 RECOMMENDED STENCIL THICKNESS: 0.10MM

SEE SHEET 1	EC NO: S2014-0434	2013/11/04	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
	DRWN: JZENG	2014/01/02		▽ _A =0	mm	INCH	MM ONLY		NTS	METRIC	
	CHKD: JTAN02	2014/01/27		▽ _C =0	4 PLACES	± ---	± ---	DRAWN BY	DATE	TITLE	
	APPR: KHL IM			▽ _P =0	3 PLACES	± ---	± ---	JZENG	2013/11/04	DUAL MICRO SIM FRAME	
				2 PLACES	± 0.20	± ---	CHECKED BY	DATE	1.40 H		
				1 PLACE	± 0.20	± ---	APPROVED BY	DATE			
				0 PLACE	± ---	± ---	KHL IM	2014/01/27			
				ANGULAR ± 3 °		MATERIAL NO.		DOCUMENT NO.		SHEET NO.	
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		1510310001		SD-151031-0001		5 OF 5	
						SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			






10 9 8 7 6 5 4 3 2 1

THIS DESIGN IS BASED ON DESIGN OBJECTIVES AND IS STRICTLY TENTATIVE. IT MAY CHANGE BASED ON RESULTS OF ADDITIONAL DESIGN REVIEWS & VERIFICATIONS.




- NOTES:
- MATERIALS:
 INSERT MOLD HOUSING: LCP, UL94V-0;
 LEVER, SHAFT, EJECTOR, SHELL: STAINLESS STEEL;
 DETECT SPRING: COPPER ALLOY;
 - FINISHES:
 DETECT SPRING:
 1.27um MIN. NICKEL UNDERPLATING OVERALL;
 0.127um MIN. GOLD PLATING ON CONTACT AREA;
 1.27 um MIN. TIN PLATING ON SOLDERING TAIL;
 SHELL:
 1.27um MIN NICKEL UNDERPLATING OVERALL;
 0.025um MIN GOLD PLATING ON CONTACT AREA AND SOLDERING AREA;
 SHAFT: 1.27um MIN TIN ON SOLDERING TAIL;
 - PRODUCT SPECIFICATION: PS-151031-001;
 - PACKAGING SPECIFICATION: PK-151031-001;PK-151032-001
 - SOLDER TAIL COPLANARITY: 0.10 MM MAX BEFORE REFLOW
 - THIS PART IS A FRAME ONLY, IT SHOULD BE USED TOGETHER WITH 0.35MM BLOCK SIM 151032 FOR AN ENTIRE SIM POP OUT SYSTEM;
 - 0.10 MINIMUM KEEP OUT ZONE FROM TOP SURFACE OF SHELL DURING INSERTION AND WITHDRAWAL OF TRAY (WITH SIM CARD)
 - DATE CODE PRINTED: XX XX X
 DAY
 WEEK
 YEAR




UPDATED DRAWING EC NO: S2014-0434 DRWN: JZENG 2013/12/13 CHKD: JTAN02 2014/01/02 APPR: KHLIM 2014/01/27	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
	$F_A=0$ $F_C=4$ $F_B=0$	mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.20 ± --- 1 PLACE ± 0.20 ± --- 0 PLACE ± --- ± ---	MM ONLY	NTS	METRIC	
	ANGULAR ± 3 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DRAWN BY: JZENG CHECKED BY: KHLIM APPROVED BY: KHLIM DATE: 2013/12/13 DATE: 2014/01/27	TITLE	DUAL MICRO SIM FRAME 1.40H		
	MATERIAL NO. 1510310001	DOCUMENT NO. SD-151031-0002			SHEET NO. 1 OF 4	

9 8 7 6 5 4 3 2 1

SIM CONNECTOR
(WITH 151032 BLOCK SIM CONNECTOR)



SIM CONNECTOR BOM



THIS DESIGN IS BASED ON DESIGN OBJECTIVES AND IS STRICTLY TENTATIVE. IT MAY CHANGE BASED ON RESULTS OF ADDITIONAL DESIGN REVIEWS & VERIFICATIONS.

SEE SHEET 1 EC NO: S2014-0434 DRWN: JZENG CHKD: JIAN02 APPR: KHL IM	2013/12/13	DESCRIPTION	QUALITY SYMBOLS
	2014/01/02		$F_A = 0$
	2014/01/27		$F_G = 0$
			$F_P = 0$


GENERAL TOLERANCES (UNLESS SPECIFIED)	
	mm INCH
4 PLACES	± --- ± ---
3 PLACES	± --- ± ---
2 PLACES	± 0.20 ± ---
1 PLACE	± 0.20 ± ---
0 PLACE	± --- ± ---
ANGULAR ± 3 °	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	

DIMENSION STYLE MM ONLY	
DRAWN BY JZENG	DATE 2013/12/13
CHECKED BY	DATE
APPROVED BY KHL IM	DATE 2014/01/27
MATERIAL NO. 1510310001	
SIZE A3	


SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
TITLE DUAL MICRO SIM FRAME 1.40H		
DOCUMENT NO. SD-151031-0002		SHEET NO. 2 OF 4
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		






SIM CONNECTOR FRAME AND TRAY



TRAY EJECTED POSITION







TRAY INSERTION POSITION



SEE SHEET 1 EC NO: S2014-0434 DRWN: JZENG CHKD: JIAN02 APPR: KHL IM	2013/12/13 2014/01/02 2014/01/27	DESCRIPTION REV	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
			$F_A=0$ $F_G=0$ $F_P=0$	mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.20 ± --- 1 PLACE ± 0.20 ± --- 0 PLACE ± --- ± ---	MM ONLY		METRIC	TITLE DUAL MICRO SIM FRAME 1.40H
				ANGULAR ± 3 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DRAWN BY DATE JZENG 2013/12/13 CHECKED BY DATE			
					APPROVED BY DATE KHL IM 2014/01/27	MATERIAL NO. 1510310001	DOCUMENT NO. SD-151031-0002	SHEET NO. 3 OF 4



151031 FRAME SOLDERING AREA: 
 151032 BLOCK SIM SOLDERING AREA: 
 KEEP OUT ZONE: 



THIS DESIGN IS BASED ON DESIGN OBJECTIVES AND IS STRICTLY TENTATIVE. IT MAY CHANGE BASED ON RESULTS OF ADDITIONAL DESIGN REVIEWS & VERIFICATIONS.

RECOMMENDED PCB LAYOUT: TOLERANCE ±0.05
 RECOMMENDED PCB THICKNESS: 0.80MM
 RECOMMENDED STENCIL THICKNESS: 0.10MM

SEE SHEET 1 EC NO: S2014-0434 DRWN: JZENG 2013/12/13 CHKD: JTAN02 2014/01/02 APPR: KHL IM 2014/01/27	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
	$F_A=0$ $F_G=0$ $F_P=0$	mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.20 ± --- 1 PLACE ± 0.20 ± --- 0 PLACE ± --- ± ---	MM ONLY	NTS	METRIC	TITLE DUAL MICRO SIM FRAME 1.40H	
	DESCRIPTION	ANGULAR ± 3 °	DRAWN BY	DATE	MATERIAL NO. 1510310001		
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	CHECKED BY DATE APPROVED BY DATE KHL IM 2014/01/27	DATE 2013/12/13	DOCUMENT NO. SD-151031-0002			
REV	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		SIZE	SHEET NO. 4 OF 4			