


Data sheet

28142.6 PVC-TAP 15X49 GR



Device and installation marker, Length: 49 mm, Width: 15 mm, Colour: grey

RAL: Ähnlich 7035

Business data

Article number	28142.6
Article name	PVC-TAP 15X49 GR
GTIN (EAN)	4044211213947
Packaging unit	350
Quantity unit	PC
Number of markers per card	14 ST
Weight per piece (not including packaging)	0.84 g
Weight per piece (including packaging)	0.84 g
Unit of weight	G
Customs number	39204910
Country of origin	IT
Prio-Article	28142.6
Product description	Device and installation marker

28142.6 PVC-TAP 15X49 GR

Technical data

Dimensions

Length	49 mm
--------	-------

Width	15 mm
-------	-------

Materials

Marker material	PVC
-----------------	-----

Flammability class UL 94	V-0
--------------------------	-----

Working temperature, min.	-30 °C
---------------------------	--------

Working temperature, max.	60 °C
---------------------------	-------

Silicone-free	✓
---------------	---

Further technical data

Mounting	GSU-H 49x15 BK, PS 15 Profil
----------	------------------------------

Software code	167
---------------	-----

Environmental Product Compliance

REACH Conform	Yes
---------------	-----

REACH Candidate Substance Note	No
--------------------------------	----

RoHS Conform	Yes
--------------	-----

Media

Accessories

Printer



Thermal transfer printer TTPCard including a power cord, USB cable, dust cover, black thermal transfer film (28010.4), three inlays: CCI-PC-SB 5x5 (28020.0), CCI-PC-CPM-10/BSTR (28027.0), CCI-PC/PVC/PVCF (28041.0), CONTASign PRO software in 16 languages (German, English, French, Italian, Dutch, Spanish, Portuguese, Czech, Polish, Bulgarian, Romanian, Slovenian, Turkish, Chinese, Japanese, Russian) for Windows versions 7, 8, 10. (available for download)

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28000.0</u>	TTPCard Set	4044211207397	1 ST

Inlays

Printer inlay

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28041.0</u>	CCI-PC/PVC/PVCF	4044211208097	1 ST