



LOC	DIST	REVISIONS			DATE	DWN	APVD
—	—	P	LTR	DESCRIPTION			
		A		Obsolescence of P/N 826539-6	24JULY2013	SMT	RP

POLZ.	L±0.5	BESTELL-NR.	
1	3.3	826-539-1	△3
2	7.3		△2
3	11.3		△3
4	15.2		-4
5	19.2		-5
6	23.1		△6
7	27.1		-7
8	31.1		△8
9	35.1		△9
10	39.0	1-	△0
11	43.0	1-	△1
12	46.9	1-	-2
13	50.9	1-	△3
14	54.8	1-	-4
15	58.8	1-	-5
16	62.8	1-	-6
17	66.7	1-	△7
18	70.7	1-	-8
19	74.7	1-	-9
20	78.6	2-	-0
21	82.6	△2	-1
22	86.5	△2	-2
23	90.5	2-	-3
24	94.4	△2	-4
25	98.4	△2	-5
26	102.4	2-	-6
27	106.3	2-	-7
28	110.3	△2	-8
29	114.2	△2	-9
30	118.2	△2	-0
31	122.2	3-	-1
32	126.1	△3	-2
33	130.1	△3	-3
34	134.0	3-	-4
35	138.0	3-	-5
36	141.6	△3	826-539-6

ZEICHNUNG GÜLTIG AB 20/90.....



BOHRBILD



- 1 STECKSEITE: IM BEREICH "F" 0,8µm GOLD ÜBER 1,27 µm NICKEL IM BEREICH "B"
- 2 LÖTSEITE: MIN. 2,5 µm ZINN ÜBER 1,27 µm NICKEL
- 3 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI
- △ OBSOLETE

KONTAKTSTIFT	Cu Sn	△1
STIFTGEHÄUSE	PBT-GV	GRÜN
BENENNUNG	WERKSTOFF	OBERFLÄCHE FARBE

THIS DRAWING IS UNPUBLISHED. ALL RIGHTS RESERVED. RELEASED FOR PUBLICATION BY - COPYRIGHT -

DIMENSIONS: mm	DWN	23.11.84	MATERIAL	-	FINISH	-
	CHK	24.01.85	TE Connectivity			
TOLERANCES UNLESS OTHERWISE SPECIFIED: ±0.3mm	APVD	-				
0 PLC ± -	PRODUCT SPEC	-	NAME			
1 PLC ± -	APPLICATION SPEC	-	AMPMODU I STIFTL. RASTER 3.96			
2 PLC ± -		-	EINREIHIG			
3 PLC ± -	WEIGHT	-	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
4 PLC ± -		-	A4	00779	C-826539	-
ANGLES ± -	CUSTOMER DRAWING		SCALE	4:1	SHEET	1 OF 1
						REV A