



Item description

Carrier Rail Adapter for Plug-In Current Transformers 855-3xx/xxxx-xxxx and 855-4xx/xxxx-xxxx

Data

Mechanical Data

Mounting type	DIN-35 rail
---------------	-------------

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Material Data

Weight	9 g
--------	-----

Commercial data

Product Group	29 (INTERFACE ELECTRONIC (NET))
eCl@ss 10.0	27-37-04-19
eCl@ss 9.0	27-37-04-19
ETIM 8.0	EC001024
ETIM 7.0	EC001024
PU (SPU)	1 pcs
Packaging type	Box
Country of origin	DE
GTIN	4050821627593
Customs tariff number	85049017000

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads

Documentation

Bid Text

855-9900 X81 - Datei	2019 年2月19 日	xml 2.6 kB	Download
855-9900 doc - Datei	2015 年2月5 日	doc 22.5 kB	Download

Additional Information

Disposal and Recycling Electrical and electronic equipment, Batteries, Packaging	V 1.1.0 2022 年8月18 日	pdf 2.2 MB	Download
---	-------------------------	---------------	----------

CAD/CAE-Data

CAE data

WSCAD Universe 855-9900	URL	Download
-------------------------	-----	----------

Subject to changes. Please also observe the further product documentation!



CAD data

2D/3D Models 855-9900

URL

Download

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 855-9900

URL

Download

Carrier rail adapter

Installation Notes

Installation



Mounting on DIN-rail via 855-9900 DIN-Rail Adapter

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.