

Power Double Lock

TE Internal #: 179862-1 Rectangular Power Connectors, Housing, Plug, Wire-to-Wire / Wireto-Board, 6 Position, 6.5 mm [.255 in] Centerline, Wire & Cable, Power Double Lock

View on TE.com >

Connectors > Power Connectors > Rectangular Power > Rectangular Power Connectors > STD Temp Power Double Lock Plug





Rectangular Power Connector Type: Housing Connector & Housing Type: Plug Connector System: Wire-to-Board, Wire-to-Wire Number of Positions: 6

Centerline (Pitch): 6.5 mm [.255 in]

All STD Temp Power Double Lock Plug (67)



Features

Product Type Features

Compatible With Discrete Wire Type	Stranded					
Rectangular Power Connector Type	Housing					
Connector & Housing Type	Plug					
Connector System	Wire-to-Board, Wire-to-Wire					
Sealable	No					
Connector & Contact Terminates To	Wire & Cable					
Configuration Features						
Number of Positions	6					
Number of Rows	2					
Electrical Characteristics						
Operating Voltage	300 VAC					
Contact Features						

Rectangular Power Connectors, Housing, Plug, Wire-to-Wire / Wire-to-Board, 6 Position, 6.5 mm [.255 in] Centerline, Wire & Cable, Power Double Lock



Contact Layout	Matrix
Contact Retention Within Housing	Without
Contact Type	Receptacle
Termination Features	
Termination Method to Wire & Cable	Crimp
Mechanical Attachment	
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Centerline (Pitch)	6.5 mm[.255 in]
Housing Color	Natural
Housing Material	Nylon 6/6
Dimensions	
Row-to-Row Spacing	6.5 mm[.256 in]
Usage Conditions	
Operating Temperature Range	-30 – 105 °C[-22 – 221 °F]
Operation/Application	
Circuit Application	Power & Signal

Circuit Application Power & Signal

Industry Standards

Agency/Standard	UL				
Approved Standards	UL 1977				
UL Flammability Rating	UL 94V-0				
Glow Wire Rating	Standard Part - Not Glow Wire				
Packaging Features					
Packaging Quantity	100				
Packaging Method	Bag				
Product Compliance For compliance documentation, visit the product page on TE.com>					
For compliance documentation, visit the product page on TE.com>					
For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU	Compliant				
	Compliant Compliant				
EU RoHS Directive 2011/65/EU					

Rectangular Power Connectors, Housing, Plug, Wire-to-Wire / Wire-to-Board, 6 Position, 6.5 mm [.255 in] Centerline, Wire & Cable, Power Double Lock



Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Halogen Content

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts











Rectangular Power Connectors, Housing, Plug, Wire-to-Wire / Wire-to-Board, 6 Position, 6.5 mm [.255 in] Centerline, Wire & Cable, Power Double Lock








Also in the Series | Power Double Lock



Connector Contacts(1)	Insertion & Extraction Tools(2)	Power Contacts(23)	Rectangular Connector Locking(14)	




Customers Also Bought



Rectangular Power Connectors, Housing, Plug, Wire-to-Wire / Wire-to-Board, 6 Position, 6.5 mm [.255 in] Centerline, Wire & Cable, Power Double Lock





Documents

Product Drawings AMP POWER D/LOCK PLUG HSG 6P

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_179862-1_N.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_179862-1_N.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_179862-1_N.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages SOFT_SHELL_PIN_AND_SOCKET_CONNECTORS_CATALOG

English

Product Specifications

Application Specification

English

Product Environmental Compliance

Product Compliance

English

Product Compliance

English

Agency Approvals CSA Certificate

English