


DESCRIPTION: YELLOW 16-3 THERMOPLASTIC ELASTOMER CABLE

**JACKET:**  
 COLOR: YELLOW TPE COMPOUND  
 DIA: .405"REF.

**CONDUCTOR:**  
 STRANDING: 65 X #34 BARE COPPER  
 INSULATION MATERIAL: PVC/NYLON

**RATING:**  
 TEMPERATURE RATING: 90°C CIC CABLE ©  
 VOLTAGE: 600V  
 UL: TRAY CABLE - EXPOSED RUN  
 CONTINUOUS FLEX: 20 MIL CYCLES, TIC-TOC, ROLLING-TRACK  
 AND TORSION STRESS AT 10X CABLE OD BEND RADIUS  
 © CSA: CIC CABLE, 600V, FT4  
 ENVIRONMENTAL: SUNLIGHT RESISTANT

COLOR ROTATION OF CORD



MECHANICAL CHARACTERISTICS:

TORSIONAL FLEX TEST	20 MILLION CYCLES PER MIL-C-13777G
BEND FLEX TEST	20 MILLION CYCLES PER MIL-C-13777G
WELD SLAG RESISTANCE	WOODHEAD STANDARD S-300

FUNCTIONAL SYMBOLS FA=0 FC=0 FE=0	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				CURRENT REV DESC: CHANGE FROM TC TO CIC SPEC.				 #16/3 YELLOW TPE CABLE --- PRODUCT CUSTOMER DRAWING					
	DIMENSION UNITS <b>INCH</b>		SCALE <b>1:1</b>											
	GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 646505									
			mm	INCH	DRWN: RSTONE 2020/10/05		2020/10/07							
DIVISIONAL SYMBOLS	4 PLACES	±----	±----	CHK'D: ALEON01				2020/10/22						
	3 PLACES	±----	±0.005	APPR: BWOODMAN				2020/10/22						
	2 PLACES	±----	±0.01	INITIAL REVISION:				DOCUMENT NUMBER						
	1 PLACE	±----	±0.02	DRWN: GGUSTAFS 2016/02/23				SD-130209-001						
	0 PLACES	±----	±----	APPR: BWOODMAN 2016/03/04				DOC TYPE		DOC PART	REVISION			
ANGULAR TOL ± 0.5 °				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER
						A-SIZE	130209	1302090010	GENERAL MARKET	1 OF 1				

DOCUMENT STATUS	P1	RELEASE DATE	2020/10/22	23:34:08
-----------------	----	--------------	------------	----------