

HC-B16-HCLFD-PR-BK - Protective cover



1414632

<https://www.phoenixcontact.com/us/products/1414632>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Protective cover B16, for double locking latch, protective cover material: PA, height: 21.6 mm, seal: yes

Commercial data

| | |
|--------------------------------------|---------------------|
| Item number | 1414632 |
| Packing unit | 1 pc |
| Minimum order quantity | 1 pc |
| Sales key | BF66 |
| Product key | BF7AZC |
| Catalog page | Page 654 (C-2-2019) |
| GTIN | 4055626030654 |
| Weight per piece (including packing) | 57 g |
| Weight per piece (excluding packing) | 37 g |
| Customs tariff number | 85389099 |
| Country of origin | DE |

1414632

<https://www.phoenixcontact.com/us/products/1414632>

Technical data


Notes

| | |
|---------|--|
| General | Protective cover for supporting base element with double locking latch |
|---------|--|

Product properties

| | |
|--------------|------------------|
| Type | B16 |
| Product type | Protective cover |
| Housing type | Protective cover |
| Seal present | yes |

Dimensions

| | |
|---------------------|---|
| Dimensional drawing |  |
| Width | 46 mm |
| Height | 21.6 mm |
| Length | 97 mm |
| Diameter | 30 mm |

Material specifications

| | |
|--|-----|
| Material | PA |
| Flammability rating according to UL 94 | HB |
| Seal material | NBR |
| Material, protective cover | PA |

Mechanical properties

Mechanical data

| | |
|--------------|-----|
| Locking type | Pin |
|--------------|-----|

Environmental and real-life conditions

Ambient conditions

| | |
|---------------------------------|-------------------|
| Degree of protection | IP66 |
| Ambient temperature (operation) | -20 °C ... 100 °C |

Mounting

| | |
|-----------------------|--|
| Assembly instructions | Plastic protective cover for short-term protection |
|-----------------------|--|

HC-B16-HCLFD-PR-BK - Protective cover



1414632

<https://www.phoenixcontact.com/us/products/1414632>

Classifications

ECLASS

ECLASS-11.0

27440208

ETIM

ETIM 8.0

EC002314

UNSPSC

UNSPSC 21.0

39121400

HC-B16-HCLFD-PR-BK - Protective cover



1414632

<https://www.phoenixcontact.com/us/products/1414632>

Environmental product compliance

| | |
|------------|---|
| China RoHS | Environmentally friendly use period: unlimited = EFUP-e No hazardous substances above threshold values |
|------------|---|

Phoenix Contact 2023 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com