




PRODUCT NUMBER

88954-XYLF




spec ref	*	dr	Terran Huang	2010/07/09	projection 	MM ←→	size	A4	scale	21:10
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Narayanan, Aru	2021/01/23			ecn no	ELX-I-39744-1		
ISO 406 ISO 1101		chr	-	-			rel level	Released		
surface 3.2	linear	0.X	±0.3	Amphenol FCi	product family	XXXXX	dwg no	88954	rev	Y
ISO 1302		0.XX	±0.13							
		0.XXX	±.050	amphenol-icc.com	cat. no.	-	Product - Customer Drw	sheet 1 of 14		
	angular	0°	±2°	title		METRAL SIGNAL HEADER				
				8 MOD, 4 ROW STB						

Creo F-14:ELX-NC:AC,REV F,2020-12-21

Amphenol
FCi

© 2020 Amphenol Corporation








KEY (SIGNAL STB)		
CODE	DIMENSIONS	
	DIM "A" MATE	DIM "B" TAIL
1	5.00	4.25
2	5.75	4.25
3	6.50	4.25
4	7.25	4.25
5	5.00	3.38
6	5.75	3.38
7	6.50	3.38
8	7.25	3.38
9	5.00	2.65
10	5.75	2.65
11	6.50	2.65
12	7.25	2.65
13	8.00	4.25



REQUIRED PC BOARD LAYOUT
COMPONENT SIDE
SEE PRINT 58351 FOR
ADDITIONAL PCB INFORMATION



spec ref	*	dr	Terran Huang	2010/07/09	projection	MM	size	A4	scale	1:10						
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Narayanan, Aru	2021/01/23			ecn no		ELX-I-39744-1							
ISO 406		chr	-	-			rel level		Released							
ISO 1101		appr	Kuriakose, San	2021/01/28	product family		XXXXX									
surface 3.2	linear	Amphenol FCi			title		METRAL SIGNAL HEADER		dwg no		88954		rev			
															8 MOD, 4 ROW STB	
ISO 1302	angular														cat. no.	
		0.X	±0.3	amphenol-icc.com												
		0.XX	±0.13													
		0.XXX	±.050													
		0°	±2°													

Creo F-114; ELX-NC; AC; REV F; 2020-12-21

NOTES:

1. FOR DIM A AND B SEE SHEET 2 AND UP.
2. MATERIAL : BODY : THERMOPLASTIC UL94-V0. 
3. FOR PLATING PERFORMANCE REFER DRAWING # 10159408. 
4. ALL PRODUCTS WITH PART NUMBERS SHOWN IN SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES.
IF TRAY PACKAGING IS REQUIRED, A SUFFIX "P" WILL BE ADDED TO THE END OF THE PART NUMBER.
EXAMPLE: XXXXX-XXXPLF
5. PRODUCT SPECIFICATION GS-12-180
6. APPLICATION SPECIFICATION BUS-20-074
7. THE PRODUCTS MEET THE EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS 
8. ALL PRODUCTS WILL WITHSTAND EXPOSURE TO 260°C FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR  VAPOR PHASE REFLOW OVEN. THE Au CONTACT SURFACE OF THE CONTACTS SHALL BE EXPOSED TO A MAXIMUM 140°C FOR NO LONGER THAN 15 SECONDS IN A WAVE SOLDER APPLICATION.
9. A  SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.
10. 88954-XYPLF.

 'X' REFER DRAWING # 10159408. 

spec ref *		dr Terran Huang		2010/07/09	projection 	MM 	size A4	scale 1:10	
tolerance std ISO 406 ISO 1101		eng Narayanan, Aru		2021/01/23			ecn no ELX-I-39744-1		
TOLERANCES UNLESS OTHERWISE SPECIFIED		chr -		-			rel level Released		
surface 3.2 ISO 1302		appr Kuriakose, San		2021/01/28	product family XXXXX		rev		
linear	0.X	±0.3		Amphenol FCi	title METRAL SIGNAL HEADER		dwg no 88954		
	0.XX	±0.13							
0.XXX	±.050		rev Y						
angular	0°	±2°		amphenol-icc.com	cat. no. -		Product - Customer Drw		
							sheet 14 of 14		