
# 820M1-0100 <

MEAS | MEAS 810 TE Internal #: 20005838-00 AC Response Embedded Accelerometers, Uniaxial Sensing, MEAS 810

### View on TE.com >



Sensors > Vibration Sensors



### Accelerometer Type: 3-Wire Voltage

Vibration Sensor Product Type: AC Response Embedded Accelerometers

Number of Sensing Axes: Uniaxial

Frequency Response: 2 to 10000 Hz

Full Scale Output Voltage: ±1.25 VDC

## Features

# Product Type Features

Accelerometer Type

Vibration Sensor Product Type

3-Wire Voltage

AC Response Embedded Accelerometers

### **Electrical Characteristics**

Excitation Voltage	2.8 – 5.5 VDC
Full Scale Output Voltage	±1.25 VDC
Signal Characteristics	
Frequency Response	2 to 10000 Hz
Body Features	
Product Weight	1 g[.04 oz]
Primary Product Material	Ceramic
Number of Sensing Axes	Uniaxial
Mechanical Attachment	
Mounting Type	Solder
Usage Conditions	
Operating Temperature Range	-40 – 125 °C[-40 – 257 °F]
Industry Standards	
IP Rating	IP68

# 820M1-0100

AC Response Embedded Accelerometers, Uniaxial Sensing, MEAS 810



### Other

Sensitivity Range	12.5 mV/g
Overall Acceleration Range (±)	100 g
Nonlinearity	±1 %FSO
Acceleration Range (±)	100 g
Sensitivity	12.5 mV/g

# Product Compliance

#### For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


# **Compatible Parts**

AC Response Embedded Accelerometers, Uniaxial Sensing, MEAS 810





# Also in the Series | MEAS 810



# Customers Also Bought



TE Part #5-2176455-0 CPF 0402 357K 0.1% 25ppm 1K RL

# Documents

CAD Files

3D PDF

3D

Customer View Model ENG\_CVM\_CVM\_20005838-00\_C.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_20005838-00\_C.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_20005838-00\_C.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

# Datasheets & Catalog Pages

**C** For support call+1 800 522 6752

AC Response Embedded Accelerometers, Uniaxial Sensing, MEAS 810



MODEL 820M1 ACCELEROMETER

English

Product Specifications Manuals & User Guides

English