RJ45, Single Port, Tap Up, Thru-Hole, 1000 Base-T

ARJE-0030

RoHS/RoHS II Compliant



16.89 x 13.74 x 33.02mm

FEATURES:

- Compliant with IEEE802.3 standard
- 350uH minimum OCL with 8mA bias current
- High performance for maximum EMI suppression
- High reliability 750 mating/unmating cycles

> APPLICATIONS:


- Designed for most leading PHY IC manufacturers such as Broadcom, Marvell, Microsemi.
- Supports 10/100/1000 Base-Tapplications
- Provides signal conditioning, EMI suppression and signal isolation

STANDARD SPECIFICATIONS


Operating temperature range: 0°C to +70°C Storage temperature range: -40°C to +85°C

| Parameters | Minimum | Typical | Maximum | Units | Notes |
|------------------|----------|---------|---------|-------|------------------------|
| Turn Ratio (±3%) | 1CT:1CT | | | | |
| Inductance | 350 | | | uН | 100kHz, 0.1Vrms, 8mADC |
| Insertion Loss | | | -1.0 | dB | 0.1-100MHz |
| | -16.0 | | | dB | 1-30MHz |
| Return Loss | -14.5 | | | | 30-60MHz |
| | -12.0 | | | | 80MHz |
| Crosstalk | -30.0 | | | dB | 0.1-100MHz |
| CMRR | -30.0 | | | dB | 0.1-100MHz |
| Hipot | 1500Vrms | | | | Pri to Sec |

> MECHANICAL DIMENSIONS



Recommended Land Pattern



Dimensions: inch/mm (Unless otherwise specified, all tolerances are $\pm 0.01/0.25$)

ABRACON IS ISO 9001:2008 CERTIFIED



RJ45, Single Port, Tap Up, Thru-Hole, 1000 Base-T


ARJE-0030

RoHS/RoHS II Compliant



16.89 x 13.74 x 33.02mm

SCHEMATICS



Packing: 120pcs/tray

ATTENTION: Abracon Corporation's products are COTS – Commercial-Off-The-Shelf products; suitable for Commercial, Industrial and, where designated, Automotive Applications. Abracon's products are not specifically designed for Military, Aviation, Aerospace, Life-dependant Medical applications or any application requiring high reliability where component failure could result in loss of life and/or property. For applications requiring high reliability and/or presenting an extreme operating environment, written consent and authorization from Abracon Corporation is required. Please contact Abracon Corporation for more information.



