



Connectors > Connector Accessories > Connector Strain Relief



Strain Relief Accessory Type: **Strain Relief Cover**

Primary Product Material: **Nylon**

Primary Product Color: **Natural**

Packaging Method: **Package**

Packaging Quantity: **1**

Features

Product Type Features

Connector Accessory Options	Insert
Strain Relief Accessory Type	Strain Relief Cover

Body Features

Primary Product Material	Nylon
Primary Product Color	Natural

Usage Conditions

Operating Temperature Range	-20 – 105 °C[-4 – 221 °F]
-----------------------------	---------------------------

Packaging Features

Packaging Method	Package
Packaging Quantity	1

Other

Connector Accessory Comment	Must use cap housing adapters when attaching strain reliefs to a cap housing. Two adapters required per housing., Strain
-----------------------------	--------------------------------------------------------------------------------------------------------------------------

relief part number represents one half of a strain relief. Two of a part number are required per connector.

Product Compliance

For compliance documentation, visit the product page on [TE.com](https://www.te.com)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer





This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 <p>TE Part # 350787-3 02P UMNL PIN HDR ASSY 94VO LF</p>	 <p>TE Part # 3-350942-0 02P UMNL HDR ASSY R/A 94VO LF</p>	 <p>TE Part # 350787-1 02P UMNL PIN HDR ASSY 94VO</p>	 <p>TE Part # 350428-4 02P UMNL PIN HDR ASSY NATL AU</p>
-------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------



Also in the Series | **Universal MATE-N-LOK**





Insertion & Extraction Tools(4)



Power Contacts(201)



Rectangular Connector Adapters(7)



Rectangular Connector Hardware(1)



Rectangular Connector Housings(1)



Rectangular Connector Keying Plugs(3)



Rectangular Connector Locking(8)



Rectangular Power Connectors(672)


Customers Also Bought



TE Part #640718-1
15P UMNL STR/REL




TE Part #643030-1
05P UMNL STR/REL




TE Part #160534-2
110 FASTON,REC.,17-20 AWG,TPBR



TE Part #61400-1
110 FASTON REC 20-16 AWG TPBR



TE Part #2-215919-0
AMP-LATCH 15.2 HIGH TAPE



TE Part #2-215919-6
AMP-LATCH 15.2 HIGH TAPE



TE Part #6-1803056-5
ANVIL



TE Part #9-1633962-8
CRIMPER, INSULATION F PREMIUM



TE Part #ESP-100-POE
Surge,Eth,100Mb,RJ45 7.5V/70V,10KA
Surge

Documents



Product Drawings

[02P UMNL STR/REL & INSERT](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_640713-1_AB_c-640713-1-ab.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_640713-1_AB_c-640713-1-ab.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_640713-1_AB_c-640713-1-ab.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[SOFT_SHELL_PIN_SOCKET_CONNECTORS_STANDARD_DENSITY](#)

English

Product Specifications

[Application Specification](#)

English

Product Environmental Compliance

[Product Compliance Document](#)

English

[Product Compliance Document](#)

English

Instruction Sheets

[Instruction Sheet \(U.S.\)](#)

English