1022236

https://www.phoenixcontact.com/us/products/1022236

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Bus bar for TMC 72... circuit breakers (two phase) 17.8 mm pitch, up to 56 positions. Rated for 80 A (end feed) 600 V AC/DC. UL 508 Listed for connection of UL 1077 rated circuit breakers.

Commercial data

Item number	1022236
Packing unit	1 pc
Sales key	CL09
Product key	CLA126
GTIN	4055626515830
Weight per piece (including packing)	559 g
Weight per piece (excluding packing)	531 g
Country of origin	DE

1022236

https://www.phoenixcontact.com/us/products/1022236



Technical data


Product properties

Туре	Comb bridge		
Product type	Bridge		
Number of positions	56		
Electrical properties			
Number of phases	2		
Nominal voltage U _N Nominal current I _N	600 V AC/DC		
	80 A (End feed)		
	160 A (Center feed with two 115 A TMC 7 B2/3TERM PIN terminals required per phase)		

1022236

https://www.phoenixcontact.com/us/products/1022236

Drawings





1022236

https://www.phoenixcontact.com/us/products/1022236



Approvals

🌣 To download certificates, visit the product detail page: https://www.phoenixcontact.com/us/products/1022236



cULus Listed

1022236

https://www.phoenixcontact.com/us/products/1022236



Classifications

ECLASS

ECLASS-13.0 27371306 ECLASS-11.0 27371306	ECLASS-12.0	27371306
ECLASS-11.0 27371306	ECLASS-13.0	27371306
	ECLASS-11.0	27371306

ETIM

	ETIM 8.0	EC000215		
UN	UNSPSC			
	UNSPSC 21.0	39121600		

Phoenix Contact 2023 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com