



Siemens Low Voltage Circuit Protection General Duty Safety Switches. Type: ENCLOSED, SAFETY SWITCH Std: CSA V. Rating: 240V A. Rating: 100A Wattage: 3W No. Of Poles: 2P F. Rating: 60Hz Action: SINGLE THROW Material: STEEL Enclosure: TYPE 1. 2-3 point mounting holes. O. Cycles: 10000 O. Temperature: (-20F-120F) AMBIENT TEMPERATURE Environmental Conditions: INDOOR

| General technical data                             |                        |
|--|------------------------|
| principle of operation of the actuating element    | SINGLE THROW           |
| mechanical service life (operating cycles) typical | 10000                  |
| number of poles                                    | 2                      |
| Electricity  |                        |
| ampacity   | 100 A                  |
| Switching capacity                                 |                        |
| switching capacity active power                    | 3 W                    |
| Environmental conditions                           |                        |
| ambient temperature during operation maximum       | 49 °C                  |
| ambient temperature during operation minimum       | -29 °C                 |
| Model  |                        |
| product brand name                                 | Siemens                |
| product type designation                           | ENCLOSED/SAFETY SWITCH |
| Mechanical Design                                  |                        |
| design of the housing                              | TYPE 1                 |
| material   | STEEL                  |
| General product approval                           |                        |
| certificate of suitability                         | CSA                    |

last modified:

9/15/2021 

