





REV	DATE	APPD	DESCRIPTION
1	08/07/92		REV 8 REDRAWN PER ECN 806505



RECOMMENDED PC BOARD LAYOUT

- 1 3.81µm [0.000150] MIN TIN-LEAD OVER 0.76µm [0.000030] MIN NICKEL.
- 2 0.76µm [0.000030] MIN GOLD FOR A LENGTH OF 5.08 [0.200] MIN FROM MATING END, 3.81µm [0.000150] MIN TIN-LEAD FOR A LENGTH OF 5.23 [0.206] MIN FROM OPPOSITE END, BOTH OVER 1.27µm [0.000050] MIN NICKEL.

DO NOT SCALE PRINT. UNLESS SPECIFIED DIMENSIONS IN MM (INCHES) TOLERANCES ON: 2 PLC DEC ± 0.25 [0.010] 3 PLC DEC ± 0.25 [0.010] ANGLES ±		DR 08/07/92 L.SIPE	AMP Incorporated Harrisburg, PA 17105-3608
MATERIAL HOUSING: NYLON, RED CONTACTS: PH BRZ		CHK 8-11-92 J.McCLINTON	
FINISH CONTACTS, SEE TABLE		APPD 8-12-92 A.TRAVIS	NAME SOCKET HEADER ASSEMBLY, 16 POSN, IN-LINE, METRIMATE
APPLICATION SPEC		APPD 8-12-92 C.RHODE	SIZE CAGE CODE 00779
SCALE 2:1		108-10033	DRAWING NO 207614

THIS DRAWING IS A CONTROLLED DOCUMENT FOR AMP INCORPORATED. IT IS SUBJECT TO CHANGE AND THE CONTROL LINE INDICATING REVISION SHOULD BE CONSULTED FOR THE LATEST REVISION.

CUSTOMER DRAWING