

106462-1 ✓ ACTIVE

AMP | Timer Connector System


TE Internal #: 106462-1

Housing for Female Terminals, Wire-to-Wire, 2 Position, .196 in [5 mm] Centerline, Black, Wire & Cable, Power, Timer Connector System

[View on TE.com >](#)



Connectors > Automotive Connectors > Automotive Housings



Connector & Housing Type: **Housing for Female Terminals**

Mating Tab Width: **2.8 mm [.11 in]**

Connector System: **Wire-to-Wire**

Number of Positions: **2**

Centerline (Pitch): **5 mm [.196 in]**

Features

Product Type Features

Connector Shape	Rectangular
Connector & Housing Type	Housing for Female Terminals
Connector System	Wire-to-Wire
Sealable	No
Hybrid Connector	No
Primary Locking Feature	Integrated in Housing
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	2
Number of Rows	1

Electrical Characteristics

Nominal Voltage Architecture	24 V
------------------------------	------

Body Features

Cable Exit Angle	180°
Primary Product Color	Black
Connector & Keying Code	Neutral

Contact Features

Contact Size	2.8mm
--------------	-------



Contact Type	Receptacle
--------------	------------

Mating Tab Width	2.8 mm[.11 in]
------------------	----------------

Contact Current Rating (Max)	20 A
------------------------------	------

Mechanical Attachment

Terminal Position Assurance	No
-----------------------------	----

Strain Relief	Without
---------------	---------

Mating Alignment Type	Polarized
-----------------------	-----------

Mating Alignment	With
------------------	------

Connector Mounting Type	Cable Mount (Free-Hanging)
-------------------------	----------------------------

Housing Features

Housing Material	PBT
------------------	-----

Centerline (Pitch)	5 mm[.196 in]
--------------------	---------------

Dimensions

Connector Height	17.2 mm[.677 in]
------------------	------------------

Product Width	36.5 mm[1.43 in]
---------------	------------------

Product Length	19 mm[.748 in]
----------------	----------------

Usage Conditions

Operating Temperature (Max)	125 °C[257 °F]
-----------------------------	----------------

Operating Temperature Range	-30 – 125 °C[-22 – 257 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Power
---------------------	-------

Packaging Features

Packaging Quantity	1020
--------------------	------

Packaging Method	Box
------------------	-----

Other

Serviceable	No
-------------	----

Connector Position Assurance Capable	No
--------------------------------------	----

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC	Compliant
-----------------------------	-----------











China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 <p>TE Part # CAT-T4827-CH8172 Timer Connector Housing</p>	 <p>TE Part # CAT-T4827-T273 TIMER, RECEPTACLE AND TAB</p>	 <p>TE Part # 282189-8 SPLASH PROOF CONN. W.S.L.</p>	 <p>TE Part # 282762-7 JPT SPLASH-PROOF FEM.CONN2 POS</p>
 <p>TE Part # 282762-3 JPT SPLASH-PROOF FEM.CONN2 POS</p>	 <p>TE Part # 827551-4 2P MI D-FED KONTGEH</p>	 <p>TE Part # 827551-5 JUNIOR TIMER CONNECTOR-HSG</p>	 <p>TE Part # 827551-8 2P MI D-FED KONTGEH</p>



TE Part # 828657-2
2P JUNIOR-TIMER GEH



TE Part # 828657-5
2P JUNIOR-TIMER GEH



TE Part # 828657-6
2P JUNIOR-TIMER GEH



TE Part # 828657-8
2P JUNIOR-TIMER GEH



TE Part # 1-826008-6
2PJUN-TIMER HOUSING




TE Part # 826008-8
2P MIN FEDERKON GEH

Also in the Series | Timer Connector System



Automotive Connector Caps & Covers
(12)



Automotive Connector Locks & Position Assurance
(17)



Automotive Housings(235)



Automotive Seals & Cavity Plugs(32)



Automotive Terminals(145)




Crimp Terminal Housings(13)




Insertion & Extraction Tools(19)



Other Automotive Connector Accessories(1)



PCB Headers & Receptacles(82)



Quick Disconnects(4)


Customers Also Bought




TE Part #828905-1
SINGLE-WIRE-SEAL(5MM HOLE)



TE Part #532738-000
STD24Y-6



TE Part #1-929504-6
2X 9P JUN-POW-TIMGH



TE Part #185028-1
TAB F 2.8x0.8 CONTACT CS SWS Sn



TE Part #4-1564416-1
8POS,TAB 1.6X0.6,TAB HSG,ASSY



TE Part #828904-1
SINGLE WIRE SEAL FOR J.P.T.CON



TE Part #2119785-7
CRIMPER, INSUL OVERLAP PREM



TE Part #7-2837090-7
OC-080F110F-CRIMPTOOLINGKIT



TE Part #3-1579021-8
CSV10 FOR HVL 7.5



TE Part #389072-3
GUARD & STRIPPER

Documents

Product Drawings

[2P.FASTIN-ON HSG.](#)

English

CAD Files

Customer View Model

[ENG_CVM_106462-1_E.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_106462-1_E.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_106462-1_E.2d_dxf.zip](#)

English

3D PDF

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages



Timer Interconnection System

English

Product Specifications

Product Specification

English