

TECHNICAL DATA SHEET

Part#: 9244E-GM

Cutters - Medium Taper Head - Optimum Flush - Molded Grip
 Designed for cutting .036" soft wire leaving a small 'pinch' on the wire

The 9244E-GM five star Lazer Line® medium tapered optimum flush cutter has a cutting capacity of .005" - .036" soft wire. It is made of carbon tool steel with induction hardened cutting blades to RHC 63-65. The CNC machining allows the joint surfaces to be perfect to allow for long life. The dual leaf springs provide smooth action. The Anti-Static grips are ergonomically molded and have a surface resistivity of 10^{10} ohms/sq.

- Precision Level ★★★★★
- Material Carbon
- Surface Resistivity 10^{10} ohms/sq
- Shape Taper Head
- Type of Cut Optimum Flush
- Cutting Capacity .005 - .036"
- Blade Angle 14.25°
- Blade Length .38" (9.5mm)
- Body Width 0.42" (10.5mm)
- Body Height .25"
- OAL 4.5" (112.5mm)
- Weight (OZ) 3
- UPC 662847014529
- Schedule B 8203.20.60.60
- ECCN EAR99
- UNSPSC Code 27111511
- Country of Origin USA
- Group Medium Head - 9200 Series

