


### AMPLIMITE

TE Internal #: 174327-1 D-Sub Locking & Mounting, Female Screwlocks, Screw Length 12.7 mm [.5 in]

### View on TE.com >

Connectors > D-Shaped Connectors > D-Sub Accessories > D-Sub Locking & Mounting



Connector Mounting Accessory Type: Female Screwlocks

Screw Length: 12.7 mm [.5 in ]

### Features

# Product Type Features

Connector Mounting Accessory Type

Female Screwlocks

### Mechanical Attachment

connectivity

	08/13/2023 08.50
EU ELV Directive 2000/53/EC	Compliant with Exemptions
EU RoHS Directive 2011/65/EU	Compliant with Exemptions
For compliance documentation, visit the product page on TE.com>	
Product Compliance	
Packaging Method	Individual
Packaging Quantity	1
Packaging Features	
Thread Length	7.92 mm[.312 in]
Dimensions	
Screw Length	12.7 mm[.5 in]
Thread Size	4-40 UNC 2A (Male), M2.6 (Female)
Screw Finish	None
Screwlock Style	Screwlock Only

**C** For support call+1 800 522 6752

### 174327-1

D-Sub Locking & Mounting, Female Screwlocks, Screw Length 12.7 mm [.5 in]



Restricted Materials Above Threshold China RoHS 2 Directive MIIT Order No 32, 2016 EU REACH Regulation (EC) No. 1907/2006 Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) SVHC > Threshold: Pb (.29% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location. Halogen Content Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free Solder Process Capability Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**




# Customers Also Bought



D-Sub Locking & Mounting, Female Screwlocks, Screw Length 12.7 mm [.5 in]





## Documents

## **Product Drawings** SCREW LOCK (M-2.6)

English

### **CAD** Files

**Customer View Model** ENG\_CVM\_CVM\_174327-1\_O1.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_174327-1\_O1.3d\_stp.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_174327-1\_O1.2d\_dxf.zip

English

#### 3D PDF

3D

**Customer View Model** ENG\_CVM\_174327-1\_O.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_174327-1\_O.3d\_stp.zip

English

**Customer View Model** 

ENG\_CVM\_174327-1\_O.2d\_dxf.zip

English

3D PDF

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use

**Product Specifications Product Specification** English CHAMP.050 Series(II) Connector Wire to Board Type English **Product Specification** 

**&** For support call+1 800 522 6752

# 174327-1

D-Sub Locking & Mounting, Female Screwlocks, Screw Length 12.7 mm [.5 in]



English