

Type CBW-B Thermal Circuit Breaker Splashproof Boot



www.optifuse.com (619) 593-5050

Specifications:

Splashproof Boot for the Thermal Circuit Breakers

- CBW57
- CBW58
- CBW68

Part Number format:

CBW-B-XY-ZZ

Where **X** = Shape D, F, V, T, K

Y = Color

C = Clear

B = Black

O = Orange

ZZ = Thread size

11 – M11xP1.0

12 – M12xP1.0

38 – 3/8"-27T

Mechanical Dimensions: Inches [mm]

| Shape = D | | Shape = F | | Shape = V | | Shape = T | | Shape = K | |
|---|---|---|---|---|---|---|---|---|---|
| $\text{Ø}0.47\pm0.02$ $\text{Ø}[12.0\pm0.5]$ | $\text{Ø}0.43\pm0.02$ $\text{Ø}[11.0\pm0.5]$ | $\text{Ø}0.51\pm0.02$ $\text{Ø}[13.0\pm0.5]$ | $\text{Ø}0.47\pm0.02$ $\text{Ø}[12.0\pm0.5]$ | $\text{Ø}0.43\pm0.02$ $\text{Ø}[11.0\pm0.5]$ | $\text{Ø}0.43\pm0.02$ $\text{Ø}[11.0\pm0.5]$ | $\text{Ø}0.43\pm0.02$ $\text{Ø}[11.0\pm0.5]$ | $\text{Ø}0.43\pm0.02$ $\text{Ø}[11.0\pm0.5]$ | $\text{Ø}0.43\pm0.02$ $\text{Ø}[11.0\pm0.5]$ | $\text{Ø}0.43\pm0.02$ $\text{Ø}[11.0\pm0.5]$ |
| 0.77 ± 0.04 [19.5±1.0] | 0.77 ± 0.04 [19.5±1.0] | 0.63 ± 0.04 [16.0±1.0] | 0.71 ± 0.04 [18.0±1.0] | 0.63 ± 0.04 [16.0±1.0] | 0.63 ± 0.04 [16.0±1.0] | 0.63 ± 0.04 [16.0±1.0] | 0.63 ± 0.04 [16.0±1.0] | 0.63 ± 0.04 [16.0±1.0] | 0.63 ± 0.04 [16.0±1.0] |
| 0.63 ± 0.04 [16.0±1.0] | 0.63 ± 0.04 [16.0±1.0] | 0.63 ± 0.04 [16.0±1.0] | 0.63 ± 0.04 [16.0±1.0] | 0.63 ± 0.04 [16.0±1.0] | 0.63 ± 0.04 [16.0±1.0] | 0.63 ± 0.04 [16.0±1.0] | 0.63 ± 0.04 [16.0±1.0] | 0.63 ± 0.04 [16.0±1.0] | 0.63 ± 0.04 [16.0±1.0] |
| M11xP1.0 M12xP1.0 | 3/8"-27T | M11xP1.0 M12xP1.0 3/8"-27T | M11xP1.0 M12xP1.0 | M11xP1.0 M12xP1.0 | M11xP1.0 M12xP1.0 | M11xP1.0 M12xP1.0 | M11xP1.0 M12xP1.0 | M11xP1.0 M12xP1.0 | 3/8"-27T |
| Clear | | Clear Orange Black | | Clear | | Clear | | Black | |