



TE Internal #: 2058943-3
 MINI-CT Pigtail Cable Assembly, 4 Position, .521 ft [.159 m],
 Operating Voltage 70 VAC, Operating Voltage 70 VDC, MINI-CT
 Receptacle, White End A

[View on TE.com >](#)

Cable Assemblies > Copper Cable Assemblies > Lighting Cable Assemblies



Wire Color (Base): **Red, Black, Blue, Orange**

Cable Assembly Length: **.159 m [.521 ft]**

Connector Type (End A): **MINI-CT Receptacle**

Number of Positions: **4**

Cable Assembly Type: **MINI-CT Pigtail**

Features

Product Type Features

Connector Type (End A)	MINI-CT Receptacle
Cable Assembly Type	MINI-CT Pigtail
Connector System	Wire-to-Board
Sealable	No

Configuration Features

Number of Rows	1
Number of Positions	4

Electrical Characteristics

Operating Voltage	70 VDC
-------------------	--------

Body Features

Wire Color (Base)	Red, Black, Blue, Orange
Connector Color (End A)	White

Contact Features

Contact Type	Receptacle
Wire Contact Termination Area Plating Material	Pre-Tin
Contact Mating Area Plating Material	Tin

Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------



Mechanical Attachment

Mating Retention	With
Mating Retention Type	Locking

Housing Features

Housing Material	Nylon
Centerline (Pitch)	1.5 mm[.059 in]

Dimensions

Connector Height	3.6 mm[.142 in]
Wire Size	24 AWG

Usage Conditions

Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]
-----------------------------	----------------------------

Identification Marking

Circuit Identification Feature	With
--------------------------------	------

Industry Standards

Agency/Standard	UL
Approved Standards	UL E28476
UL Flammability Rating	UL 94V-0

Packaging Features

Packaging Method	Bag/Box
------------------	---------

Other

Cable Assembly Length	.159 m[.521 ft]
-----------------------	-----------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 292206-4
MINI CT SGL DIP H 4P NAT



TE Part # 2106091-3
4 pos Inverted Thru Board SMT Header



TE Part # 292207-4
MINI CT SGL DIP V 4P NAT



TE Part # 292227-4
1.5 MINI CT SGL H SMT W BOSS 4



TE Part # 292228-4
1.5 MINI CT SGL H SMT W/O BOSS



TE Part # 1903108-1
MINI CT CABLE ASSY 3P REC GOLD PLT.

Customers Also Bought



TE Part #164163-1
PIN ASS



TE Part #3-641656-2
02P MTA100 CONN ASSY GRN LF



TE Part #353908-4
CT REC HSG 4P CRIMP TYPE WHITE



TE Part #292232-4
1.5 MINI CT SGL V SMT W/BOS,PO



TE Part #292230-4
1.5 MINI CT SGL V SMT W/BOSS 4



TE Part #2058943-5
Cable Assembly Mini CT 6 pos.




TE Part #2058943-1
Cable Assembly Mini CT 2 pos.



TE Part #140716-2
110 FASTON, REC., 24-22 AWG, PTBR



TE Part #5-2154874-3
LED Holder for Cree CXA25XX (1pc)



TE Part #2058943-2
Cable Assembly Mini CT 3 pos.

Documents

Product Drawings

[Cable Assembly Mini CT 4 pos.](#)

English

CAD Files

[3D PDF](#)

3D

[Customer View Model](#)

[ENG_CVM_CVM_2058943-3_E_c-2058943-3-e.2d_dxf.zip](#)

English

[Customer View Model](#)

[ENG_CVM_CVM_2058943-3_E_c-2058943-3-e.3d_igs.zip](#)

English

[Customer View Model](#)

[ENG_CVM_CVM_2058943-3_E_c-2058943-3-e.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[INVERTED_SMT_THRU_BOARD_CONNECTOR](#)

English

Product Specifications

[Application Specification](#)

English

Product Environmental Compliance

[Product Compliance Document](#)

2058943-3

MINI-CT Pigtail Cable Assembly, 4 Position, .521 ft [.159 m], Operating Voltage 70 VAC, Operating Voltage 70 VDC, MINI-CT Receptacle, White End A



English

[Product Compliance Document](#)

English