


ITEM	PART#	DESCRIPTION	QTY	UOM
A,B	5024390400	2.0 W/B Single Plug Hsg 4Ckt	2	PC
C	5024380000	2.0 W/B Single Plug Term W/Pit Chain	8	PC
D	--	WHITE PART ID LABEL	1	PC

FROM	TO	DESCRIPTION	COLOUR
A1	B1	1X22AWG DISC SR-PVC BK UL10002	BLACK
A2	B2	1X22AWG DISC SR-PVC BK UL10002	BLACK
A3	B3	1X22AWG DISC SR-PVC BK UL10002	BLACK
A4	B4	1X22AWG DISC SR-PVC BK UL10002	BLACK



PART NUMBER	TITLE	L1	L2(REF)
2219581040	Clik-Mate 2.0 R-R 4ckt 50mm disc Sn	50±5	15
2219581041	Clik-Mate 2.0 R-R 4ckt 100mm disc Sn	100±5	15
2219581042	Clik-Mate 2.0 R-R 4ckt 150mm disc Sn	150±5	15
2219581043	Clik-Mate 2.0 R-R 4ckt 300mm disc Sn	300±5	15
2219581044	Clik-Mate 2.0 R-R 4ckt 600mm disc Sn	600±5	15

MOLEX P/N  
MOLEX  
BATCH WK/YR

DETAIL A

NOTES

- CABLE ASSEMBLY TO BE TESTED 100% FOR CONTINUITY AND POLARITY.
- CONNECTOR VIEW SHOWN IS FROM MATING SIDE.
- LABEL TEXT MUST BE 2 MM MAX. IN HEIGHT WITH ARIAL FONT.
- LABEL MUST BE WRAPPED IN FLAG TYPE ON A SINGLE CABLE.

REVISION			
DATE	REV	DESCRIPTION	CHANGER
2022/02/12	A	INITIAL RELEASE	THANUB

DOCUMENT STATUS	P1	RELEASE DATE	2022/12/23	12:42:16
-----------------	----	--------------	------------	----------

FUNCTIONAL SYMBOLS $\nabla_A = 0$ $\nabla_E = 0$ $\nabla_P = 0$ DIVISIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC:					
	DIMENSION UNITS	SCALE	GENERAL TOLERANCES (UNLESS SPECIFIED)					
	mm	NTS	ANGULAR TOL ± °					
	4 PLACES	±	EC NO: 732309					
3 PLACES	±	DRWN: THANUB		2022/12/02				
2 PLACES	±	CHK'D: SKUMAR07		2022/12/23				
1 PLACE	±	APPR: SKUMAR07		2022/12/23				
0 PLACES	±	INITIAL REVISION:		DRWN: THANUB	2022/12/02			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES	DOCUMENT NUMBER	DOC TYPE	DOC PART	REVISION
			A4-SIZE	221958	2219581040	PSD	000	A
					SEE TABLE	GENERAL MARKET		SHEET NUMBER
					SEE TABLE			1 OF 1