

## Specification Sheet

Part Number: WC6-3

**HellermannTyton** Clip-Tag marked 3, .106"-.138", Nylon, White, 300/pkg

<b>Article Number</b>	560-10329
<b>Type</b>	WC6
<b>Color</b>	White (WH)
<b>Features &amp; Benefits</b>	<ul style="list-style-type: none"><li>• Clip-Tags are snap-on markers which slip easily on wire and cable.</li><li>• Markers are non-adhesive and come on a plastic wand for trouble free installation.</li><li>• Interlocking design of these markers help to keep them aligned and readable.</li><li>• Clip-Tags have an opening on one end which means that they can be used on pre-terminated and pre-installed wires attached to terminal blocks.</li></ul>
<b>Quantity Per</b>	pack
<b>Product Description</b>	ClipTags are "open" markers that has an open end which can be snapped over pre-terminated cables. Each legend is printed black on white and has a very low profile when applied to wire and cable. Available in printed legends 0 to 9, + and -, each package contains 300 pieces.
<b>Short Description</b>	Clip-Tag marked 3, .106"-.138", Nylon, White, 300/pkg

**Global Part Name**

WC6-PA66-WH

**Technical Description**

Clip-Tag marked 3, .106"-.138", White

**Length L (Imperial)**

0.127

**Length L (Metric)**

3.23

**Width W (Imperial)**

0.127

**Width W (Metric)**

3.22

**Height H (Imperial)**

0.127

**Height H (Metric)**

3.22

**Outside Diameter Max(Imperial)**

0.138

**Outside Diameter Min (metric)**

2.6

**Outside Diameter Min(Imperial)**

0.102

**Outside Diameter Max (metric)**

3.50

**Material**

Polyamide 6.6 (PA66)

**Material Shortcut**

PA66

**Halogen free**

No

**Operating Temperature (Metric)**

-40°F to +185°F (-40°C to +85°C)

**Reach Complaint(Article 33)**

No

**ROHS Complaint**

Yes

**Package Quantity(Imperial)**

300

**Package Quantity (Metric)**

300

**Customs Number**

3926909987