



12 11 10 9 8 7 6 5 4 3 2 1


DIST	LOC	P	LTR	REVISION/RECORD	DATE	DWN	APVD
			O	FH10-0004-02 NEW REL	Nov.8.02	AM	SFS
			A	FH10-0012-03	27/10/03	BW	SFS
			B	FH10-0028-03	19/11/03	BW	SFS
			B1	REVISED PER ECR-19-018140	22/12/20	SS	EW

NOTES:


1. MATERIAL: COPPER ALLOY.
STRIP THICKNESS:0.25 mm.
2. CONTINUOUS STRIP ON REELS.
3. APPLICATION DATA:
WIRE: 0.2~0.5 mm²
INSULATION: Ø 2.4 mm MAX.




VIEW C



VIEW C
2:1





SECTION A-A



SECTION B-B

OBSOLETE	BARE	5.3±0.2	1494209-2
	BARE	4.0 ⁺⁰ _{-0.4}	1494209-1
	FINISH	"X"	P/N

TOLERANCES UNLESS OTHER SPECIFIED: 0 PLC ± 1 PLC ± 0.20 2 PLC ± 0.15 3 PLC ± 4 PLC ± ANGLE ±	DR ALAN MO	DATE OCT.25.02	MATERIAL	FINISH
	CHK BORIS WONG	DATE NOV.04.02	SEE NOTE	SEE TABLE
	APVD S.F. SHUM	DATE NOV.06.02	 TE Connectivity	
	PRODUCT SPEC	108-58501		
DIMENSIONS IN mm		APPLICATION SPEC	NAME	
		114-58500	SIZE (2.8) FASTON RECPT.	
RESTRICTED TO	SCALE 1:1	SIZE A3	DWG NO. C-1494209	SHEET 1 OF 1
				REV B1

12 11 10 9 8 7 6 5 4 3 2 1

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION AND ITS WORLDWIDE SUBSIDIARIES AND AFFILIATES. IT MAY NOT BE DISCLOSED TO ANYONE, OTHER THAN TYCO ELECTRONICS PERSONNEL WITHOUT WRITTEN AUTHORIZATION FROM TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA USA.