

MIKROELEKTRONIKA D.O.O, Batajnički drum 23, 11000 Belgrade, Serbia VAT: SR105917343 Registration No. 20490918
Phone: + 381 11 78 57 600 Fax: + 381 11 63 09 644 E-mail: office@mikroe.com

Air quality 7 Click





PID: MIKROE-4196

Air quality 7 Click is a compact add-on board that combines state-of-the-art MOS sensor technology with intelligent detection algorithms to monitor VOCs and CO2 equivalent variations in confined spaces. This board features the <u>MiCS-VZ-89TE</u>, an integrated sensor module for indoor air quality monitoring from <u>Amphenol</u>. This Click board ™, an I2C configurable environmental sensor board, has many features such as low power, wide VOCs detection range, high sensitivity, and high resistance to shocks and vibrations which make it an excellent choice for VOC and CO2 monitoring in confined spaces such as meeting rooms and vehicle cabins, saving energy and reducing cost-of-ownership.

Air quality 7 Click is supported by a mikroSDK compliant library, which includes functions that simplify software development. This Click board $^{\text{TM}}$ comes as a fully tested product, ready to be used on a system equipped with the mikroBUS $^{\text{TM}}$ socket.

Mikroe produces entire development toolchains for all major microcontroller architectures.

Committed to excellency, we are dedicated to helping engineers bring the project development up to speed and achieve outstanding results.





health and safety management system.



MIKROELEKTRONIKA D.O.O, Batajnički drum 23, 11000 Belgrade, Serbia VAT: SR105917343 Registration No. 20490918
Phone: + 381 11 78 57 600 Fax: + 381 11 63 09 644 E-mail: office@mikroe.com

www.mikroe.com

Specifications

Туре	Air Quality ,Gas
Applications	Can be used for a VOC and CO2 monitoring in confined spaces such as meeting rooms and vehicle cabins, saving energy and reducing cost-of-ownership.
On-board modules	Air Quality 7 Click is based on the MiCS-VZ-89TE, an integrated sensor module for indoor air quality monitoring from Amphenol.
Key Features	Low power consumption, wide VOC detection range, high sensitivity, high resistance to shocks and vibrations, and more.
Interface	I2C
ClickID	No
Compatibility	mikroBUS
Click board size	M (42.9 x 25.4 mm)
Input Voltage	3.3V

Resources

<u>mikroBUS™</u>

mikroSDK

Click board™ Catalog

Click boards™

Downloads

Air quality 7 click example on Libstock

Air quality 7 click 2D and 3D files

MiCS-VZ-89TE datasheet

Air quality 7 click schematic

Mikroe produces entire development toolchains for all major microcontroller architectures.

Committed to excellency, we are dedicated to helping engineers bring the project development up to speed and achieve outstanding results.





health and safety management system.