

FOC-FR19:1U-OS4S-LCD2-OM1 - 19" mounting frame



1076661

<https://www.phoenixcontact.com/pc/products/1076661>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Fiber optic distribution box, type: 19"-rack mount fiber optic distribution box, degree of protection: IP20, number of positions: 1*4, marking material: aluminum, color: gray



Your advantages

- Fast and reliable cabling, thanks to clear connections on the front
- With threaded locking latch

Commercial data

Item number	1076661
Packing unit	1 pc
Minimum order quantity	1 pc
Product key	ABNHAC
GTIN	4055626784854
Weight per piece (including packing)	1,683 g
Weight per piece (excluding packing)	1,683 g
Customs tariff number	85367000
Country of origin	CN

1076661

<https://www.phoenixcontact.com/pc/products/1076661>

Technical data

Product properties

Type	1 U
Product type	Network distributor box
Number of positions	4

Material specifications

Color	gray
Flammability rating according to UL 94	V0
Housing material	Aluminum alloy
Outer sheath, material	LSFH

Cable/line

Cable type	Multimode fiberglass
Cable type	Fan out
Outer sheath, material	LSFH
Halogen-free	complying with IEC 60754-1/2

FO cable

Fiber type	GOF
Attenuation	typ. 0.2 dB

Environmental and real-life conditions

Ambient conditions

Degree of protection	IP67
Ambient temperature (operation)	-40 °C ... 85 °C (IEC 61300-2-22)

Mounting

Mounting type	Screw mounting
---------------	----------------

1076661

<https://www.phoenixcontact.com/pc/products/1076661>

Classifications

ECLASS

ECLASS-11.0	27440219
ECLASS-12.0	27440219
ECLASS-13.0	27440219

ETIM

ETIM 8.0	EC000438
----------	----------

UNSPSC

UNSPSC 21.0	43223300
-------------	----------

1076661

<https://www.phoenixcontact.com/pc/products/1076661>

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e No hazardous substances above threshold values
------------	---

Phoenix Contact 2023 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachmarktstraße 8
D-32825 Blomberg
+49 (0) 5235-3 00
info@phoenixcontact.com