



PROPERTY OF DEUTSCH E.C.D
 THIS DRAWING CONTAINS PROPRIETARY INFORMATION THAT SHALL NOT BE DISCLOSED, DUPLICATED,
 NOR USED IN WHOLE OR IN PART FOR ANY PURPOSE OTHER THAN TO EVALUATE THIS DRAWING.

N/C 94662-10-5PX

REVISIONS			
REV	DESCRIPTIONS	DATE	APPROVED
N/C	NEW RELEASE PER E.O.H2932	1/17/2000	[Signature]



KEYWAY & BAYONET ANGLES

PART No.	**	POS.	A°	B°	C°	D°	E°	F°	G°
94662-10-5PN		N	105	140	215	265	60	180	300
94662-10-5P6		6	102	132	248	320	46	166	286
94662-10-5P7		7	80	118	230	312	46	166	286
94662-10-5P8		8	35	140	205	275	60	180	300
94662-10-5P9		9	64	155	234	304	89	209	329
94662-10-5PY		Y	25	115	220	270	60	180	300

FILE:94662-10-5PX-ENV

- DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED.
 - INSERT ARRANGEMENT PER MIL-STD-1554.
 - LEAK RATE: 1E-8 cc/sec He @ 1 atm.
 - INSULATION RESISTANCE: >5000 MEGOHM @ 500 VDC
DIELECTRIC WITHSTANDING VOLTAGE: NO BREAKDOWN @ 1500 VAC
 - MATERIAL:
SHELL - COLD ROLLED STEEL
INSULATOR - GLASS INSERT
CONTACT - 52 HIGH NICKEL-IRON ALLOY
INTERFACIAL SEAL - SILICONE ELASTOMER
 - FINISH:
SHELL - TIN OVER NICKEL PLATE
CONTACT - GOLD OVER NICKEL PLATE
- NOTE(S):

	SIGNATURE & DATE
DR	F. BAUTISTA 1-17-2000
CHK	[Signature] 1/17/2000
PE	[Signature] 1/17/00
APPD	[Signature] 1/17/00
SCALE:	3:1

RECEPTACLE, CONNECTOR
 SQUARE FLANGE MOUNT
 BAYONET COUPLING
 SPECIAL
 MIL-C-26500 TYPE
 10-5 ARRANGEMENT
 5 SIZE 20 SOLDER POT CONT
 ENVELOPE

CP	MATL CODE 74
DEUTSCH HERMETIC PRODUCTS OPERATION 250 Eddie Jones Way Oceanside, CA 92054	
B	94662-10-5PX
DWG SIZE	CAGE CODE 11139 SHEET 1 OF 1