

3069899

<https://www.phoenixcontact.com/us/products/3069899>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Cover profile, for covering the bridge shafts for FAME test plugs, length supplied: 1 m

Commercial data

| | |
|--------------------------------------|---------------------|
| Item number | 3069899 |
| Packing unit | 1 pc |
| Minimum order quantity | 1 pc |
| Sales key | BE06 |
| Product key | BE61ZX |
| Catalog page | Page 629 (C-1-2019) |
| GTIN | 4046356963398 |
| Weight per piece (including packing) | 9.99 g |
| Weight per piece (excluding packing) | 271 g |
| Customs tariff number | 39162000 |
| Country of origin | PL |

Technical data

Product properties

| | |
|--------------|---------------|
| Product type | Cover profile |
|--------------|---------------|

Dimensions

| | |
|--------|---------|
| Width | 1 m |
| Height | 39.2 mm |
| Depth | 13.2 mm |
| Length | 39.2 mm |

Material specifications

| | |
|----------|-------------|
| Color | transparent |
| Material | PVC |

Environmental and real-life conditions

Ambient conditions

| | |
|--|---|
| Ambient temperature (operation) | -60 °C ... 85 °C |
| Ambient temperature (storage/transport) | -25 °C ... 55 °C (for a short time, not exceeding 24 h, -60 °C to +70 °C) |
| Ambient temperature (assembly) | -5 °C ... 70 °C |
| Ambient temperature (actuation) | -5 °C ... 70 °C |
| Permissible humidity (storage/transport) | 30 % ... 70 % |

3069899

<https://www.phoenixcontact.com/us/products/3069899>

Classifications

ECLASS

| | |
|-------------|----------|
| ECLASS-11.0 | 27141190 |
| ECLASS-12.0 | 27141190 |
| ECLASS-13.0 | 27141190 |

ETIM

| | |
|----------|----------|
| ETIM 8.0 | EC002848 |
|----------|----------|

UNSPSC

| | |
|-------------|----------|
| UNSPSC 21.0 | 39121400 |
|-------------|----------|

Environmental product compliance

| | |
|------------|---|
| China RoHS | Environmentally friendly use period: unlimited = EFUP-e No hazardous substances above threshold values |
|------------|---|

3069899

<https://www.phoenixcontact.com/us/products/3069899>

Accessories

AP-ES - Insert strip

5022685

<https://www.phoenixcontact.com/us/products/5022685>



Insert strip, white, unlabeled, mounting type: insert, for terminal block width: 35 mm, lettering field size: 35 x 500 mm

Phoenix Contact 2023 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com