

## Components of electronic housing - UM-PRO PCB C-LOCK L3 BK - 2200166

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Locking element for locking the PCB onto UM-PRO housing at level 3

The figure shows the versions for PCB level 1

### Product Features

- ✓ Plug-in assembly reduces assembly time and therefore saves costs
- ✓ Mounting close to the edge provides wiring advantages
- ✓ Freely positionable covers offer flexibility
- ✓ PE contacts that can be fitted on both sides ensure safety
- ✓ Additional foot elements increase mechanical stability
- ✓ Temperature range up to 100°C extends the possible fields of application (UM-PRO)
- ✓ Device communication can be extended by BUS cross contacting
- ✓ Additional labeling of PCB with Phoenix Contact PMB module marker carrier (drill hole diameter 4 mm)
- ✓ Well-designed profile geometry increases the form stability

### Key commercial data

|                                      |          |
|--------------------------------------|----------|
| Packing unit                         | 1 pc     |
| Minimum order quantity               | 50 pc    |
| Weight per Piece (excluding packing) | 0.4 GRM  |
| Custom tariff number                 | 39269097 |
| Country of origin                    | Germany  |

### Technical data

#### General

|                  |           |
|------------------|-----------|
| Housing material | Polyamide |
| Color            | black     |

#### Technical data

|   |    |
|---|----|
| Inflammability class according to UL 94 | V0 |
|---|----|

# Components of electronic housing - UM-PRO PCB C-LOCK L3 BK - 2200166

## Classifications

### eCl@ss

|            |          |
|------------|----------|
| eCl@ss 4.0 | 27180401 |
| eCl@ss 4.1 | 27180401 |
| eCl@ss 5.0 | 27180506 |
| eCl@ss 5.1 | 27180506 |
| eCl@ss 6.0 | 27180802 |
| eCl@ss 7.0 | 27182701 |
| eCl@ss 8.0 | 27182701 |

### ETIM

|          |          |
|----------|----------|
| ETIM 2.0 | EC001031 |
| ETIM 3.0 | EC001031 |
| ETIM 4.0 | EC002608 |
| ETIM 5.0 | EC002608 |

### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 31261501 |
| UNSPSC 7.0901 | 31261501 |
| UNSPSC 11     | 31261501 |
| UNSPSC 12.01  | 31261501 |
| UNSPSC 13.2   | 31261501 |

## Approvals

### Approvals

---

Approvals

UL Recognized

---

Ex Approvals

---

Approvals submitted

---

Approval details

## Components of electronic housing - UM-PRO PCB C-LOCK L3 BK - 2200166

### Approvals

